



STAINLESS STEEL

# MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING

## TOE-PUSH OPERATED



19-FM-23FV Shown



19-FM-40FV Shown



19-FM-60FV Shown



19-FM-120FV Shown

Item #: \_\_\_\_\_ Qty #: \_\_\_\_\_  
Model #: \_\_\_\_\_  
Project #: \_\_\_\_\_



Knee Valves Included

### FEATURES:

8 1/2" high backsplash.

**Standard Series:** 8" sink bowl depth.

Stainless steel "Z" brackets.

3 1/2" **K-6** rear basket drain(s).

Tubular stainless steel legs with flanged feet.

Side & rear adjustable cross-bracing with leg clamps.

**Toe-Push Operated:** Includes **K-104** toe-push valve(s) and **K-121** spout(s).

### CONSTRUCTION:

All TIG welded.

Welded areas blended to match adjacent surfaces and to a satin finish.

### MATERIAL:

16 gauge type "304" stainless steel.

1 5/8" tubular "304" stainless steel supports.

### MECHANICAL:

Single faucet hole punch at each station.

| # Of Stations | 16 Gauge Sinks Without Faucets | # Of Faucets | # Of Valves |
|---------------|--------------------------------|--------------|-------------|
| 1             | 19-FM-23FV                     | 1 Faucet     | 1 Valve     |
| 2             | 19-FM-40FV                     | 2 Faucets    | 2 Valves    |
| 2             | 19-FM-48FV                     | 2 Faucets    | 2 Valves    |
| 3             | 19-FM-60FV                     | 3 Faucets    | 3 Valves    |
| 3             | 19-FM-72FV                     | 3 Faucets    | 3 Valves    |
| 4             | 19-FM-80FV                     | 4 Faucets    | 4 Valves    |
| 4             | 19-FM-96FV                     | 4 Faucets    | 4 Valves    |
| 5             | 19-FM-100FV                    | 5 Faucets    | 5 Valves    |
| 6             | 19-FM-120FV                    | 6 Faucets    | 6 Valves    |

**WARNING:** Equipment that include faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: [customer@advancetabco.com](mailto:customer@advancetabco.com) or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: [smartfab@advancetabco.com](mailto:smartfab@advancetabco.com) or Fax: 631-586-2933

REF-JJ


# DETAILS and SPECIFICATIONS

TOL ± .500"



FITTINGS SUPPLIED AS SHOWN

ALL DIMENSIONS ARE TYPICAL

## MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING **TOE-PUSH OPERATED**



SEE PAGE 3  
FOR  
PLUMBING  
ROUGH-INS



| # Of Stations       | L    | 16 Gauge Sinks Without Faucets | Wt. | # Of Drains | # Of Faucets | Cu. |
|---------------------|------|--------------------------------|-----|-------------|--------------|-----|
| STANDARD - 8" DEPTH |      |                                |     |             |              |     |
| 1                   | 40"  | 19-FM-23FV                     | 58  | 1           | 2            | 15  |
| 2                   | 40"  | 19-FM-40FV                     | 70  | 1           | 2            | 15  |
| 2                   | 48"  | 19-FM-48FV                     | 83  | 1           | 2            | 16  |
| 3                   | 60"  | 19-FM-60FV                     | 138 | 1           | 3            | 22  |
| 3                   | 72"  | 19-FM-72FV                     | 153 | 1           | 3            | 23  |
| 4                   | 80"  | 19-FM-80FV                     | 163 | 1           | 4            | 28  |
| 4                   | 96"  | 19-FM-96FV                     | 193 | 1           | 4            | 30  |
| 5                   | 100" | 19-FM-100FV                    | 243 | 2           | 5            | 35  |
| 6                   | 120" | 19-FM-120FV                    | 258 | 3           | 6            | 42  |




# PLUMBING ROUGH-INS

TOL ± .500"

FITTINGS SUPPLIED AS SHOWN


ALL DIMENSIONS ARE TYPICAL

## MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING TOE-PUSH OPERATED



Leg Support Locations

| Model #     | L1      | L2        | L3        | L4         |
|-------------|---------|-----------|-----------|------------|
| 19-FM-23FV  | 4 3/16" | 18 13/16" | N/A       | N/A        |
| 19-FM-40FV  | 4 3/16" | 35 13/16" | N/A       | N/A        |
| 19-FM-48FV  | 4 3/16" | 43 13/16" | N/A       | N/A        |
| 19-FM-60FV  | 4 3/16" | 55 13/16" | N/A       | N/A        |
| 19-FM-72FV  | 4 3/16" | 67 13/16" | N/A       | N/A        |
| 19-FM-80FV  | 4 3/16" | 75 13/16" | N/A       | N/A        |
| 19-FM-96FV  | 4 3/16" | 48"       | 91 13/16" | N/A        |
| 19-FM-100FV | 4 3/16" | 36 7/16"  | 62 1/4"   | 95 13/16"  |
| 19-FM-120FV | 4 3/16" | 39 3/4"   | 79 3/4"   | 115 13/16" |



| # Of Stations       | L    | Model       | B       | C   | D  | E       | F         | G        | H       | I   | J    | X1      | X2        | X3       | X4      | X5  | X6   |
|---------------------|------|-------------|---------|-----|----|---------|-----------|----------|---------|-----|------|---------|-----------|----------|---------|-----|------|
| STANDARD • 8" DEPTH |      |             |         |     |    |         |           |          |         |     |      |         |           |          |         |     |      |
| 1                   | 23"  | 19-FM-23FV  | 11 1/2" | N/A | 8" | 11 1/2" | N/A       | N/A      | N/A     | N/A | N/A  | 11 1/2" | N/A       | N/A      | N/A     | N/A | N/A  |
| 2                   | 40"  | 19-FM-40FV  | 20"     | N/A | 8" | 11"     | 29"       | N/A      | N/A     | N/A | N/A  | 11"     | 29"       | N/A      | N/A     | N/A | N/A  |
| 2                   | 48"  | 19-FM-48FV  | 24"     | N/A | 8" | 11"     | 37"       | N/A      | N/A     | N/A | N/A  | 11"     | 37"       | N/A      | N/A     | N/A | N/A  |
| 3                   | 60"  | 19-FM-60FV  | 30"     | N/A | 8" | 11"     | 30"       | 49"      | N/A     | N/A | N/A  | 11"     | 30"       | 49"      | N/A     | N/A | N/A  |
| 3                   | 72"  | 19-FM-72FV  | 36"     | N/A | 8" | 11"     | 36"       | 61"      | N/A     | N/A | N/A  | 11"     | 36"       | 61"      | N/A     | N/A | N/A  |
| 4                   | 80"  | 19-FM-80FV  | 40"     | N/A | 8" | 11"     | 29"       | 51"      | 69"     | N/A | N/A  | 11"     | 29"       | 51"      | 69"     | N/A | N/A  |
| 4                   | 96"  | 19-FM-96FV  | 32"     | 32" | 8" | 11"     | 35 11/16" | 60 5/16" | 85"     | N/A | N/A  | 11"     | 35 11/16" | 60 5/16" | 85"     | N/A | N/A  |
| 5                   | 100" | 19-FM-100FV | 29"     | 42" | 8" | 11"     | 30 1/2"   | 50"      | 69 1/2" | 89" | N/A  | 11"     | 30 1/2"   | 50"      | 69 1/2" | 89" | N/A  |
| 6                   | 120" | 19-FM-120FV | 29"     | 31" | 8" | 11"     | 29"       | 51"      | 69"     | 91" | 109" | 11"     | 29"       | 51"      | 69"     | 91" | 109" |



REF-JJ

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, FEBRUARY 2025