

TECHNICAL SPECIFICATION

Features	47" wide	59" wide	79" wide
Item	46679	41937	46680
Model	RS-CN-0004-P	RS-CN-0006-P	RS-CN-0009-P
Capacity	4 x GN 1/3 Pan	6 x GN 1/3 Pan	9 x GN 1/3 Pan
Refrigerant	R600A	R600A	R600A
Electrical	115V / 60Hz / 1Ph	115V / 60Hz / 1Ph	115V / 60Hz / 1Ph
Cooling System	Static	Static	Static
Temperature Range	8°C to 2°C (46°F to 36°F)	8°C to 2°C (46°F to 36°F)	8°C to 2°C (46°F to 36°F)
Power	140 W	140 W	140 W
Amp	1.6 A	1.8 A	2 A
Running Load Amperage	1.7 A	1.85 A	2.1A
Interior Dimensions (WDH)	33.5" x 12" x 6.5"	45.3" x 12" x 6.5"	65" x 12" x 6.5"
Net Weight	81.6 lb. (37 kg.)	99.2 lb. (45 kg.)	123.5 lb. (56 kg.)
Net Dimensions (WDH)	47" x 15.5" x 17" (1200 x 395 x 435mm)	59" x 15.5" x 17" (1500 x 395 x 435mm)	79" x 15.5" x 17" (2000 x 395 x 435mm)

>> This equipment is intended for use in an indoor environment where ambient temperature and humidity do not exceed 24°C / 75°F and 55% relative humidity.

TECHNICAL DRAWING

Item	46679	41937	46680
L1	47" (1200mm)	59" (1500)	78.7" (2000)
L2	33" (850)	45" (1150)	65" (1650)

