

CONTACT US FOR A QUOTE

We welcome the opportunity to quote on upcoming projects so we can prove the value and advantage Winholt can offer for custom stainless steel fabrication. Please reach out to your Winholt Sales Representative, eMail sales@winholt.com or call 800.444.3595.

CUSTOM STAINLESS STEEL FABRICATION

GENERAL NOTES

- * TOP - 16GA S/S #3 POLISH
- * BODY - 18GA S/S #3 POLISH
- * DOORS - SINGLE PANEL CONSTRUCTION, 18 GA S/S
- * LEGS - 1.5" DIA. 16GA S/S TUBE
- * ALL SEAMS WELDED & POLISHED
- * THERE SHALL BE NO BURRS/EDGES
- * MEETS NSF STANDARD 2.
- * FEATURES
- * 6" HIGH BACK SPLASH
- * (1) 20" X 20" X 1/4" DEEP S/S 3-1/2" BASKET DRAIN
- * (1) 1/2" SWIVEL POLY/UP TYPE PRE-RINSE FAUCET W/ ADDON 14" SWING FAUCET
- * (3) 12" X 20" X 5" DEEP S/S RO BEARING DRAWERS
- * (6) ADJUSTABLE S/S BULLET

ITEM: TB973
WLFID-CAB-5-KT
1142074



GENERAL NOTES

- * TOP - 18 GA S/S #3 POL.
- * CABINET BODY - 18 GA S/S #3 POL.
- * SHELF - 18 GA S/S #3 POL.
- * SUPPORTS - 18 GA S/S
- * DOORS - 18 GA S/S #3 POL.
- * ALL SEAMS WELDED & POLISHED
- * THERE WILL BE NO BURRS OR SHARP EDGES
- * MEETS NSF STD. 2.
- * FEATURES
- * CASTERS - 6" X 1-1/4" SWIVEL POLY/UP WITH LOCKS
- * (1) REMOVABLE LEXAN SNEEZ GUARD WITH 1/2" CLEARANCE TO DECK
- * (3) 6" X 18" REMOVABLE POLY BORDS

ITEM: STCT-H2460-2FS
1141585

Customized stainless steel fabrication your go to source.

GENERAL NOTES

- * TOP - 18 GA S/S #3 POLISH
- * UNDER SHELF - 18 GA S/S #3 POLISH
- * SUPPORTS - 18 GA S/S #3 POLISH
- * LEGS - 1.5" DIA. S/S TUBING
- * FEET - ADJUSTABLE S/S BULLET TYPE
- * ALL SEAMS WELDED & POLISHED
- * THERE WILL BE NO BURRS OR SHARP EDGES
- * MEETS NSF STD. 2.
- * FEATURES
- * 6" BOXED BACK'S PLASH



ITEM: WLFID-TBL-3 (DTSS-SPCL)
1142411

ITEM LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	DTF-3072-05-885-PKX	DEKOR TABLE
2	1	1E4228-B	SS-3072-05-14-55-PKX (EQUIPMENT STAND)
3	1	1E4228-B	DTF-3072-05-14-55-PKX (DEKOR TABLE)
4	1	1E4228-A	SS-PC-3008-6H-PKX (PKSH CART)
5	1	1E4228-C	SS-SBC-3008-PKX (SMALL LEXAN BUCKET CART)
6	1	1E4228-E	SS-SBC-3008-PKX (LARGE TUB BUCKET CART)
7	1	1E4228-C	SS-SBC-3008-PKX (SMALL HOLDING CART)
8	1	1E4228-C	SS-SBC-3008-PKX (LARGE HOLDING CART)
9	1	1E4228-E	SS-SBC-3008-PKX (LARGE BASKET)
10	1	1E4228-A	SS-PBX-PRX (PLASTIC BAK HOLDER)
11	2	1E4228-E	SS-DBX-PRX (SS-DBX BOX HOLDER)
12	2	1E4228-A	SS-COM-PRX (CUSTOM ICEBER BASKET)
13	1	1E4228-E	SS-ABC-PRX (ACE BASKET COMPRESSOR SHELF)
14	2	1E4228-E	SS-180-PRX (18" TALL) HOLDER SHELF
15	1	1E4228-E	SS-60-PRX (60" TALL) HOLDER SHELF

ITEM: SS-BCDS-PKX (BAKERY CAKE DECORATORS)
1142262

STAINLESS STEEL SINKS



**Rolled
Rim Edges**



**Stainless Clad
Bullet Feet**



**Legs Mounted Under
Sink Bowls for Added
Weight Capacity**



Fabricated Bowls



**Coved Corner
Sink Bowls**

STAINLESS SINKS - 1 COMPARTMENT WITHOUT DRAINBOARD

- All welded construction.
- Complies with all sanitary standards: 16 GA or 14 GA 300 series stainless steel.
- 12" or 14" deep fabricated bowls with covered corners.
- Cross bracing for heavy duty support and stability.
- Equipped with stainless steel gussets, stainless steel legs and stainless steel clad adjustable feet for leveling.
- 9" backsplash with 45 degree return.

Bowl Size (in)	L x W (in)	16 Gauge 12" Water Level	Wt (lbs)	14 Gauge 14" Water Level	Wt (lbs)
16x18	21x23½	WS1T1618	45	WS1T1618-14DP-14GA	50
18x18	23x23½	WS1T1818	45	WS1T1818-14DP-14GA	50
16x20	21x25½	WS1T1620	43	WS1T1620-14DP-14GA	55
20x20	25x25½	WS1T2020	55	WS1T2020-14DP-14GA	60
18x24	23x29½	WS1T1824	53	WS1T1824-14DP-14GA	59
24x24	29x29½	WS1T2424	62	WS1T2424-14DP-14GA	68
20x28	25x33½	WS1T2028	65	WS1T2028-14DP-14GA	72

OPTION: WB18 18" WALL BRACKETS

Freight Class: 200



Shown with lever support bracket

STAINLESS SINKS - 1 COMPARTMENT WITH 2 DRAINBOARDS

Bowl Size (in)	L x W (in)	Drbd Size (in)	16 Gauge 12" Water Level	Wt (lbs)	14 Gauge 14" Water Level	Wt (lbs)
16x18 (406x457)	52x23½	18	WS1T16182D18	62	W1T16182D18-14DP-14GA	68
	64x23½	24	WS1T16182D24	69	WS1T16182D24-14DP-14GA	77
18x18 (457x457)	54x23½	18	WS1T18182D18	71	W1T18182D18-14DP-14GA	76
	66x23½	24	WS1T18182D24	80	WS1T18182D24-14DP-14GA	87
16x20 (406x508)	52x25½	18	WS1T16202D18	66	WS1T16202D18-14DP-14GA	70
	64x25½	24	WS1T16202D24	74	WS1T16202D24-14DP-14GA	80
20x20 (508x508)	40x25½	18	WS1T20202D18	85	WS1T20202D18-14DP-14GA	90
	44x25½	24	WS1T20202D24	95	WS1T20202D24-14DP-14GA	101
18x24 (457x610)	54x29½	18	WS1T18242D18	75	WS1T18242D18-14DP-14GA	80
	66x29½	24	WS1T18242D24	83	WS1T18242D24-14DP-14GA	91
24x24 (610x610)	60x29½	18	WS1T24242D18	92	WS1T24242D18-14DP-14GA	95
	72x29½	24	WS1T24242D24	112	WS1T24242D24-14DP-14GA	103
20x28 (508x711)	40x33½	18	WS1T20282D18	102	WS1T20282D18-14DP-14GA	115
	44x33½	24	WS1T2028-2D24	125	WS1T20282D24-14DP-14GA	126

OPTION: WB18 18" WALL BRACKETS

Freight Class: 200

800.444.3595 | 516.921.0538 fax | www.winholt.com



Faucets and parts sold separately.



STAINLESS SINKS 1 COMPARTMENT WITH 1 DRAINBOARD

Customize to meet your requirements:

- Stainless Sink Single Compartment with Left Hand Drainboard
- 14" Swing Faucet Splash Mount
- Rotary Lever Waste Valve with Flat Strainer
- Flange Feet



Bowl Size (in)	L x W (in)	Drbd Size (in)	Drbd Left Right	16 Gauge 12" Water Level	Wgt (lbs)	14 Gauge 14" Water Level	Wgt (lbs)
16x18	36½x23½	18	LEFT	WS1T1618LD18	53	WS1T1618LD18-14DP-14GA	56
			RIGHT	WS1T1618RD18		WS1T1618RD18-14DP-14GA	
	42½x23½	24	LEFT	WS1T1618LD24	57	WS1T1618LD24-14DP-14GA	60
			RIGHT	WS1T1618RD24		WS1T1618RD24-14DP-14GA	
18x18	38½x23½	18	LEFT	WS1T1818LD18	55	WS1T1818LD18-14DP-14GA	59
			RIGHT	WS1T1818RD18		WS1T1818RD18-14DP-14GA	
	44½x23½	24	LEFT	WS1T1818LD24	58	WS1T1818LD24-14DP-14GA	63
			RIGHT	WS1T1818RD24		WS1T1818RD24-14DP-14GA	
16x20	36½x25½	18	LEFT	WS1T1620LD18	54	WS1T1620LD18-14DP-14GA	58
			RIGHT	WS1T1620RD18		WS1T1620RD18-14DP-14GA	
	42½x25½	24	LEFT	WS1T1620LD24	57	WS1T1620LD24-14DP-14GA	62
			RIGHT	WS1T1620RD24		WS1T1620RD24-14DP-14GA	
20x20	40½x25½	18	LEFT	WS1T2020LD18	70	WS1T2020LD18-14DP-14GA	77
			RIGHT	WS1T2020RD18		WS1T2020RD18-14DP-14GA	
	46½x25½	24	LEFT	WS1T2020LD24	74	WS1T2020LD24-14DP-14GA	83
			RIGHT	WS1T2020RD24		WS1T2020RD24-14DP-14GA	
18x24	38½x29½	18	LEFT	WS1T1824LD18	64	WS1T1824LD18-14DP-14GA	70
			RIGHT	WS1T1824RD18		WS1T1824RD18-14DP-14GA	
	44½x29½	24	LEFT	WS1T1824LD24	68	WS1T1824LD24-14DP-14GA	75
			RIGHT	WS1T1824RD24		WS1T1824RD24-14DP-14GA	
24x24	50½x29½	24	LEFT	WS1TS2424LD24	77	WS1TS2424LD24-14DP-14GA	85
			RIGHT	WS1TS2424RD24		WS1TS2424RD24-14DP-14GA	
20x28	40½x33½	18	LEFT	WS1T2028LD18	87	WS1T2028LD18-14DP-14GA	97
			RIGHT	WS1T2028RD18		WS1T2028RD18-14DP-14GA	
	46½x33½	24	LEFT	WS1T2028LD24	88	WS1T2028LD24-14DP-14GA	101
			RIGHT	WS1T2028RD24		WS1T2028RD24-14DP-14GA	

OPTION: WB18 18" WALL BRACKETS
Freight Class: 200

STAINLESS SINKS - 2 COMPARTMENT WITHOUT DRAINBOARD

Bowl Size (in)	L x W (in)	16 Gauge 12" Water Level	Wt (lbs)	14 Gauge 14" Water Level	Wt (lbs)
16x18	39x23½	WS2T1618	74	WS2T1618-14DP-14GA	79
18x18	43x23½	WS2T1818	78	WS2T1818-14DP-14GA	85
16x20	39x25½	WS2T1620	76	WS2T1620-14DP-14GA	83
20x20	47x25½	WS2T2020	96	WS2T2020-14DP-14GA	110
18x24	43x29½	WS2T1824	92	WS2T1824-14DP-14GA	103
24x24	55x29½	WS2T2424	109	WS2T2424-14DP-14GA	124
20x28	47x33½	WS2T2028	115	WS2T2028-14DP-14GA	134

OPTION: WB18 18" WALL BRACKETS
Freight Class: 200



STAINLESS SINKS - 2 COMPARTMENT WITH 2 DRAINBOARDS

Bowl Size (in)	L x W (in)	Drbd Size (in)	16 Gauge 12" Water Level	Wt (lbs)	14 Gauge 14" Water Level	Wt (lbs)
16x18	70x23½	18	WS2T16182D18	83	WS2T16182D18-14DP-14GA	90
	82x23½	24	WS2T16182D24	86	WS2T16182D24-14DP-14GA	95
18x18	74x23½	18	WS2T18182D18	96	WS2T18182D18-14DP-14GA	106
	86x23½	24	WS2T18182D24	103	WS2T18182D24-14DP-14GA	115
16x20	70x25½	18	WS2T16202D18	94	WS2T16202D18-14DP-14GA	103
	82x25½	24	WS2T16202D24	101	WS2T16202D24-14DP-14GA	112
20x20	78x25½	18	WS2T20202D18	135	WS2T20202D18-14DP-14GA	150
	90x25½	24	WS2T20202D24	150	WS2T20202D24-14DP-14GA	159
18x24	74x29½	18	WS2T18242D18	113	WS2T18242D18-14DP-14GA	130
	86x29½	24	WS2T18242D24	122	WS2T18242D24-14DP-14GA	139
24x24	86x29½	18	WS2T24242D18	128	WS2T24242D18-14DP-14GA	155
	98x29½	24	WS2T24242D24	139	WS2T24242D24-14DP-14GA	160
20x28	82x35½	18	WS2T20282D18	159	WS2T20282D18-14DP-14GA	175
	90x35½	24	WS2T20282D24	170	WS2T20282D24-14DP-14GA	185

OPTION: WB18 18" WALL BRACKETS
Freight Class: 200

WST1824-SS
Space Saver Design shown with lever support brackets



Faucets and parts sold separately.

STAINLESS SINKS - 2 COMPARTMENT WITH 1 DRAINBOARD



Bowl Size (in)	L x W (in)	Drbd Size (in)	Drbd Left Right	16 Gauge 12" Water Level	Wgt (lbs)	14 Gauge 14" Water Level	Wgt (lbs)
16x18	54½x23½	18	LEFT	WS2T1618LD18	83	WS2T1618LD18-14DP-14GA	90
			RIGHT	WS2T1618RD18		WS2T1618RD18-14DP-14GA	
	60½x23½	24	LEFT	WS2T1618LD24	86	WS2T1618LD24-14DP-14GA	95
			RIGHT	WS2T1618RD24		WS2T1618RD24-14DP-14GA	
18x18	58½x23½	18	LEFT	WS2T1818LD18	87	WS2T1818LD18-14DP-14GA	95
			RIGHT	WS2T1818RD18		WS2T1818RD18-14DP-14GA	
	64½x23½	24	LEFT	WS2T1818LD24	90	WS2T1818LD24-14DP-14GA	100
			RIGHT	WS2T1818RD24		WS2T1818RD24-14DP-14GA	
16x20	54½x25½	18	LEFT	WS2T1620LD18	85	WS2T1620LD18-14DP-14GA	93
			RIGHT	WS2T1620RD18		WS2T1620RD18-14DP-14GA	
	60½x25½	24	LEFT	WS2T1620LD24	88	WS2T1620LD24-14DP-14GA	98
			RIGHT	WS2T1620RD24		WS2T1620RD24-14DP-14GA	
20x20	62½x25½	18	LEFT	WS2T2020LD18	117	WS2T2020LD18-14DP-14GA	133
			RIGHT	WS2T2020RD18		WS2T2020RD18-14DP-14GA	
	68½x25½	24	LEFT	WS2T2020LD24	122	WS2T2020LD24-14DP-14GA	142
			RIGHT	WS2T2020RD24		WS2T2020RD24-14DP-14GA	
18x24	58½x29½	18	LEFT	WS2T1824LD18	107	WS2T1824LD18-14DP-14GA	120
			RIGHT	WS2T1824RD18		WS2T1824RD18-14DP-14GA	
	64½x29½	24	LEFT	WS2T1824LD24	111	WS2T1824LD24-14DP-14GA	126
			RIGHT	WS2T1824RD24		WS2T1824RD24-14DP-14GA	
24x24	76½x29½	24	LEFT	WS2TS2424LD24	127	WS2TS2424LD24-14DP-14GA	146
			RIGHT	WS2TS2424RD24		WS2TS2424RD24-14DP-14GA	
20x28	62½x33½	18	LEFT	WS2T2028LD18	175	WS2T2028LD18-14DP-14GA	190
			RIGHT	WS2T2028RD18		WS2T2028RD18-14DP-14GA	
	68½x33½	24	LEFT	WS2T2028LD24	185	WS2T2028LD24-14DP-14GA	199
			RIGHT	WS2T2028RD24		WS2T2028RD24-14DP-14GA	

OPTION: WB18 18" WALL BRACKETS
Freight Class: 200

SINK MODIFICATIONS



Top Modifications

WH-ASBH	Anti Siphon Vacuum Breaker Holes	each
WH-WFJ	Welded field joint (by other)	each
WH-DSCB	Installation of Disposal Cone with 6"x9" control bracket, faucet holes (Cone supplied by other)	each
WH-DSCB14	Installation of Disposal Cone with 14"x16" control bracket, faucet holes (Cone supplied by other)	each
WH-DMFH	Deck mount holes per faucet	
WH-SPFH	Splash mount holes per faucet	
WH-WATRG	Waste trough with removable basket -2" deep	each
WH-COLLAR	Installation of collar with 6"x9" control bracket (collar supplied by other)	each
WH-COLLAR14	Installation of Collar with 14"x16" control bracket (collar supplied by other)	each

Underneath Modifications

WH-HFLEG	H-Frame support leg	each
WH-CBH	Cutting board holder	each
WH-WHCG	Work height change	each
WS-SDDEAD	Sound Deadening	per lin. ft

Backsplash & Sidesplash Modifications

WH-SPCU	Splash cutout	each
WH-BS13	Backsplash up to 13"	per lin. ft
WH-BS18	Backsplash up to 18"	per lin. ft
WH-SSP	Sink sidesplash	each
WH-SSI	Integrated sidesplash	per lin. ft

Sink Bowl Modifications

WH-SSKRT	Sink skirt	each
WH-OVFLCT	Punch for overflow holes only	each
WH-LVSB	Lever support bracket	each
WH-CT12XXXX	Custom bowl 12" deep	each
WH-CT14XXXX	Custom bowl 14" deep	each
WH-CT16XXXX	Custom bowl 16" deep	each
WH-CTMOD	Modify bowl depth	each

Drainboard Modifications

WH-EXDB	Extra drainboard	per lin. ft
WH-DBCTN	Corner turn for drainboard	each
WH-USDB	Undershelf drainboard	per lin. ft

Additional Crating

WH-CRATE	Complete Crating	per sink
WH-EXPCRATE	Export Crating	per sink

Sink Accessories

Sink Cutting Boards for Sink Bowls

WSA-PSC1618	Poly top 16"x18" bowl	each
WSA-PSC1818	Poly top 18"x18" bowl	each
WSA-PSC1620	Poly top 16"x20" bowl	each
WSA-PSC2020	Poly top 20"x20" bowl	each
WSA-PSC1824	Poly top 18"x24" bowl	each
WSA-PSC2424	Poly top 24"x24" bowl	each
WSA-PSC1928	Poly top 19"x28" bowl	each
WSA-PSC2028	Poly top 20"x28" bowl	each
WSA-PSC1532	Poly top 15"x32" bowl	each

Stainless Steel Sink Cover for Sink Bowls

WSA-SSC1014	S/S Sink cover 10"x14" bowl	each
WSA-SSC1416	S/S Sink cover 14"x16" bowl	each
WSA-SSC1618	S/S Sink cover 16"x18" bowl	each
WSA-SSC1818	S/S Sink cover 18"x18" bowl	each
WSA-SSC1620	S/S Sink cover 16"x20" bowl	each
WSA-SSC2020	S/S Sink cover 20"x20" bowl	each
WSA-SSC1824	S/S Sink cover 18"x24" bowl	each
WSA-SSC2424	S/S Sink cover 24"x24" bowl	each
WSA-SSC1928	S/S Sink cover 19"x28" bowl	each
WSA-SSC2028	S/S Sink cover 20"x28" bowl	each
WSA-SSC1532	S/S Sink cover 15"x32" bowl	each

Leg Accessories

4497-3	Flanged stainless steel bullet foot Adj.	each
4471	Stainless steel clad foot Adj.	each
WH-LWB	Leg to wall brace	each

HAND SINKS



HAND SINK, WALL MOUNT WITH ELECTRIC EYE ACTIVATED FAUCET

- High quality 16 gauge stainless steel.
- 5" deep bowl
- Gooseneck faucet, basket drain and soap dispenser are all included.
- Standard with electric eye activated faucet.



Bowl Size (in)	L x W (in)	Model	Wgt (lbs)
10x14x6	18x15	WSHS-1410-EF	20

HAND SINK, WALL MOUNT WITH HAND VALVES

- High quality 16 gauge stainless steel
- 6" deep bowl
- Gooseneck faucet, basket drain and soap dispenser are all included.



Bowl Size (in)	L x W (in)	Model	Wgt (lbs)
10x14x6	18x15	WHWS1410HV	12

HAND SINK, WALL MOUNT WITH KNEE VALVES

- High quality 16 gauge stainless steel
- 6" deep bowl
- Gooseneck faucet, basket drain and soap dispenser are all included



Bowl Size (in)	L x W (in)	Model	Wgt (lbs)
10x14x6	18x15	WWHS1410SP	45

All Freight Class: 150

In line with our policy to continually improve our products, Winholt reserves the right to change materials and specifications without notice.

HAND SINKS



**Welded Side splashes
for Hand Sinks**
 Left Sidesplash: LSP
 Right Sidesplash: RSP
 Left & Right Sidesplash: 2SP



WHPS1110



WHPS1616-KT

ECONOMY HAND SINK, WALL MOUNT



- High quality, 20 gauge stainless steel.
- Bowl is 5" deep
- Backsplash is 9-1/2".
- 4" Gooseneck faucet, 1-1/2" basket drain.

Bowl Size (in)	L x W (in)	Model	Wgt (lbs)
10x14x5	17x15	WSHS-1410-5-F	15

Freight Class: 150

HAND SINK, WALL MOUNT WITH SIDESPLASHES

- High quality, 20 gauge stainless steel.
- Bowl is 5" deep
- Backsplash is 9-1/2"
- 4" Gooseneck faucet, 1-1/2" basket drain.
- Welded sidesplashes

Bowl Size (in)	L x W (in)	Model	Wgt (lbs)
10x14x5	17x15	WSHS-1410-5--2SP	18

Freight Class: 150

PEDESTAL HAND SINK 1 PEDAL

- High quality 16 gauge stainless steel
- Foot Pedals for hands-free control lessens contamination
- Gooseneck faucet, Basket drain and soap dispenser are all included.
- 18" high backsplash.

Bowl Size (in)	L x W (in)	Model	Wgt (lbs)
11x10x8	12x11	WHPS1110	50

Freight Class: 150

PEDESTAL HAND SINK - 2 PEDALS

- High quality 16 gauge stainless steel
- Foot Pedals for hands-free control lessens contamination
- Gooseneck faucet, basket drain and soap dispenser are all included
- 7 3/4" backsplash

Bowl Size (in)	L x W x H (in)	Model	Wgt (lbs)
16x16x10	18x18x42	WHPS1616-KT	50

Freight Class: 150



1 COMPARTMENT SELF RIM DROP IN SINK

■ High quality 16 gauge stainless steel

Bowl Size WxLxD (in)	Wxl (in)	Model	Wgt (lbs)
9x9x3	13x16	WS-DIS-FE-99-3DP	16
10x11x6	13x16	WS-DIS-FE-1110-6DP	16
10x11x10	13x16	WS-DIS-FE-1110-10DP	18
10x14x6	13x19	WS-DIS-FE-1410-6DP	17
10x14x10	13x19	WS-DIS-FE-1410-10DP	19
14x10x6	17x15	WS-DIS-FE-1014-6DP	15
16x14x8	19x19	WS-DIS-FE-1416-8DP	25
20x16x8	32x21	WS-DIS-FE-1620-8DP	25
20x16x12	23x21	WS-DIS-FE-1620-12DP	30
28x20x12	31x25	WS-DIS-FE-2028-12DP	52



WS-DISME1109

1, 2 & 3 COMPARTMENT NO DRIP MARINE EDGE DROP IN SINKS

■ High quality 16 gauge stainless steel
 ■ No drip edge standard

Compartment	Bowl Size WxLxW (in)	LxW (in)	Model	Wgt (lbs)
1	10x9.5x10	14x15.5	WS-DISME109.5	26
1	19x10x8	14x16	WS-DISME1010DP8	28
1	11x9x15	15x15	WS-DISME1109	28
1	11x14x6.5	15x20	WS-DISME1114	32
1	21x15.75x12	25x22	WS-DISME1621DP12	40
1	21x15.75x14	25x22	WS-DISME1621DP14	42
2	10x14x10	25 1/2x19	WS2T-DISME-1410-10DP	34
2	14x16x10	33 1/2x21	WS2T-DISME-1614-10DP	39
2	14x16x12	33 1/2x21	WS2T-DISME-1614-12DP	47
2	20x16x8	45 1/2x21	WS2T-DISME-1620-8DP	50
2	20x16x10	45 1/2x21	WS2T-DISME-1620-10DP	52
2	20x16x12	45 1/2x21	WS2T-DISME-1620-12DP	54
3	10x14x10	38 x 19	WS3T-DISME-1410-10DP	44
3	16x14x10	50 x 21	WS3T-DISME-1416-10DP	48
3	16x20x12	56 x 25	WS3T-DISME-2016-12DP	70



WS2T-DISME-1614-10DP

All Freight Class: 150



Optional
Pre-Rinse and
Splash Mount
Faucets

DISH TABLES

- 4 styles of tables available: straight, corner, island, and landing ledge
- Constructed of 16 GA or 14 GA 300 series stainless
- Soiled table has a 20"x20"x8"D pre-rinse bowl to accept 3 1/2" drain basket
- Backsplash punched to accept faucets on 8" centers
- Backsplash is 9" high, with 2" 45 degree return to wall
- 37" to top of rolled rim
- Optional Pre-Rinse and Splash Mount Faucet
- **Custom Sizes Available**



16 Gauge, 300 series stainless steel dish tables and legs with stainless steel clad bullet feet. Fabricated bowls are 12" deep water level.

14 Gauge, 300 series stainless steel dish tables and legs with stainless steel clad bullet feet. Fabricated bowls are 14" deep water level.


All Freight Class: 150



DISH TABLES



SDT-14-S-72-R
Right to Left



Faucets and parts sold separately.

STRAIGHT SOILED DISH TABLE LEFT TO RIGHT (L) RIGHT TO LEFT (R)


16 Gauge, 300 series stainless steel dish tables and legs with stainless steel clad bullet feet. Fabricated bowls are 12" deep water level.

14 Gauge, 300 series stainless steel dish tables and legs with stainless steel clad bullet feet. Fabricated bowls are 14" deep water level.

Size (in)	L x W (in)	16 Ga	Wt (lbs)	14 Ga	Wt (lbs)
36	36x30	SDT-16-S-36-L / R	75	SDT-14-S-36-L / R	85
48	48x30	SDT-16-S-48-L / R	90	SDT-14-S-48-L / R	99
60	60x30	SDT-16-S-60-L / R	100	SDT-14-S-60-L / R	110
72	72x30	SDT-16-S-72-L / R	120	SDT-14-S-72-L / R	132
84	84x30	SDT-16-S-84-L / R	130	SDT-14-S-84-L / R	143
96	96x30	SDT-16-S-96-L / R	140	SDT-14-S-96-L / R	154



CDT-16-S-60-R
with undershelf
Right to Left



STRAIGHT CLEAN DISH TABLE LEFT TO RIGHT (L) RIGHT TO LEFT (R)



Size (in)	L x W (in)	16 Ga	Wt (lbs)	14 Ga	Wt (lbs)
24	24x30	CDT-16-S-24-L / R	25	CDT-14-S-24-L / R	29
36	36x30	CDT-16-S-36-L / R	40	CDT-14-S-36-L / R	44
48	48x30	CDT-16-S-48-L / R	50	CDT-14-S-48-L / R	55
60	60x30	CDT-16-S-60-L / R	60	CDT-14-S-60-L / R	66
72	72x30	CDT-16-S-72-L / R	80	CDT-14-S-72-L / R	88
84	84x30	CDT-16-S-84-L / R	100	CDT-14-S-84-L / R	110
96	96x30	CDT-16-S-96-L / R	110	CDT-14-S-96-L / R	121

OPTION: WB18 18" Wall Brackets
All Freight Class: 150

CORNER SOILED DISH TABLE LEFT TO RIGHT (L) RIGHT TO LEFT (R)

16 Gauge, 300 series stainless steel dish tables and legs with stainless steel clad bullet feet. Fabricated bowls are 12" deep water level.

14 Gauge, 300 series stainless steel dish tables and legs with stainless steel clad bullet feet. Fabricated bowls are 14" deep water level.




Size (in)	L x W (in)	16 Ga	Wt Lb	14 Ga	Wt (lbs)
48	48x30	SDT-16-C-48-L / R	90	SDT-14-C-48-L / R	99
60	60x30	SDT-16-C-60-L / R	100	SDT-14-C-60-L / R	110
72	72x30	SDT-16-C-72-L / R	120	SDT-14-C-72-L / R	132
84	84x30	SDT-16-C-84-L / R	130	SDT-14-C-84-L / R	143
96	96x30	SDT-16-C-96-L / R	140	SDT-14-C-96-L / R	154
120	120x30	SDT-16-C-120-L / R	160	SDT-14-C-120-L / R	176
144	144x30	SDT-16-C-144-L / R	176	SDT-14-C-144-L / R	211

Custom sizes available call us for a quote.



CORNER CLEAN DISH TABLE LEFT TO RIGHT (L) RIGHT TO LEFT (R)




Size (in)	L x W (in)	16 Ga	Wt (lbs)	14 Ga	Wt (lbs)
48	48x30	CDT-16-C-48-L / R	50	CDT-14-C-48-L / R	55
60	60x30	CDT-16-C-60-L / R	60	CDT-14-C-60-L / R	66
72	72x30	CDT-16-C-72-L / R	80	CDT-14-C-72-L / R	88
84	84x30	CDT-16-C-84-L / R	100	CDT-14-C-84-L / R	110
96	96x30	CDT-16-C-96-L / R	110	CDT-14-C-96-L / R	121
120	120x30	CDT-16-C-120-L / R	140	CDT-14-C-120-L / R	150
144	144x30	CDT-16-C-144-L / R	168	CDT-14-C-144-L / R	178

OPTION: WB18 18" Wall Brackets
All Freight Class: 150



ISLAND SOILED DISH TABLE LEFT TO RIGHT (L) RIGHT TO LEFT (R)

- 4 styles of tables available: straight, corner, island, and landing ledge
- Constructed of 16 GA or 14 GA 300 series stainless
- Soiled table has a 20"x20"x8"D pre-rinse bowl to accept 3 1/2" drain basket
- Backsplash punched to accept faucets on 8" centers
- Backsplash is 9" high, with 2" 45 degree return to wall
- 37" to top of rolled rim




Size (in)	L x W (in)	16 Ga	Wt (lbs)	14 Ga	Wt (lbs)
48	48x30	SDT-16-I-48-L / R	90	SDT-14-I-48-L / R	85
60	60x30	SDT-16-I-60-L / R	100	SDT-14-I-60-L / R	99
72	72x30	SDT-16-I-72-L / R	120	SDT-14-I-72-L / R	110
84	84x30	SDT-16-I-84-L / R	130	SDT-14-I-84-L / R	132
96	96x30	SDT-16-I-96-L / R	140	SDT-14-I-96-L / R	143
120	120x30	SDT-16-I-120-L / R	160	SDT-14-I-120-L / R	154
144	144x30	SDT-16-I-144-L / R	176	SDT-14-I-144-L / R	176

Faucets and parts sold separately.



ISLAND CLEAN DISH TABLE LEFT TO RIGHT (L) RIGHT TO LEFT (R)



Size (in)	L x W (in)	16 Ga	Wt (lbs)	14 Ga	Wt (lbs)
48	48x30	CDT-16-I-48-L / R	50	CDT-14-I-48-L / R	55
60	60x30	CDT-16-I-60-L / R	60	CDT-14-I-60-L / R	66
72	72x30	CDT-16-I-72-L / R	80	CDT-14-I-72-L / R	88
84	84x30	CDT-16-I-84-L / R	100	CDT-14-I-84-L / R	110
96	96x30	CDT-16-I-96-L / R	110	CDT-14-I-96-L / R	121
120	120x30	CDT-16-I-120-L / R	140	CDT-14-I-120-L / R	150
144	144x30	CDT-16-I-144-L / R	168	CDT-14-I-144-L / R	178

In line with our policy to continually improve our products, Winholt reserves the right to change materials and specifications without notice.

STAINLESS STEEL POLY TOP WORK TABLES



- All 16 gauge 300 series stainless steel tops, and backslash
- Table height 34"; 5" high backslash
- Adjustable height stainless steel bullet feet, adjusts to 1-3/8"
- Legs and cross bracing are 1-5/8" diameter 18 gauge stainless steel tubing
- Stainless steel hat channels deaden sound and reinforce the top to maintain a level work surface
- 18 gauge stainless steel undershelf (DPTB/DPTSB SERIES)
- Poly top is 5/8" thick and sectioned for easy removal. Polytop clips (model 3115-033) are removeable. 3/4" poly tops available upon request
- *96" long tables are standard with six legs



Width (in)	Length (in)	Open Base	Wgt (lbs)	Open Base W/ Backslash	Wgt (lbs)
24	36	DPTR-2436	54	DPTB-2436	59
	48	DPTR-2448	64	DPTB-2448	71
	60	DPTR-2460	74	DPTB-2460	82
	72	DPTR-2472	84	DPTB-2472	94
	84	DPTR-2484	94	DPTB-2484	110
	96	DPTR-2496	114	DPTB-2496	126
30	36	DPTR-3036	60	DPTB-3036	65
	48	DPTR-3048	72	DPTB-3048	78
	60	DPTR-3060	83	DPTB-3060	91
	72	DPTR-3072	95	DPTB-3072	104
	84	DPTR-3084	115	DPTB-3084	120
	96	DPTR-3096	126	DPTB-3096	139
36	36	DPTR-3636	69	DPTB-3636	70
	48	DPTR-3648	79	DPTB-3648	79
	60	DPTR-3660	92	DPTB-3660	90
	72	DPTR-3672	105	DPTB-3672	105
	84	DPTR-3684	116	DPTB-3684	125
	96	DPTR-3696*	140	DPTB-3696*	135

STAINLESS STEEL POLY TOP WORK TABLES WITH UNDERSHELF



Width (in)	Length (in)	W/Undershelf	Wgt (lbs)	W/Undershelf & Backslash	Wgt (lbs)
24	36	DPTS-2436	60	DPTSB-2436	65
	48	DPTS-2448	73	DPTSB-2448	81
	60	DPTS-2460	86	DPTSB-2460	95
	72	DPTS-2472	100	DPTSB-2472	111
	84	DPTS-2484	120	DPTSB-2484	131
	96	DPTS-2496	134	DPTSB-2496	147
30	36	DPTS-3036	73	DPTSB-3036	73
	48	DPTS-3048	84	DPTSB-3048	90
	60	DPTS-3060	100	DPTSB-3060	109
	72	DPTS-3072	116	DPTSB-3072	126
	84	DPTS-3084	136	DPTSB-3084	142
	96	DPTS-3096	155	DPTSB-3096	168
36	36	DPTS-3636	82	DPTSB-3636	81
	48	DPTS-3648	94	DPTSB-3648	95
	60	DPTS-3660	113	DPTSB-3660	111
	72	DPTS-3672	131	DPTSB-3672	132
	84	DPTS-3684	150	DPTSB-3684	151
	96	DPTS-3696*	160	DPTSB-3696*	162

All Freight Class: 300

STAINLESS STEEL WORK TABLES

- All welded construction
- 16 GA and 14 GA stainless steel
- All TIG welded and shipped set up. High polish finish
- Adjustable height stainless steel bullet feet are standard - adjusts to 1-3/8". Height 34"
- Legs and cross bracing are 1 5/8" diameter 16 gauge stainless steel tubing
- Stainless steel hat channels deaden sound and reinforce the top to maintain a level work surface
- 96" long tables are standard with six legs



Width (in)	Length (in)	16 Gauge	Wgt (lbs)	14 Gauge	Wgt (lbs)
24	36	DTR-2436	54	DTR-2436-14GA	95
	48	DTR-2448	64	DTR-2448-14GA	110
	60	DTR-2460	74	DTR-2460-14GA	120
	72	DTR-2472	84	DTR-2472-14GA	130
	84	DTR-2484	94	DTR-2484-14GA	170
	96	DTR-2496	114	DTR-2496-14GA	180
30	36	DTR-3036	60	DTR-3036-14GA	105
	48	DTR-3048	72	DTR-3048-14GA	120
	60	DTR-3060	83	DTR-3060-14GA	130
	72	DTR-3072	95	DTR-3072-14GA	140
	84	DTR-3084	115	DTR-3084-14GA	185
	96	DTR-3096	126	DTR-3096-14GA	200
36	36	DTR-3636	69	DTR-3636-14GA	120
	48	DTR-3648	79	DTR-3648-14GA	130
	60	DTR-3660	92	DTR-3660-14GA	145
	72	DTR-3672	105	DTR-3672-14GA	160
	84	DTR-3684	116	DTR-3684-14GA	200
	96	DTR-3696*	140	DTR-3696-14GA	220
With Undershaft					
24	36	DTS-2436	60	DTS-2436-14GA	95
	48	DTS-2448	73	DTS-2448-14GA	110
	60	DTS-2460	86	DTS-2460-14GA	120
	72	DTS-2472	100	DTS-2472-14GA	135
	84	DTS-2484	120	DTS-2484-14GA	170
	96	DTS-2496	134	DTS-2496-14GA	185
30	36	DTS-3036	73	DTS-3036-14GA	115
	48	DTS-3048	84	DTS-3048-14GA	120
	60	DTS-3060	100	DTS-3060-14GA	130
	72	DTS-3072	116	DTS-3072-14GA	140
	84	DTS-3084	136	DTS-3084-14GA	185
	96	DTS-3096	155	DTS-3096-14GA	200
36	36	DTS-3636	82	DTS-3636-14GA	125
	48	DTS-3648	94	DTS-3648-14GA	135
	60	DTS-3660	113	DTS-3660-14GA	145
	72	DTS-3672	131	DTS-3672-14GA	160
	84	DTS-3684	150	DTS-3684-14GA	200
	96	DTS-3696*	177	DTS-3696-14GA	220

OPTION: WB18 18" WALL BRACKETS
 Freight Class: 300

STAINLESS STEEL WORK TABLES WITH BACKSPASH



Boxed Backsplash
6" backsplash, 2" depth, 45° slope angle
and 1" turn down lip
Shown with optional rolled edge



Width (in)	Length (in)	16 Gauge	Wgt (lbs)	14 Gauge	Wgt (lbs)
24	36	DTBB-2436	90	DTBB-2436-14GA	90
	48	DTBB-2448	100	DTBB-2448-14GA	100
	60	DTBB-2460	110	DTBB-2460-14GA	11
	72	DTBB-2472	120	DTBB-2472-14GA	12
	84	DTBB-2484	145	DTBB-2484-14GA	14
	96	DTBB-2496	160	DTBB-2496-14GA	160
30	36	DTBB-3036	100	DTBB-3036-14GA	100
	48	DTBB-3048	115	DTBB-3048-14GA	115
	60	DTBB-3060	145	DTBB-3060-14GA	145
	72	DTBB-3072	155	DTBB-3072-14GA	155
	84	DTBB-3084	170	DTBB-3084-14GA	170
	96	DTBB-3096	185	DTBB-3096-14GA	185
36	36	DTBB-3636	105	DTBB-3636-14GA	105
	48	DTBB-3648	115	DTBB-3648-14GA	115
	60	DTBB-3660	145	DTBB-3660-14GA	145
	72	DTBB-3672	155	DTBB-3672-14GA	155
	84	DTBB-3684	170	DTBB-3684-14GA	170
	96	DTBB-3696*	185	DTBB-3696-14GA	185
With Undershef					
24	36	DTSBB-2436	100	DTSBB-2436-14GA	100
	48	DTSBB-2448	115	DTSBB-2448-14GA	115
	60	DTSBB-2460	135	DTSBB-2460-14GA	135
	72'	DTSBB-2472	150	DTSBB-2472-14GA	150
	84	DTSBB-2484	175	DTSBB-2484-14GA	180
	96	DTSBB-2496	200	DTSBB-2496-14GA	200
30	36	DTSBB-3036	110	DTSBB-3036-14GA	110
	48	DTSBB-3048	130	DTSBB-3048-14GA	130
	60	DTSBB-3060	140	DTSBB-3060-14GA	140
	72	DTSBB-3072	165	DTSBB-3072-14GA	165
	84	DTSBB-3084	198	DTSBB-3084-14GA	200
	96	DTSBB-3096	215	DTSBB-3096-14GA	215
36	36	DTSBB-3636	120	DTSBB-3636-14GA	125
	48	DTSBB-3648	135	DTSBB-3648-14GA	140
	60	DTSBB-3660	145	DTSBB-3660-14GA	155
	72	DTSBB-3672	170	DTSBB-3672-14GA	180
	84	DTSBB-3684	205	DTSBB-3684-14GA	220
	96	DTSBB-3696*	220	DTSBB-3696-14GA	235



OPTION: WB18 18" WALL BRACKETS
Freight Class: 300

ENCLOSED BASE TABLES - FLAT TOP

- Sanitary stainless steel top is constructed of all welded 16 gauge stainless steel
- 34" Height with stainless steel bullet feet that adjusts to 1-3/8"
- Available with a stationary mid-shelf
- **Hinged Doors** - 36"-72", 84"-120" 4 Doors, 144", 6 Doors
- **Sliding Doors** - 48"-72", 2 Doors, 4"-144", 4 Doors
- 96" long tables are standard with six legs
- **Custom Sizes Available**



STCT-HD2472


Width (in)	Length (in)	Open Table with No Shelf	Open Table With Shelf	Wgt Lbs	Table with Hinged Doors No Shelf	Table with Hinged Doors With Shelf	Table with Sliding Doors No Shelf	Table with Sliding Doors With Shelf	Wgt (lbs)
24	36	STCT-2436	STCT-2436-MS	75	STCT-HD2436	STCT-HD-2436-MS	STCT-D-2436	STCT-D-2436-MS	90
	48	STCT-2448	STCT-2448-MS	100	STCT-HD2448	STCT-HD-2448-MS	STCT-D-2448	STCT-D-2448-MS	120
	60	STCT-2460	STCT-2460-MS	125	STCT-HD2460	STCT-HD-2460-MS	STCT-D-2460	STCT-D-2460-MS	150
	72	STCT-2472	STCT-2472-MS	150	STCT-HD2472	STCT-HD-2472-MS	STCT-D-2472	STCT-D-2472-MS	180
	84	STCT-2484	STCT-2484-MS	175	STCT-HD2484	STCT-HD-2484-MS	STCT-D-2484	STCT-D-2484-MS	210
	96	STCT-2496	STCT-2496-MS	200	STCT-HD2496	STCT-HD-2496-MS	STCT-D-2496	STCT-D-2496-MS	240
30	36	STCT-3036	STCT-3036-MS	85	STCT-HD3036	STCT-HD3036-MS	STCT-D-3036	STCT-D-3036-MS	95
	48	STCT-3048	STCT-3048-MS	110	STCT-HD3048	STCT-HD3048-MS	STCT-D-3048	STCT-D-3048-MS	125
	60	STCT-3060	STCT-3060-MS	135	STCT-HD3060	STCT-HD-3060-MS	STCT-D-3060	STCT-D-3060-MS	155
	72	STCT-3072	STCT-3072-MS	160	STCT-HD3072	STCT-HD3072-MS	STCT-D-3072	STCT-D-3072-MS	185
	84	STCT-3084	STCT-3084-MS	185	STCT-HD3084	STCT-HD3084-MS	STCT-D-3084	STCT-D-3084-MS	215
	96	STCT-3096	STCT-3096-MS	210	STCT-HD3096	STCT-HD3096-MS	STCT-D-3096	STCT-D-3096-MS	245
36	36	STCT-3636	STCT-3636-MS	100	STCT-HD3636	STCT-HD3636-MS	STCT-D-3636	STCT-D-3636-MS	124
	48	STCT-3648	STCT-3648-MS	132	STCT-HD3648	STCT-HD-3648-MS	STCT-D-3648	STCT-D-3648-MS	150
	60	STCT-3660	STCT-3660-MS	162	STCT-HD3660	STCT-HD3660-MS	STCT-D-3660	STCT-D-3660-MS	186
	72	STCT-3672	STCT-3672-MS	192	STCT-HD3672	STCT-HD3672-MS	STCT-D-3672	STCT-D-3672-MS	222
	84	STCT-3684	STCT-3684-MS	222	STCT-HD3684	STCT-HD3684-MS	STCT-D-3684	STCT-D-3684-MS	258
	96	STCT-3696	STCT-3696-MS	252	STCT-HD3696	STCT-HD3696-MS	STCT-D-3696	STCT-D-3696-MS	294

OPTION: WB18 18" WALL BRACKETS
 Freight Class: 300

SINGLE AND DOUBLE TABLE MOUNTED SHELVES ALL WELDED



- Stainless steel shelf is 300 series 16 GA undershelf
- Three depths available 10", 12", 15"
- Mounted either front (FM), center (CM), or rear (RM)
- Rear mount (RM) shelves have 1" turn up
- When ordering please specify suffix to the model number
- **Custom Sizes Available**



SSTMS Series

**NOTE: WHEN ORDERING
PLEASE SPECIFY SUFFIX TO THE MODEL NUMBER:**

Example: WH-OVS-S-1584-RM

FM Front Mount

CM Center Mount

RM Rear Mount

Width (in)	Length (in)	Single Overshelf	Wgt (lbs)	Double Overshelf	Wgt (lbs)
10	36	SSTMS-1036	9	SSTMDS-1036	18
	48	SSTMS-1048	12	SSTMDS-1048	24
	60	SSTMS-1060	15	SSTMDS-1060	30
	72	SSTMS-1072	18	SSTMDS-1072	36
	84	SSTMS-1084	21	SSTMDS-1084	42
	96	SSTMS-1096	25	SSTMDS-1096	50
12	36	SSTMS-1236	12	SSTMDS-1236	24
	48	SSTMS-1248	16	SSTMDS-1248	32
	60	SSTMS-1260	20	SSTMDS-1260	40
	72	SSTMS-1272	24	SSTMDS-1272	48
	84	SSTMS-1284	28	SSTMDS-1284	56
	96	SSTMS-1296	32	SSTMDS-1296	64
15	36	SSTMS-1536	15	SSTMDS-1536	30
	48	SSTMS-1548	20	SSTMDS-1548	40
	60	SSTMS-1560	25	SSTMDS-1560	50
	72	SSTMS-1572	30	SSTMDS-1572	60
	84	SSTMS-1584	35	SSTMDS-1584	70
	96	SSTMS-1596	40	SSTMDS-1596	80

In line with our policy to continually improve our products, Winholt reserves the right to change materials and specifications without notice.

BEVERAGE COUNTERS & DISH CABINETS



BEVERAGE COUNTERS

- Stainless steel top is 300 series 14 GA with 16 GA sides
- 10" High backsplash with a 2" return
- Sink is 14" x 16" x 12" D and is available on the Left (L) or Right (R) side
- 1½" basket drain
- Easy access panel to plumbing
- BC-GRS model standard with (3) rack slides for 20"x20" racks, 8" on centers
- No drip marine edge on 3 sides, Urn Trough
- 96" or longer units have 6 legs
- GFI Duplex outlet mounted in backsplash
- **Custom Sizes Available**

Size (in)	L x W (in)	Urn Trough Length (in)	Model	Model With Glass Rack Slides	Wt (lbs)
48	48x30	18	STCT-3048-BC-L / R	STCT-GRS3048-BC-L / R	230
60	60x30	24	STCT-3060-BC-L / R	STCT-GRS3060-BC-L / R	250
72	72x30	36	STCT-3072-BC-L / R	STCT-GRS3072-BC-L / R	270
84	84x30	36	STCT-3084-BC-L / R	STCT-GRS3084-BC-L / R	290
96"	96"x30"	36"	STCT-3096-BC-L / R	STCT-GRS3096-BC-L / R	330

DISH CABINET

- Stainless steel top is 300 series 14 GA with 16 GA sides
- Fixed mid shelf starts at 20" Height with 12" spacing
- 35" Height with adjustable feet
- 96" or longer units have 6 legs
- **Custom Sizes Available**

OPTION: WB18 18" WALL BRACKETS
All Freight Class: 300

Length (in)	Model 15" Deep	Model 18" Deep	Wt (lbs)
48	STCT-1548-DC	STCT-1848-DC	115
60	STCT-1560-DC	STCT-1860-DC	130
72	STCT-1572-DC	STCT-1872-DC	150
84	STCT-1584-DC	STCT-1884-DC	175
96	STCT-1596-DC	STCT-1896-DC	210



MIXER / SLICER STAND

- Stainless steel top is 300 Series 14 GA with 16 GA undershelf
- 24" High with adjustable feet
- 12" between shelf and table top
- No drip marine edge
- 600lb capacity

Width (in)	Length (in)	14 Ga	Wgt (lbs)
24	24	ES-MSX2424-14GA	50
	30	ES-MSX2430-14GA	60
30	30	ES-MSX3030-14GA	65
	36	ES-MSX3036-14GA	75
36	36	ES-MSX3636-14GA	83

OPTION:

-MS4LC 4 legs, 4 with locking casters



EQUIPMENT STAND - CONVECTION OVEN

- Designed to fit most convection ovens
- Convenient right hand pan slides
- Maneuvers easily on 5" polyurethane casters two with brakes
- All welded 16 gauge stainless steel construction
- Shipped set up and ready to use

Model	Width (in)	Length (in)	Height (in)	Wgt (lbs)
ES-CO3048M	30	48	29	175



EQUIPMENT STAND - SCALE

- Ideal for scales in produce and bulk food departments
- Convenient 38" height with adjustable stainless steel feet
- Two lower shelves for storage. Top 16" x 22" surface area
- 13" between Shelves
- Shipped set up and ready to use

Model	Width (in)	Length (in)	Height (in)	Wgt Lb
ES-S1622	22	16	38	64

All Freight Class: 175

In line with our policy to continually improve our products, Winholt reserves the right to change materials and specifications without notice.



FABRICATED WALL MOUNTED STAINLESS STEEL SHELVES

- All welded 16 gauge stainless steel
- Available in 10", 12" and 15"
- Shelves come with 2 - 4 wall brackets depending on the length
- **Custom Sizes Available**



Length (in)	10" Wide	Wgt (lbs)	12" Wide	Wgt (lbs)	15" Wide	Wgt (lbs)
24	SSWMS102	10	SSWMS122	12	SSWMS152	14
36	SSWMS103	12	SSWMS123	15	SSWMS153	18
48	SSWMS104	14	SSWMS124	18	SSWMS154	22
60	SSWMS105	17	SSWMS125	24	SSWMS155	29
72	SSWMS106	19	SSWMS126	25	SSWMS156	31
84	SSWMS107	22	SSWMS127	29	SSWMS157	36
96	SSWMS108	26	SSWMS128	34	SSWMS158	42



FABRICATED WALL MOUNTED STAINLESS STEEL SHELVES WITH POT HOOKS

- All welded 16 gauge stainless steel
- Available in 10", 12" and 15"
- Shelves come with 2 - 4 wall brackets depending on the length
- Stainless steel pot hooks come standard
- **Custom Sizes Available**



Length (in)	# Of Hooks	10" Wide	Wgt (lbs)	12" Wide	Wgt (lbs)	15" Wide	Wgt (lbs)
24	2	SSWMSH102	10	SSWMSH122	12	SSWMSH152	14
36	3	SSWMSH103	12	SSWMSH123	15	SSWMSH153	18
48	4	SSWMSH104	14	SSWMSH124	18	SSWMSH154	22
60	4	SSWMSH105	17	SSWMSH125	24	SSWMSH155	29
72	6	SSWMSH106	19	SSWMSH126	25	SSWMSH156	31
84	6	SSWMSH07	22	SSWMSH127	29	SSWMSH157	36
96	8	SSWMSH108	26	SSWMSH128	34	SSWMSH158	42

Option: Extra Hooks (4994)
All Freight Class: 150