

SHELVING

ALUMINUM STANDARD SHELVING

KELMAX by
SPG



Fixed Shelving Types

ITEM # _____ MODEL # _____ QTY: ____
PROJECT: _____
OPTIONS: ☐ YES _____ ☐ NO _____

Standard Features & Benefits

- ◆ Strong, lightweight, corrosion-resistant aluminum construction
- ◆ All welded aluminum shelving ships set up – no assembly required
- ◆ Choose from four types of shelves: Channel, T-Bar, Tubular, or Solid
- ◆ Two, three, and four tiers available
- ◆ Standard heights: 48", 60", 72"
- ◆ Available in two shelf depths: 20" and 24"
- ◆ Clearance: 48-1/2" for two shelf unit, 22-1/2" for three shelf unit and 18-1/2" for four shelf unit
- ◆ Mitered top for extra strength
- ◆ Lifetime guarantee against rust
- ◆ Freight Class 400

Shelving Type	Description	Load Capacity Per Shelf (lbs.)	Application
Channel	4" wide channels	1500	Provides extra strength for large or small items. Allows for air circulation.
Tubular	4 1/2" spacing between vertical tubes	1500	For storage of cases or large boxes.
T-Bar	2" spacing between bars	1500	For storage that requires perpendicular support.
Solid	Reinforced tubing under the skin	1500	For storage of small items. Helps contain spills.

For SPG's complete product menu,
visit www.spgusa.com or call 877.503.4SPG (4774)

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

SHELVING

SPECIFICATIONS

Rectangular shelf frames are constructed of 1 1/2" x 1 3/4" heavy aluminum tube and are welded to uprights for added strength. Uprights consist of 1-1/2" x 1-3/4" square tubing with mitered top.

Standard Fixed Shelving Units

Tubular Shelf Model No.	T-Bar Shelf Model No.	Channel Shelf Model No.	Solid Shelf Model No.	L x W x H		Weight	
				(in.)	(mm.)	(lbs.)	(kg.)
2-Shelf Units							
4H0567	4H6882	4H0452	4H6886	36 x 20 x 60	914 x 508 x 1524	28	13
4H0575	4H6659	4H0460	4H6887	36 x 24 x 60	914 x 610 x 1524	30	14
4H0587	4H6883	4H0483	4H6888	48 x 20 x 60	1219 x 508 x 1524	33	15
4H0598	4H6356	4H0492	4H6889	48 x 24 x 60	1219 x 610 x 1524	37	17
4H6099	4H6884	4H0522	4H6890	60 x 20 x 60	1524 x 508 x 1524	38	17
4H0614	4H6449	4H0528	4H6891	60 x 24 x 60	1524 x 610 x 1524	43	20
3-Shelf Units							
4H0569	4H5014	4H0454	4H6892	36 x 20 x 60	914 x 508 x 1524	38	17
4H0577	4H6383	4H0462	4H6893	36 x 24 x 60	914 x 610 x 1524	42	19
4H0589	4H5721	4H0486	4H6894	48 x 20 x 60	1219 x 508 x 1524	46	21
4H0600	4H0644	4H0495	4H6895	48 x 24 x 60	1219 x 610 x 1524	51	23
4H0609	4H6885	4H0523	4H6896	60 x 20 x 60	1524 x 508 x 1524	54	24
4H0616	4H0647	4H0531	4H6897	60 x 24 x 60	1524 x 610 x 1524	61	28
4-Shelf Units							
4H0571	4H4083	4H2414	4H6898	36 x 20 x 72	914 x 508 x 1829	48	22
4H0578	4H0641	4H0468	4H6899	36 x 24 x 72	914 x 610 x 1829	54	24
4H0594	4H4082	4H0490	4H6900	48 x 20 x 72	1219 x 508 x 1829	59	27
4H0602	4H0645	4H0506	4H6901	48 x 24 x 72	1219 x 610 x 1829	66	30
4H0610	4H0646	4H0525	4H6902	60 x 20 x 72	1524 x 508 x 1829	70	32
4H0618	4H0649	4H0540	4H6541	60 x 24 x 72	1524 x 610 x 1829	79	36

Accessories for Standard Fixed Shelving Units

Model No.	Description
/M	5" Poly-U Plate Casters (Set), 2 Swivel and 2 Fixed
/MHD	Heavy Duty 6" by 2" Polyolefin Casters w/ Brake (Set) 2 Swivel and 2 Fixed
/ADJ	Adjustable Feet Set

AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.


EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

SHELVING

SPECIFICATIONS

Adjustable Shelving Types

Shelving Type	Description	Load Capacity Per Shelf (lbs.)	Application
Channel	4" wide channels	2100	Provides greatest support and versatility. Use in coolers, freezers, and storerooms. Easy to clean.
Tubular	Heavy wall tubular construction	2000	Ideal for use in coolers, especially when storing cases or large boxes.
T-Bar	2" spacing between bars	1500	For storage that requires perpendicular support.
Solid	.063" thick aluminum skin with marine edge. 24" wide shelf is reinforced with 2 tubes on underside. 18" and 20" shelves are reinforced with one tube on underside.	900	For storage of small items. Helps contain spills. Great in coolers.



Channel



Tubular



T-Bar



Solid

Standard Posts and Adjustable Shelves

Solid Shelf	Tubular Shelf	T-Bar Shelf	Channel Shelf	L x W		Weight	
Model No.	Model No.	Model No.	Model No.	(in.)	(mm.)	(lbs.)	(kg.)
18" Wide Shelves							
4H0208	4H0177	4H0246	4H0082	36 x 18	914 x 457	8	4
4H0210	4H0179	4H0248	4H0084	48 x 18	1219 x 457	11	5
4H0212	4H0181	4H0250	4H0086	60 x 18	1524 x 457	13	6
20" Wide Shelves							
4H0216	4H0184	4H0252	4H0090	42 x 20	1067 x 508	9	4
4H0218	4H0186	4H0254	4H0092	54 x 20	1372 x 508	12	5
4H0220	4H0195	4H0257	4H0094	72 x 20	1829 x 508	18	8
24" Wide Shelves							
4H0226	4H0191	4H0260	4H0097	36 x 24	914 x 610	9	4
4H0228	4H0193	4H0262	4H0099	48 x 24	1219 x 610	13	6
4H0230	4H0195	4H0264	4H0102	60 x 24	1524 x 610	15	7
4H0232	4H0197	4H0265	4H0104	72 x 24	1829 x 610	18	8
30" Wide Shelves							
—	4H0199	—	4H0106	36 x 30	914 x 762	19	9
—	4H0200	—	4H0107	48 x 30	1219 x 762	21	10

AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

SHELVING

SPECIFICATIONS

Posts

Model No.	Height		Weight	
	(in.)	(mm.)	(lbs.)	(kg.)
4H0147	12	305	1	0.5
4H0152	48	1219	3	1.5
4H0153	54	1372	3	1.5
4H0155	68	1727	3.5	2
4H0162	76	1930	4	2
4H0167	84	2134	5	2.5



U-Braces

Model No.	L x D		Weight	
	(in.)	(mm.)	(lbs.)	(kg.)
4H0240	20 x 48	508 x 1219	5	2.5
4H0241	20 x 60	508 x 1524	5	2.5
4H2781	24 x 48	610 x 1219	6	2.5
4H0242	24 x 60	610 x 1524	6	2.5



Clips

Model No.	Description	Weight	
		(lbs.)	(kg.)
4H0203	Clips Solid	1/2	—

Casters and Feet

Model No.	Description	Weight	
		(lbs.)	(kg.)
/M	5" x 11/2" Poly U Swivel Stem Casters (Each)	3	1.5
/MBK	5" x 11/2" Poly U Swivel Stem Casters w/ Brake (Each)	3	1.5
/ADJ	Adjustable Feet (Each)	1	0.45

To select an option, please contact factory for part number.



AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP