
BREW PIPE TOWERS "L" And Pass-Thru



JOB	
AREA	
ITEM NO.	
MODEL NO.	

Models					
"L" Brew Pipe Towers					
4062-6L 4062-6R					
4062-8L	4062-8R				
4062-10L	4062-10R				
Pass-Thru Brew Pipe Towers					
4064-6L	4064-6R				
4064-8L	4064-8R				
4064-10L	4064-10R				
	4065-12				
	4065-16				
	4065-20				

The industrial aesthetic of the Brew Pipe Tower makes a statement in a variety of settings, including both modern and rustic venues. Solid metal construction ensures years of durability, while the superior insulation and cooling technology deliver the perfect pour.

KEY PRODUCT FEATURES AND BENEFITS

- Robust pipes and flanges are durable and offer an industrial feel that makes a statement in the space
- Pure copper coolant lines and cold block maintain chilled beverage temperature, minimizing foam and lost profits
- Insulated dispensing head and shank bushings minimize sweating to keep your bar clean, cool more efficiently for energy reduction, and reduce warm spots in the tower to give you the perfect pour
- 304 stainless steel shanks ensure purity of flavor from keg to tap

Quick Features:

- L-Shape available with 6, 8 or 10 faucets
- Pass-Thru available with 6, 8 or 10 faucets with lines leading left or right and 12,16, or 20 faucets with lines leading both ways
- L-shape available configured for either a left or right facing mount
- · Additional faucet configurations available with the T-Shape
- Installation bolt required; kits sold separately
- Faucets and tap handles sold separately

ACCESSORIES

MODEL NOS.	DESCRIPTION	
630SS	Stainless Steel Forward Sealing Faucet	
650SS	Stainless Steel Forward Sealing Faucet w/ Flow Control	
680SS	Stainless Steel Faucet with Push-back Creamer	
690SS	Stainless Steel Flow Control Faucet with Push-back Creamer	
63927	Stout and Ale faucet - Stainless steel body and spout	
308-40C	Beer faucet lock for 630 Series Faucets	
67141	Perlick Pub handle - 7-1/2" wooden handle	

^{*} Faucets sold separately


Form No. 95150 Rev. 02.13.23

"L" BREW PIPE TOWER

NUMBER OF FAUCETS		6	8	10	
MODEL	Left Mount	4062-6L	4062-8L	4062-10L	
NUMBERS	Right Mount	4062-6R	4062-8R	4062-10R	
"A", LENGTH (MM)	28-3/4" (730)	34-11/16" (881)	40-5/8" (1032)	
"B", HEIGHT (I	MM)	17-3/4" (451)	17-3/4" (451)	17-3/4" (451)	
FAUCET CENT	ERS (MM)	3" (76)	3" (76)	3" (76)	
MATERIAL AN	D FINISH	4" Schedule 5 Stainless Steel Pipe, Matte Finish			
SHIPPING WE	IGHT, LBS. (KG)	80 (36)	95.5 (43)	111.5 (50)	
OPTIONAL DR	RIP PAN	C18750-21	C18750-27	C18750-33	

PASS-THRU BREW PIPE TOWER

NUMBER OF FAUCETS		6	8	10	12	16	20
	Beer Leads Left	4064-6L	4064-8L	4064-10L			
MODEL NUMBERS	Beer Leads Right	4064-6R	4064-8R	4064-10R			
	Beer Leads Left and Right				4065-12	4065-16	4065-20
"A", LENGTH	(MM)	37-9/16" (954) 43-5/8" (1108) 49-9/16" (1259) 55-1/2" (1410) 67-1/2" (1715) 79-3/8" (20				79-3/8" (2016)	
"B", STANDA	ARD HEIGHT (MM)	12-15/16" (329) 12-15/16" (329) 12-15/16" (329) 12-15/16" (329) 12-15/16" (329) 12-15/16" (329)				12-15/16" (329)	
"C", CENTER	TO CENTER (MM)	33-1/8" (843) 39-1/8" (994) 45-1/8" (1146) 51-1/8" (1298) 63" (1600) 74-7/8" (11				74-7/8" (1902)	
FAUCET CEN	ITERS (MM)	3"(76) 3"(76) 3"(76) 3"(76) 3"(76)				3" (76)	
MATERIAL A	AND FINISH	4" Schedule 5 Stainless Steel Pipe, Matte Finish					
SHIPPING W	/EIGHT, LBS. (KG)	101 (45)	107 (48)	133 (60)	149.5 (67)	183 (83)	216 (97)
OPTIONAL DRIP PAN C18750-21 C18750-27		C18750-33	C18750-39	C18750-51	C18750-63		



PASS THRU BREW PIPE TOWERS