



STELLARVOLT™ INDUCTION SOLUTIONS

WHY YOU'LL *LOVE* IT

Ultra-Efficient Power Usage

Maximize energy savings with smart designs that increase the number of chafers on a single circuit to significantly reduce energy costs.

Precision Heating Control

Maintain optimal serving temperatures with the enhanced heat management and automatic adjustments our systems offer.

Innovative Designs

Advanced technology enhances reliability and ensures ease of installation and use while maintaining superior performance.

Durable Construction

Unlike traditional induction units, our fanless technology prevents smoke and steam infiltration, protecting internal electronics for enhanced durability and reliability.

STELLARVOLT™ INDUCTION WARMERS

Operates at an average of just 94 watts each, powering up to 16 chafers on a 20-amp circuit, and daisy-chain up to 4 warmers with a single plug.

Precision thermostat with adjustable settings ranging from 150°F (66°C) to 210°F (99°C) for accurate temperature control, empty pan detection, and overheating protection.

Power boost mode delivers full power for 40 minutes before automatically adjusting to hold at 170°F (77°C).

Fanless design prevents smoke and steam infiltration, protecting the electronics for enhanced durability and reliability.

Features a changeable 6-hour auto-timer, adjustable in 1-hour increments from 1 to 24 hours for customized operation.



Solid cast aluminum body ensures rapid heat distribution for optimal performance

7" Round StellarVolt™ Induction Warmer
7 dia x 3.5 in | 17.8 dia x 8.9 cm
pack 1

BTC011GYF18	stone - 110v	BTC011BKF18	black - 110v
BTC012GYF18	stone - 230v	BTC012BKF18	black - 230v
BTC013GYF18	stone - battery operated	BTC013BKF18	black - battery operated

9.25" Round StellarVolt™ Induction Warmer Magnetic Adapter Set
9.25 dia x 3.5 in | 23.5 dia x 8.9 cm
pack 1

BTC052GYF18	stone - 110v	BTC052BSF18	black - 110v
BTC021GYF18	stone - 230v	BTC021BKF18	black - 230v

StellarVolt™ Induction Warmer Controller
6.25 x 2.5 x .75 in | 15.9 x 6.5 x 2.2 cm
pack 1
BTC019GYF18 stone
BTC019BKF18 black

Accessories



StellarVolt™ Induction Warmer Remote Control
3.5 x 1.5 x .25 in | 8.6 x 4 x .7 cm
pack 1
BTC017GYF18 stone
BTC017BKF18 black



StellarVolt™ Induction Warmer Mini Controller
2.75 x 1.5 x .75 in | 6.8 x 3.7 x 1.8 cm
pack 1
BTC018GYF18 stone
BTC018BKF18 black

Secures induction warmer on cladded chafers



9.25" Round StellarVolt™ Induction Warmer Magnetic Adapter
9.25 dia x .75 in | 23.2 dia x 1.9 cm
pack 1
BTC053BSU18



7" Round Flush Mount StellarVolt™ Induction Warmer Ring Adaptor
8.5 dia x .5 in | 21.5 dia x 1.3 cm
pack 1
BTC015BSS18

STELLARVOLT™ INDUCTION COOKER/WARMER

Cooker and warmer,
operating at 1000 watts,
enabling up to 2 warmers on a
single 20-Amp circuit, minimizing
electrical infrastructure costs.

Can be flush-mounted
into a buffet surface for a
seamless appearance or used
as a standalone warmer with
the optional induction stand.

Equipped with touch-top controls,
it offers intuitive operation for
precise temperature management.



**Eco System Warm StellarVolt™ 14" Flush
Mount Induction Box Set - Grey**
21.25 sq x 3.5 in | 54.2 sq x 9 cm
pack 1
BTR047NAM18 110v
BTR049NAM18 230v



**14" Square StellarVolt™ Induction
Cooker/Warmer - Stone**
14 sq x 3 in | 35.6 sq x 7.7 cm
pack 1
BTC060GYF18 110v
BTC061GYF18 230v



14" Square Induction Stand
18 sq x 3.25 in | 45.9 sq x 8.5 cm
pack 1
BTC010MUS18