

PAN RACKS

UNIVERSAL PAN RACKS

KELMAX by
SPG



ITEM # _____ MODEL # _____ QTY: _____

PROJECT: _____

OPTIONS: ☐ YES _____ ☐ NO _____

Standard Features & Benefits

- ◆ Universal pan racks are multipurpose racks designed to transport 18" x 26" and 12" x 20" pans, with 18 3/8" opening
- ◆ Units designed to hold trays and pans from the bottom
- ◆ Can be used for roll-in boxes
- ◆ Units are all welded aluminum
- ◆ Runners are welded to 1 1/4" tubing
- ◆ All units have 5" polyurethane plate casters
- ◆ 64 3/4" high units can be used for roll-in boxes
- ◆ Rack covers available
- ◆ Lifetime guarantee against rust

6 3/8" Runner

Model No.	Tray Capacity	Spacing (in.)	D x L x H (in.)	(mm.)	Weight (lbs.)	(kg.)
Runners for Oval Trays, Sheet Pans, and Steam Table Pans						
4H1312	10	6	27 1/2 x 25 1/2 x 72 1/2	699 x 648 x 1842	70	32
4H1318	12	5	27 1/2 x 25 1/2 x 72 1/2	699 x 648 x 1842	78	35
4H1317	11	5	27 1/2 x 25 1/2 x 65	699 x 648 x 1651	80	36
4H1325	20	6	49 x 27 x 72	1245 x 686 x 1829	160	73
4H4914	20	6	49 x 27 x 72	1245 x 686 x 1829	160	73

For SPG's complete product menu,
visit www.spgusa.com or call 877.503.4SPG (4774)

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

PAN RACKS

SPECIFICATIONS

3 1/4" Runner

Model No.	Tray Capacity	Spacing (in.)	D x L x H		Weight	
			(in.)	(mm.)	(lbs.)	(kg.)
Universal Pan Racks						
4H1238	12	5	27 x 21 x 69	685 x 533 x 1753	52	23
4H1231	11	5	27 x 21 x 64 1/2	685 x 533 x 1638	53	24
4H1252	18	3	27 x 21 x 64 1/2	685 x 533 x 1638	68	31
4H1264	20	3	27 x 21 x 69	685 x 533 x 1753	72	33
For Roll-In Refrigerators 65" Clear						
4H1227	10	6	27 x 24 x 69	685 x 610 x 1753	57	26
4H1243	12	5	27 x 24 x 69	685 x 610 x 1753	59	27
4H1262	18	3	27 x 24 x 64 1/2	685 x 610 x 1638	71	32
4H2453	20	3	27 x 24 x 69	685 x 610 x 1753	75	34

Unit Options

Model No.	Description
/PC	5" Polyurethane Plate Casters
/BK	Locking Brakes
/VB	Vertical Corner Bumpers (4)
/SB	Solid Base
/SBCB	Solid Base Continuous Bumper
/TG	Aluminum Tray Guards

To select an option, please contact factory for part number.

AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP

PAN RACKS


SPECIFICATIONS

CONSTRUCTION:

Constructed of Heavy Duty extruded Type 6063 aluminum alloy.
All uprights and runners are fully welded.

UPRIGHTS & CROSS-BRACES:

Sides/Uprights consist of 1 1/4" square aluminum tubing (.109" thick) continuously welded. Reinforced gussets at bottom.




RUNNER

RUNNERS:

All runners are fully welded to the uprights. Runners are 1 1/4" x 6 1/4" or 1 1/4" x 3 1/8"

CASTERS:

Units feature a plate caster with a polyurethane 5" x 1 1/2" wheel, with full swivel. 4H1325 and 4H4914 has 5" by 2" polyurethane plate casters.



AMCO • Freestyle • ISS • Kelmax • LPI • Universal Stainless • Gillis-Jarke

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

www.spgusa.com

The best names in the business
all have one thing in common.

EXPECT MORE
SPG
STORAGE PRODUCTS GROUP