



STAINLESS STEEL

MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING

KNEE OPERATED



19-FM-23KV Shown



19-FM-40KV Shown



19-FM-60KV Shown



19-FM-120KV Shown

Item #: _____ Qty #: _____
Model #: _____
Project #: _____



Knee Valves Included

FEATURES:

8 1/2" high backsplash.

Standard Series: 8" sink bowl depth.

Stainless steel "Z" brackets.

3 1/2" **K-6** rear basket drain(s).

Tubular stainless steel legs with flanged feet.

Side & rear adjustable cross-bracing with leg clamps.

Knee Operated: Includes **7-PS-32** knee valve(s) and **K-121** spout(s).

CONSTRUCTION:

All TIG welded.

Welded areas blended to match adjacent surfaces and to a satin finish.

MATERIAL:

16 gauge type "304" stainless steel.

1 5/8" tubular "304" stainless steel supports.

MECHANICAL:

Single faucet hole punch at each station.

# Of Stations	16 Gauge Sinks Without Faucets	# Of Faucets	# Of Valves
1	19-FM-23KV	1 Faucet	1 Valve
2	19-FM-40KV	2 Faucets	2 Valves
2	19-FM-48KV	2 Faucets	2 Valves
3	19-FM-60KV	3 Faucets	3 Valves
3	19-FM-72KV	3 Faucets	3 Valves
4	19-FM-80KV	4 Faucets	4 Valves
4	19-FM-96KV	4 Faucets	4 Valves
5	19-FM-100KV	5 Faucets	5 Valves
6	19-FM-120KV	6 Faucets	6 Valves

WARNING: Equipment that include faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933

REF-JJ


DETAILS and SPECIFICATIONS

TOL ± .500"


FITTINGS SUPPLIED AS SHOWN

ALL DIMENSIONS ARE TYPICAL


MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING **KNEE OPERATED**



SEE PAGE 3
FOR
PLUMBING
ROUGH-INS



Stainless Steel Rear & Sides
Adjustable Cross-Bracing



# Of Stations	L	16 Gauge Sinks Without Faucets	Wt.	# Of Drains	# Of Faucets	Cu.
STANDARD - 8" DEPTH						
1	23"	19-FM-23KV	60	1	2	15
2	40"	19-FM-40KV	92	1	2	15
2	48"	19-FM-48KV	112	1	2	16
3	60"	19-FM-60KV	130	1	3	22
3	72"	19-FM-72KV	146	1	3	23
4	80"	19-FM-80KV	152	1	4	28
4	96"	19-FM-96KV	162	1	4	30
5	100"	19-FM-100KV	200	2	5	35
6	120"	19-FM-120KV	235	3	6	42




PLUMBING ROUGH-INS

TOL ± .500"

FITTINGS SUPPLIED AS SHOWN


ALL DIMENSIONS ARE TYPICAL

MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING KNEE OPERATED



Leg Support Locations

Model #	L1	L2	L3	L4
19-FM-23KV	2 5/8"	16 3/4"	N/A	N/A
19-FM-40KV	2 5/8"	34 3/4"	N/A	N/A
19-FM-48KV	2 5/8"	42 3/4"	N/A	N/A
19-FM-60KV	2 5/8"	53 3/4"	N/A	N/A
19-FM-72KV	2 5/8"	66 3/4"	N/A	N/A
19-FM-80KV	2 5/8"	74 3/4"	N/A	N/A
19-FM-96KV	2 5/8"	48"	93 3/8"	N/A
19-FM-100KV	2 5/8"	40 1/4"	59 3/4"	97 3/8"
19-FM-120KV	2 5/8"	40"	80"	117 3/8"



# Of Stations	L	Model	B	C	D	E	F	G	H	I	J	X1	X2	X3	X4	X5	X6
STANDARD - 8" DEPTH																	
1	23"	19-FM-23KV	11 1/2"	N/A	8"	8 1/2"	N/A	N/A	N/A	N/A	N/A	11 1/2"	N/A	N/A	N/A	N/A	N/A
2	40"	19-FM-40KV	20"	N/A	8"	11"	29"	N/A	N/A	N/A	N/A	11"	29"	N/A	N/A	N/A	N/A
2	48"	19-FM-48KV	24"	N/A	8"	11"	37"	N/A	N/A	N/A	N/A	11"	37"	N/A	N/A	N/A	N/A
3	60"	19-FM-60KV	30"	N/A	8"	11"	21"	N/A	N/A	N/A	N/A	11"	30"	49"	N/A	N/A	N/A
3	72"	19-FM-72KV	36"	N/A	8"	11"	36"	61"	N/A	N/A	N/A	11"	36"	61"	N/A	N/A	N/A
4	80"	19-FM-80KV	40"	N/A	8"	11"	29"	51"	69"	N/A	N/A	11"	29"	51"	69"	N/A	N/A
4	96"	19-FM-96KV	32"	32"	8"	11"	34 1/4"	62"	85"	N/A	N/A	11"	34 1/4"	62"	85"	N/A	N/A
5	100"	19-FM-100KV	29"	42"	8"	11"	30 1/2"	50"	69 1/2"	89"	N/A	11"	30 1/2"	50"	69 1/2"	89"	n/a
6	120"	19-FM-120KV	29"	31"	8"	11"	29"	51"	69"	91"	109"	11"	29"	51"	69"	91"	105"



REF-JJ

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, June 2025