

Eaton S611B125N3S

Catalog Number: S611B125N3S

S611 Soft Starter, Frame B, 125A, 100 hp, 480V, 62.5-125 FLA, 108-132V operating, #22-12 AWG, 1 conductor, Vertical mounting, 2 Slots, Soft starter, FDC circuit breaker, Class RK5/K5/J Fuse



General specifications

Product Name

Eaton S811+/S801+ soft starter

Catalog Number

S611B125N3S

UPC

786685480336

Product Length/Depth

7.46 in

Product Height

19.45 in

Product Width

11.58 in

Product Weight

24 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications

CSA file No. 3211-06

UL Listed

IEC 60947-4-2

Product specifications

Number of conductors

1

Phase

Three-phase

Wire size

#22-12 AWG

Operating temperature - min

-20 °C

Mounting method

Vertical

Number of slots

2

Amperage Rating

125A

Frame size

B

Full load current range

62.5-125 FLA

Type

Soft starter

User interface

LCD

Operating voltage

108-132 V

Circuit breaker type

FDC

Horsepower

100 hp

Operating temperature - max

50 °C

Frequency rating

47-63 Hz

Fuse size

Class RK5

Class K5

Class J

Resources

Application notes

S8x1 adjustment - Switching from S801+ to S811+

Brochures

S611 Soft Starters

Catalogs

Eaton's Volume 6—Solid-State Motor Control

Product Range Catalog Drives Engineering

Drawings

S611 Frame A/B Soft Starter

S611B AutoCAD 2D Footprint (mm)

S611B AutoCAD 2D Footprint

S611B 3D Model Xchange

S611B 2D Drawing Xchange

Installation instructions

S611 Soft Starter Quick Start Installation Guide

Multimedia

Soft Starter DS7 up to 32 A

Soft Starter Product Family Overview

Soft starter DS7 up to 200 A

Specifications and datasheets

Eaton Specification Sheet - S611B125N3S

Voltage rating

480 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)