

A photograph of a house at night, featuring a covered front porch with white columns. The house is surrounded by large trees, some of which are illuminated from below, casting a warm glow. A stone wall runs across the middle ground, and a gravel path leads towards the house. The overall scene is a professional landscape lighting installation.

2016 AT-A-GLANCE LANDSCAPE LIGHTING

KICHLER®


THE BEST MEMORIES HAPPEN AFTER THE SUN GOES DOWN


Let your landscape lighting illuminate every occasion and invite people into your home safely and beautifully – highlighting walkways, architectural elements, gathering spaces, water features and more. A landscape lighting professional can show you all of the possibilities and deliver the best, most efficient lighting to bring your home to life.

PERSONALIZED TO YOUR HOME – AND YOUR LIFESTYLE.

Your contractor will work with you to create a landscape lighting design that not only enhances your property, but also works with the way you use, live in, and enjoy your outdoor spaces. Consider your answers to these questions when creating your landscape lighting wish list:

- What do I love the most about my yard?
- How do I see myself using my outdoor spaces?
- When am I in these spaces most often?
- Is there a special architectural structure or feature that I want to highlight?
- When and where is security lighting most important?





Kichler Landscape Lighting offers some of the most technologically advanced products available. Leading the way is our integrated LED line, a complete system designed to give your landscape lighting professional a comprehensive toolbox of products, ideas and resources for your home's lighting plan. These fixtures, as well as our decorative outdoor lights, are engineered and tested to perform under extreme environmental conditions and are backed by our industry-leading 15 year warranty.

To learn more visit www.kichler.com/landscape

DESIGN PRO INTEGRATED LED KICHLER TECHNOLOGY

A Kichler Design Pro Integrated LED lighting system offers long-term beauty and industry-leading technology that brings outdoor living spaces to life with best-in-class performance, quality and efficiency. Integrated Design with Fully Encapsulated Electronics for Optimal All-Weather Performance.



PERFORMANCE

All Design Pro LED fixtures deliver beautiful lighting effects and are engineered for optimum performance with integrated solid-state drivers that are fully potted and sealed against the elements.

VERSATILITY

Kichler's integrated LED portfolio includes decorative path & spread, hardscape, water feature, deck and accent lighting.

INSTALLATION EASE

Our unique 9v to 15v operating range virtually eliminates voltage drop resulting in consistent light distribution without tricky calculations.


EFFICIENCY

Design Pro LED lighting generates more lumens with less wattage – creating greater lighting effects while consuming less electricity.

3 part silicone moisture barrier and epoxy glass seal

Radiax™ custom formed highly reflective, parabolic optics generate high total lumens and maximum lumens per watt

3 part potting process ensures all air is removed, no voids.



On the light engine and all other electrical components. Warranty subject to change without notice. Visit www.kichler.com for full warranty and limitations.

A LIGHT'S COLOR SETS THE TONE.

LIGHTING DESIGN TIPS

Did you know that not all white light is created equal? Many of our integrated LED fixtures and LED replacement lamps come in a variety of color temperatures – from warm white to pure white to cool white – that can enhance the colors in your home's exterior and landscape. Known as Kelvin (K) temperature, consider these suggestions for placement:



WARM WHITE (2700K)

- Surroundings with warmer colors, like brown and cedar
- Natural-colored walls or stonework
- Foliage that is red, orange or yellow (ex: highlighting oak trees)



PURE WHITE (3000K)

- Surroundings with dark materials, like deep slate, black or grey
- Foliage that is blue or purple (ex: highlighting blue spruce trees)



COOL WHITE (4200K)

- Ultra contemporary homes and structures
- Commercial applications
- 120V only

BEAM SPREADS...CARRY LIGHT WHERE IT'S NEEDED.

Kichler Design Pro LED Lights are available in a variety of beam spreads that allow your lighting professional to tailor the light to the application – creating the perfect end effect.



10°

Beam Spread


Tall, thin beam of light ideal for grazing trees and column features.



35°

Beam Spread


Medium height and width beam of light suited for general accent lighting.



60°

Beam Spread

Short and wide beam of light useful for broad trees and wide structures.




120°

Beam Spread

Ideal for wall washing, grazing, and short yet wide objects.

LIGHTING TECHNIQUES



ACCENT creates scenes mimicking the natural affects of moonlight within trees or highlights architectural feature of your property



ACCENT UPLIGHTING shines light upward to illuminate an object or surface for dramatic, attention-getting visuals

Shown: 16070 LED Wall Wash – 3000K
15384 Mini Accent with LED Drop-In Lamp – 3000K



GRAZING will add depth and dimension to stucco, brick, stonework or architectural features of your home or building

Shown: 16004 LED Radiax – 3000K
15843 LED Path – 3000K

LIGHTING TECHNIQUES



SHADOWING is used to project the look of a tree or your favorite yard art onto a surface behind the object

SILHOUETTE LIGHTING calls out an interesting shape by lighting a vertical surface behind the object to accent a unique shape

Shown: 16007 Radiax – 2700K




MIRROR LIGHTING is used to create dream-like water scenes by strategically lighting background areas around bodies of water

LED LAMPS

Designed to fit landscape, outdoor and security lighting fixtures for both 12V and 120V systems, Kichler LED lamps offer superior cost savings and uncompromised performance. Available in a variety of lamp types, beam spreads and lumen options, Kichler LED lamps are the perfect fit to upgrade an existing incandescent system.

- Quality and consistent light output & beam spreads
- Potted and/or coated electronics to protect against moisture
- FCC Compliant
- Range of beam spread choices and Kelvin color temperature options (12V available in 2700K or 3000K. 120V available in 3000K or 4200K.)



ACCENT

LIGHTING

Dramatically focus attention to trees, yard art, architectural features, outdoor walkways, gardens and more.

FEATURES:

- Multiple lumen outputs offer total design flexibility

LED OPTIONS:

- 10°, 35°, 60°, 120° (Wall Wash) beam spreads
- Warm White 2700K or Pure White 3000K



ACCENT LIGHTING

IN-GROUND LIGHTING

Deliver light to permanent and semi-permanent installations such as sidewalks, large mature trees, walls and flagpoles.

LED FEATURES:

- Corrosion-free all brass construction – stronger than aluminum or composite

LED OPTIONS:

- 10°, 35° or 60° beam spreads
- Warm White 2700K or Pure White 3000K



IN-GROUND LIGHTING

UNDERWATER & WATER ACCENT LIGHTING


Enhance and highlight flowing water in waterfalls, streams and fountains. Create a magical mirroring affect on still waters, like ponds and pools.

LED FEATURES:

- Rugged construction sealed against the elements for full submersion applications
- Rouged stainless steel housing with integral cowl

LED OPTIONS:

- 60° beam spread
- Warm White 2700K or Pure White 3000K or Cool White 4200K



UNDER WATER ACCENT LIGHTING

PATH & SPREAD

LIGHTING

Illuminate sidewalks, stone pathways and lawn walkways while adding a hint of intrigue to boulders and plant beds.

LED FEATURES:

- Sealed/integrated, moisture-proof design
- Directs light in a smooth even 10' – 12' spread with little glare or drastic cutoff
- Classic designs with a wide variety of finish options
- Durable cast construction



PATH & SPREAD LIGHTING

DECK & PATIO

LIGHTING

Accentuate all of the beauty and detail of your deck, patio, outdoor kitchen, steps, handrails and more.

FEATURES:

- Multiple architectural styles and finishes highlight the setting and add safety and security
- Weather tested to withstand the elements for years

LED OPTIONS:

- Deck & Patio: Pure White 3000K or Warm White 2700K



DECK & PATIO LIGHTING

HARDSCAPE

LIGHTING

Highlight your stone features, retaining walls, outdoor kitchens, steps, handrails, benches and more.

LED FEATURES:

- Available in multiple Kelvin temperature options: Warm White 2700K or Pure White 3000K
- Available in 1, 3, 6, and 9 LED fixtures
- Long-life LED light source — 40,000 hours at industry standard L70
- Tested to withstand the elements for years of enjoyment
- Easy to install



HARDSCAPE LIGHTING

DESIGN PRO LED 12V ACCENT



3W

10°
Beam Spread

SKU/
Finish

16000 AZT27
16000 BBR27
16000 BKT27

16000 AZT30
16000 BBR30
16000 BKT30

Wattage

3W, 4VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
109 Lm

3000K – Pure White/
116 Lm



3W

35°
Beam Spread

16001 AZT27
16001 BBR27
16001 BKT27
16001 WHT27

16001 AZT30
16001 BBR30
16001 BKT30
16001 WHT30

3W, 4VA 12V LED

2700K – Warm White/
109 Lm

3000K – Pure White/
116 Lm



3W

60°
Beam Spread

SKU/
Finish

16002 AZT27
16002 BBR27
16002 BKT27

16002 AZT30
16002 BBR30
16002 BKT30

Wattage

3W, 4VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
109 Lm

3000K – Pure White/
116 Lm



4W

10°
Beam Spread

16003 AZT27
16003 BBR27
16003 BKT27

16003 AZT30
16003 BBR30
16003 BKT30

4W, 5.5VA 12V LED

2700K – Warm White/
151 Lm

3000K – Pure White/
180 Lm



4W

35°
Beam Spread

16004 AZT27
16004 BBR27
16004 BKT27
16004 WHT27

16004 AZT30
16004 BBR30
16004 BKT30
16004 WHT30

4W, 5.5VA 12V LED

2700K – Warm White/
151 Lm

3000K – Pure White/
180 Lm



4W

60°
Beam Spread

SKU/
Finish

16005 AZT27
16005 BBR27
16005 BKT27

16005 AZT30
16005 BBR30
16005 BKT30

Wattage

4W, 5.5VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
151 Lm

3000K – Pure White/
180 Lm



6.5W

10°
Beam Spread

16006 AZT27
16006 BBR27
16006 BKT27

16006 AZT30
16006 BBR30
16006 BKT30

6.5W, 10.0VA 12V LED

2700K – Warm White/
306 Lm

3000K – Pure White/
352 Lm



6.5W

35°
Beam Spread

16007 AZT27
16007 BBR27
16007 BKT27
16007 WHT27

16007 AZT30
16007 BBR30
16007 BKT30
16007 WHT30

6.5W, 10.0VA 12V LED

2700K – Warm White/
306 Lm

3000K – Pure White/
352 Lm



6.5W

60°
Beam Spread

SKU/
Finish

16008 AZT27
16008 BBR27
16008 BKT27

16008 AZT30
16008 BBR30
16008 BKT30

Wattage

6.5W, 10.0VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
306 Lm

3000K – Pure White/
352 Lm



13W

10°
Beam Spread

16009 AZT27
16009 BBR27
16009 BKT27

16009 AZT30
16009 BBR30
16009 BKT30

13W, 18.5VA 12V LED

2700K – Warm White/
520 Lm

3000K – Pure White/
590 Lm



13W

35°
Beam Spread

16010 AZT27
16010 BBR27
16010 BKT27
16010 WHT27

16010 AZT30
16010 BBR30
16010 BKT30
16010 WHT30

13W, 18.5VA 12V LED

2700K – Warm White/
520 Lm

3000K – Pure White/
590 Lm



13W

60°
Beam Spread

SKU/
Finish

16011 AZT27
16011 BBR27
16011 BKT27

16011 AZT30
16011 BBR30
16011 BKT30

Wattage

13W, 18.5VA 12V LED

Kelvin/
Lumens

2700K – Warm White/ 520 Lm 3000K – Pure White/ 590 Lm



21W

10°
Beam Spread

16012 AZT27
16012 BBR27
16012 BKT27

16012 AZT30
16012 BBR30
16012 BKT30

21W, 27.0VA 12V LED

2700K – Warm White/ 947 Lm 3000K – Pure White/ 993 Lm



21W

35°
Beam Spread

16013 AZT27
16013 BBR27
16013 BKT27
16013 WHT27

16013 AZT30
16013 BBR30
16013 BKT30
16013 WHT30

21W, 27.0VA 12V LED

2700K – Warm White/ 947 Lm 3000K – Pure White/ 993 Lm



21W

60°
Beam Spread

SKU/
Finish

16014 AZT27
16014 BBR27
16014 BKT27

16014 AZT30
16014 BBR30
16014 BKT30

Wattage

21W, 27.0VA 12V LED

Kelvin/
Lumens

2700K – Warm White/ 947 Lm 3000K – Pure White/ 993 Lm



4.5W

15731 AZT, BBR, BKT – 10° Spot
15732 AZT, BBR, BKT – 35° Flood
15733 AZT, BBR, BKT – 60° Wide Flood

4.5W, 7.5VA 12V LED

3000K – Pure White/150 Lm



8.5W

15741 AZT, BBR, BKT – 10° Spot
15742 AZT, BBR, BKT – 35° Flood
15743 AZT, BBR, BKT – 60° Wide Flood

8.5W, 12.2VA 12V LED

3000K – Pure White/310 Lm



12.4W

15751 AZT, BBR, BKT – 10° Spot
15752 AZT, BBR, BKT – 35° Flood
15753 AZT, BBR, BKT – 60° Wide Flood

SKU/
Finish

Wattage

12.4W, 16.7VA 12V LED

Kelvin/
Lumens

3000K – Pure White/460 Lm



4.3W

Wall Wash

16070 AZT27R 16070 AZT30R
16070 BBR27R 16070 BBR30R
16070 BKT27R 16070 BKT30R

4.3W, 5.8VA 12V LED

2700K – Warm White/ 294 Lm 3000K – Pure White/ 302 Lm



4.3W

Wall Wash

15861 AZT27R 15861 AZT30R
15861 BBR27R 15861 BBR30R
15861 BKT27R 15861 BKT30R

4.3W, 5.8VA 12V LED

2700K – Warm White/ 294 Lm 3000K – Pure White/ 302 Lm



DESIGN PRO LED
12V
IN-GROUND



4W

16030 BBR27 – 10° Spot
16030 BBR30 – 10° Spot
16031 BBR27 – 35° Flood
16031 BBR30 – 35° Flood
16032 BBR27 – 60° Wide Flood
16032 BBR30 – 60° Wide Flood

SKU/
Finish

Wattage

4W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/ 146 Lm 3000K – Pure White/ 170 Lm



6.5W

16033 BBR27 – 10° Spot
16033 BBR30 – 10° Spot
16034 BBR27 – 35° Flood
16034 BBR30 – 35° Flood
16035 BBR27 – 60° Wide Flood
16035 BBR30 – 60° Wide Flood

6.5W, 9.3VA 12V LED

2700K – Warm White/ 306 Lm 3000K – Pure White/ 348 Lm

DESIGN PRO LED 12V IN- GROUND CONTINUED



14W

SKU/
Finish

16036 BBR27 – 10° Spot
16036 BBR30 – 10° Spot
16037 BBR27 – 35° Flood
16037 BBR30 – 35° Flood
16038 BBR27 – 60° Wide Flood
16038 BBR30 – 60° Wide Flood

Wattage

14W, 18.5VA 12V LED

Kelvin/
Lumens

2700K – Warm White/ 520 Lm
3000K – Pure White/ 590 Lm

4.5W



15767 BKT – 10° Spot
15768 BKT – 35° Flood
15769 BKT – 60° Wide Flood

4.5W, 7.5VA 12V LED

3000K – Pure White/150 Lm



8.5W

SKU/
Finish

15728 BKT – 10° Spot
15747 BKT – 35° Flood
15748 BKT – 60° Wide Flood

Wattage

8.5W, 12.2VA 12V LED

Kelvin/
Lumens

3000K – Pure White/310 Lm



12.4W

15729 BKT – 10° Spot
15757 BKT – 35° Flood
15758 BKT – 60° Wide Flood

12.4W, 16.7VA 12V LED

3000K – Pure White/460 Lm

DESIGN PRO LED 12V 2-IN-1 WATER ACCENT



3.4W

60°
Beam Spread

SKU/
Finish

15711 SS27 – 2700K
15711 SS – 3000K
15711 SS42 – 4200K

Wattage

3.4W, 4.9VA 12V LED

Kelvin/
Lumens

2700K – 135 Lm
3000K – 150 Lm
4200K – 180 Lm



15778 BK
One prong underwater
light accessory



15777 SS
Stainless steel easy
mount bracket



15776 BK
Three pronged
underwater accessory

DESIGN PRO LED 12V PATH & SPREAD



3.8W

SKU/
Finish

15843 CO27
15843 TZT27

15843 CO30
15843 TZT30

Wattage

3.8W, 4.95VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
168 Lm 3000K – Pure White/
182 Lm



3.8W

15871 BBR27
15871 TZT27

15871 BBR30
15871 TZT30

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm 3000K – Pure White/
182 Lm



4.3W

SKU/
Finish

15839 CO27R
15839 TZT27R

15839 CO30R
15839 TZT30R

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
294 Lm 3000K – Pure White/
302 Lm



4.3W

16120 AZT27
16120 BBR27
16120 BKT27

16120 AZT30
16120 BBR30
16120 BKT30

4.3W, 5.8VA 12V LED

2700K – Warm White/
294 Lm 3000K – Pure White/
302 Lm



4.3W

SKU/Finish

15850 CO27R

15850 CO30R

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
294 Lm 3000K – Pure White/
302 Lm



3.8W

15803 AZT27R

15803 AZT30R

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm 3000K – Pure White/
182 Lm



3.8W

15802 TZT27R

15802 TZT30R

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm 3000K – Pure White/
182 Lm



4.3W

SKU/
Finish

15800 AZT27R
15800 BBR27R

15800 AZT30R
15800 BBR30R

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
294 Lm 3000K – Pure White/
302 Lm



4W

15833 AZT27R

15833 AZT30R

4W, 5.8VA 12V LED

2700K – Warm White/
126 Lm 3000K – Pure White/
140 Lm



1W

15804 AZT27R

15804 AZT30R

1W, 1.7VA 12V LED

2700K – Warm White/
126 Lm 3000K – Pure White/
140 Lm



4W

SKU/
Finish

15805 BKT27R

15805 BKT30R

Wattage

4W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
126Lm 3000K – Pure White/
140 Lm



4W

15806 BKT27R

15806 BKT30R

4W, 5.8VA 12V LED

2700K – Warm White/
126 Lm 3000K – Pure White/
140 Lm



4.3W

15817 AZT27
15817 BN27

15817 AZT30
15817 BN30

4.3W, 5.8VA 12V LED

2700K – Warm White/
294 Lm 3000K – Pure White/
302 Lm

DESIGN PRO LED 12V PATH & SPREAD

CONTINUED



4.3W

15815 AZT27R
15815 BKT27R

15815 AZT30R
15815 BKT30R

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

4.3W

15827 BBR27R

15827 BBR30R

4.3W, 5.8VA 12V LED

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

4.3W

15826 AZT27R
15826 BKT27R

15826 AZT30R
15826 BKT30R

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

4.3W

15870 AZT27R
15870 BBR27R
15870 BKT27R

15870 AZT30R
15870 BBR30R
15870 BKT30R

4.3W, 5.8VA 12V LED

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

4.3W

15810 AZT27R
15810 BBR27R
15810 BKT27R

15810 AZT30R
15810 BBR30R
15810 BKT30R

SKU/
Finish

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

4.3W

15811 AZT27R

15811 AZT30R

4.3W, 5.8VA 12V LED

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

3.8W

15820 AZT27
15820 BBR27
15820 CO27

15820 AZT
15820 BBR
15820 CO

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm

3000K – Pure White/
182 Lm

3.8W

15821 AZT27
15821 BBR27
15821 CO27

15821 AZT
15821 BBR
15821 CO

SKU/
Finish

Wattage

3.8W, 4.95VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
168 Lm

3000K – Pure White/
182 Lm

3.8W

15801 TZT27R

15801 TZT30R

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm

3000K – Pure White/
182 Lm

4.3W

16121 AZT27
16121 BKT27
16121 TZT27

16121 AZT30
16121 BKT30
16121 TZT30

4.3W, 5.8VA 12V LED

2700K – Warm White/
294 Lm

3000K – Pure White/
302 Lm

3.8W

16122 AZT27

16122 AZT30

SKU/
Finish

Wattage

3.8W, 4.95VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
168 Lm

3000K – Pure White/
182 Lm

AZT Overlay with
TZT Undertone

3.8W

16123 AZT27
16123 CO27
16123 TZT27

16123 AZT30
16123 CO30
16123 TZT30

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm

3000K – Pure White/
182 Lm

3.8W

16124 AGZ27
16124 BKT27
16124 CW27

16124 AGZ30
16124 BKT30
16124 CW30

3.8W, 4.95VA 12V LED

2700K – Warm White/
168 Lm

3000K – Pure White/
182 Lm



4.3W

SKU/
Finish

16125 AZT27 16125 AZT30
16125 BBR27 16125 BBR30
16125 CO27 16125 CO30

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/ 294 Lm 3000K – Pure White/ 302 Lm



AZT Overlay with
T2T Undertone

3.8W

16126 AZT27

16126 AZT30

3.8W, 4.95VA 12V LED

2700K – Warm White/ 168 Lm 3000K – Pure White/ 182 Lm



3.8W

15857 AZT27R

15857 AZT30R

3.8W, 4.95VA 12V LED

2700K – Warm White/ 168 Lm 3000K – Pure White/ 182 Lm



4.3W

SKU/
Finish

15807 AZT27R 15807 AZT30R
15807 BBR27R 15807 BBR30R

Wattage

4.3W, 5.8VA 12V LED

Kelvin/
Lumens

2700K – Warm White/ 294 Lm 3000K – Pure White/ 302 Lm



3.5W

16130 AZT28
16130 BKT28

3.5W, 5.67VA 12V LED

2800K – Warm White/Pure White 224 Lm



3.5W

16131 AZT28
16131 BKT28

3.5W, 5.67VA 12V LED

2800K – Warm White/Pure White 224 Lm



3.5W

SKU/
Finish

16132 AZT28
16132 BKT28

Wattage

3.5W, 5.67VA 12V LED

Kelvin/
Lumens

2800K – Warm White/Pure White 224 Lm



3.5W


16133 AZT28
16133 BKT28

3.5W, 5.67VA 12V LED

2800K – Warm White/Pure White 224 Lm



DESIGN PRO LED 12V DECK & PATIO



.86W



SKU/Finish

15750 TZT27R

15750 TZT30R

Wattage

.86W, 1.86VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

.86W



15763 TZT27R

15763 TZT30R

.86W, 1.86VA 12V LED

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

.86W



SKU/
Finish

15765 AZT27R
15765 BBR27R
15765 BKT27R
15765 WHT27R

15765 AZT30R
15765 BBR30R
15765 BKT30R
15765 WHT30R

Wattage

.86W, 1.86VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

.86W



15764 AZT27R
15764 BBR27R
15764 WHT27R

15764 AZT30R
15764 BBR30R
15764 WHT30R

.86W, 1.86VA 12V LED

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

.86W



SKU/Finish

16110 AZT27
16110 BBR27
16110 BKT27
16110 CO27
16110 GRY27
16110 SD27
16110 AZT30
16110 BBR30
16110 BKT30
16110 CO30
16110 GRY30
16110 SD30

Wattage

.86W, 1.86VA 12V LED

Kelvin/
Lumens

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

.86W



16111 AZT27
16111 BKT27
16111 TZT27

16111 AZT30
16111 BKT30
16111 TZT30

.86W, 1.86VA 12V LED

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

.86W



16112 AZT27

16112 AZT30

.86W, 1.86VA 12V LED

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

AZT Overlay
with TZT
Undertone

.86W



SKU/Finish

16113 AZT27
16113 CO27
16113 TZT27

16113 AZT30
16113 CO30
16113 TZT30

Wattage

.86W, 1.86VA 12V LED

Kelvin/
Lumens


2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

1.72W



15773



15774

15773 AZT27R
15774 AZT27R

15773 AZT30R
15774 AZT30R

1.72W, 3.72VA 12V LED

2700K – Warm White/
86 Lm

3000K – Pure White/
82 Lm

.86W



15780



15782

15780 AZT27R
15780 BBR27R
15780 BKT27R
15780 CO27R
15780 WHT27R
15782 AZT27R
15782 BBR27R
15782 BKT27R
15782 CO27R
15782 WHT27R

15780 AZT30R
15780 BBR30R
15780 BKT30R
15780 CO30R
15780 WHT30R
15782 AZT30R
15782 BBR30R
15782 BKT30R
15782 CO30R
15782 WHT30R

.86W, 1.86VA 12V LED

2700K – Warm White/
43 Lm

3000K – Pure White/
41 Lm

DESIGN PRO LED 12V HARDSCAPE



0.19W

SKU/
Finish

Description/
Wattage

Kelvin/
Lumens

15744 AZT27
15744 BBR27
15744 CO27
15744 GRY27
15744 SD27
15744 WHT27

15744 AZT30
15744 BBR30
15744 CO30
15744 GRY30
15744 SD30
15744 WHT30

1 LED Fixture with Bracket – 3.0" Length
0.19W, 0.28VA 12V LED

2700K – Warm White/ 8.4 Lm 3000K – Pure White/ 8.6 Lm

.75W

15745 AZT27
15745 BBR27
15745 CO27
15745 GRY27
15745 SD27
15745 WHT27

15745 AZT30
15745 BBR30
15745 CO30
15745 GRY30
15745 SD30
15745 WHT30

3 LED Fixture with Bracket – 6.9" Length
.75W, 1.3VA 12V LED

2700K – Warm White/ 34.7 Lm 3000K – Pure White/ 44.5 Lm

1.4W

SKU/
Finish

Description/
Wattage

Kelvin/
Lumens

15746 AZT27
15746 BBR27
15746 CO27
15746 GRY27
15746 SD27
15746 WHT27

15746 AZT30
15746 BBR30
15746 CO30
15746 GRY30
15746 SD30
15746 WHT30

6 LED Fixture with Bracket – 12.9" Length
1.4W, 2.4VA 12V LED

2700K – Warm White/ 69.5 Lm 3000K – Pure White/ 88 Lm

2.2W

15756 AZT27
15756 BBR27
15756 CO27
15756 GRY27
15756 SD27
15756 WHT27

15756 AZT30
15756 BBR30
15756 CO30
15756 GRY30
15756 SD30
15756 WHT30

9 LED Fixture with Bracket – 18.9" Length
2.2W, 3.7VA 12V LED

2700K – Warm White/ 104.2 Lm 3000K – Pure White/ 132 Lm

0.19W

15734 AZT30
15734 BBR30
15734 CO30
15734 GRY30
15734 SD30
15734 WHT30

1 LED Fixture without Bracket – 3" Length
0.19W, 0.28VA 12V LED

3000K – Pure White/8.6 Lm

.75W

SKU/
Finish

Description/
Wattage

Kelvin/
Lumens

15735 AZT30
15735 BBR30
15735 CO30
15735 GRY30
15735 SD30
15735 WHT30

3 LED Fixture without Bracket – 6.9" Length
.75W, 1.3VA 12V LED

3000K – Pure White/44.5 Lm

1.4W

15736 AZT30
15736 BBR30
15736 CO30
15736 GRY30
15736 SD30
15736 WHT30

6 LED Fixture without Bracket – 12.9" Length
1.4W, 2.4VA 12V LED

3000K – Pure White/88 Lm

2.2W

15755 AZT30
15755 BBR30
15755 CO30
15755 GRY30
15755 SD30
15755 WHT30

9 LED Fixture without Bracket – 18.9" Length
2.2W, 3.7VA 12V LED

3000K – Pure White/132 Lm

1, 3, 6, & 9" LED Flat Mounting Bracket

15716 SS
for use with
15734, 15744



15717 SS
for use with
15735, 15745



15718 SS
for use with
15736, 15746



15719 SS
for use with
15755, 15756



Design Pro LED Controller



SKU	15DC100
Description	100W LED Controller
Features	All-in-one power supply and controller provides personalization, versatility, and efficiencies to a professional LED installation Height = 13.73" Depth = 4.46" Width = 8.62"



SKU	15DC200
Description	200W LED Controller
Features	All-in-one power supply and controller provides personalization, versatility, and efficiencies to a professional LED installation Height = 13.71" Depth = 4.46" Width = 13.51"



SKU	15DC300
Description	300W LED Controller
Features	All-in-one power supply and controller provides personalization, versatility, and efficiencies to a professional LED installation Height = 13.71" Depth = 4.46" Width = 13.51"



SKU	16081WH
Description	Controller – Range Extender
Features	Allows for wireless range extension (additional 300ft) between wireless devices (ex. power supply-to-power supply) Plugs into any standard 120V outlet (dry location).



SKU	16080BK
Description	Controller – Remote
Features	Allows the user to independently control lighting zones based on pre-defined programs. This enables the homeowner to temporarily override schedules on individual zones by turning the lights on/off at any given time. Can also be used as a secondary programmer.



SKU	16088BK, 16089BK
Description	Controller – Wire
Features	Now 14 and 16 gauge direct burial wire can now be used with Kichler's Design Pro LED Controller. Available in 250' EZ Pull boxes for added convenience. To be used only with the Kichler Design Pro LED Controller. See Kichler DC voltage drop calculator to calculate wire runs.

Z-Wave is a registered trademark of Sigma Design and its subsidiaries in the United States and other countries. For recommended 3rd party accessories please consult Kichler for tested list.



LED/INCANDESCENT 12V TRANSFORMERS

RELIABLE

- Runs feature one common transformer per circuit. ANSI/UL1838 requirements limit each circuit to 300-W and 15V.
- Secondary circuit breakers offer short-circuit protection as a standard feature.
- Magnetic circuit breakers provide a faster response to a fault in the system.
- An in-line primary thermostat protects against thermal over-load. These built-in thermostats are auto-resetting, eliminating the need for replacement or maintenance.

POWERFUL

- Various wattage options are available including: 60, 75, 100, 120, 200, 300, 600, 900, and 1200 in many options.
- Available in premium or economy options – convenient for larger, more complicated jobs or where smaller profile, lower-wattage units can be used.

DURABLE

- Full enclosure of the housing protects components from weather, sprinkling systems and debris.
- Professional Series housings are made of stainless steel grade 304 designed to run cooler and resist corrosion and last longer in outdoor environments.

WARRANTY

- Limited lifetime warranty offered on Stainless Steel (SS) transformer models.
- A limited 10-Year Warranty on powder-coated Textured Architectural Bronze™ (AZT) transformer models and in-ground models.

CORE AND COIL CONSTRUCTION

All core and coil-types used in Kichler transformers, except economy series, feature epoxy encapsulation. This provides commercial-grade benefits such as:



High Efficient E.I. core and coil configuration is standard on most Kichler models



15PR75SS, 15PR900SS, 15PR1200SS, 15PL75AZT and 15PL900AZT feature high efficiency Toroid core and coil configuration



Name

PROFESSIONAL SERIES PR

Wattage

100 – 1200W

Description

Output voltage taps 12/13/14/15 Volts



PROFESSIONAL SERIES PR LED

75W

Output voltage tap 15 Volts only for simplified LED installations



PROFESSIONAL SERIES 2-IN-1 PR

2 x 300W

2 separate sets of multi-tap output – 12V, 13V, 14V, 15V on each circuit



PLUS SERIES PL

100 – 1200W

Output voltage taps are 12/13/14/15 Volts, 80 Amp. Max. per board



Name

PLUS SERIES PL LED

Wattage

75W

Description

Output voltage tap 15V only for simplified LED installations



MANUAL SERIES M

100 – 600W

Output voltage taps are 12V, 13V, 15V only on 15M300 AZT, and 15M600 AZT. 15M100AZT and 15M200 AZT are single 12V taps



ECONOMY SERIES E

60W – 120W

High and low voltage settings



15IGT100 IN-GROUND SERIES

100W

4 Taps (Multitaps)



Name

15IGT300 IN-GROUND SERIES

Wattage

300W

Description

4 Taps (Multitaps) 12-15V



15IGT600 IN-GROUND SERIES

600W

Dual output – 8 Taps (Multitaps) 2 sets of 4 12-15V

TRANSFORMER ACCESSORIES



15557 BK
Mechanical
Transformer
Timer



15556 WH
Digital
Transformer
Timer


15511 BK
Synchronized
Device



15565 BK
Plug-In Transformer
Cell



15534 BK
Remote Plug-in
Transformer Cell



LED/INCANDESCENT 12V ACCENT

SKU

Description

Finishes
LED Lamp
Options

15384

12V LED Mini Accent

AZT, AZT24, BKT, BKT24, CBR, CO
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

15484

12V LED Long Cowl Mini Accent

AZT
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

SKU

Description

Finishes
LED Lamp
Options

15397

12V LED Architectural Grade Adjustable

AZT
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

15398

12V LED Micro Accent – MR11

AZT
N/A

SKU

Description

Finishes
LED Lamp
Options

15309

12V LED Accent

AZT, AZT 12, **BKT**
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

15374

12V LED Accent

AZT, AZT 20L 24, **BKT 20L 24**
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

15382

12V LED Composite

BK
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

SKU

Description

Finishes
LED Lamp
Options

15381

12V LED MR 16

AZT, AZT 6, **BBR**, BKT
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

15475

12V LED Solid Brass

CBR
4W (18126-18133) Compares to 20W
Halogen. 5W (18134-18141) Compares
to 35W Halogen.

15383

12V LED Bi-Pin

AZT
N/A

SKU

Description

Finishes
LED Lamp
Options

15390

12V LED Par 36

AZT
11W (18021-18029) Compares to
50W Halogen.

15395

12V LED Adjustable Wide Flood

AZT
N/A

15396

12V LED Miniature Hooded Adjustable
Wide Flood

AZT
N/A



SKU

Description

Finishes

LED Lamp

Options

15385

12V LED Hooded Adjustable Wide Flood

AZT

N/A



15476

12V LED Solid Brass Mini Wall Wash

CBR

2W T5 Side Mount Wedge Base (18120-18121) Compares to 20W Halogen.



15361

12V LED Adjustable Wall Wash

AZT, BKT

2W S8 Wedge (18122-18123) Compares to 18.5W Krypton.



SKU

Description

Finishes

LED Lamp

Options

15387

12V LED MR-16 Mini (Down) Wide Flood

AZT

4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.



15093

12V LED MR-16 Mini (Down)

WHT

4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.



15494

12V LED Long Cowl Mini

AZT

4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.

LED/INCANDESCENT 12V IN-GROUND



SKU

Description

Finishes

Lamp

Options

15088

12V Yoke Held Par 36 Well

BK, BK 12

Use 15390 Lamps



15194

12V Enclosed Par 36 In-Ground

AZT

Use 15390 Lamps



15190

12V MR16 Mini In-Ground

BK

Use 15384 Lamps



SKU

Description

Finishes

Lamp

Options

15192

12V MR16 Mini In-Ground with Cowl

BK

4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.



15092

12V MR16 Well

BK

4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.



15481

12V Solid Brass In-Ground with Frosted Lens

CBR

4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.

LED/INCANDESCENT 12V WATER FEATURE



For use with a magnetic transformer combined with LED drop-in lamps, multiply fixture VA by the number of fixtures to determine size of the transformer. For use with the Design Pro LED Controller, multiply fixture watts by the number of fixtures to determine size of the controller. LED Fixtures are not for use with 3rd party electronic transformers. Subjected to Highly Accelerated Life Testing – 3rd party reliability testing.

SKU	15191
Description	12V LED Underwater
Finishes	BK
Incandescent Lamp	Power usage at 12V AC input VA MAX: 50-W(VA) MR-1635-W(VA) Max. MR-11 4W (18126-18133) Compares to 20W Halogen. 5W (18134-18141) Compares to 35W Halogen.
Options	



LED/INCANDESCENT 12V PATH & SPREAD



SKU	15379
Description	Gate House™
Finishes	OZ
LED Lamp	2W (18036-18038) Compares up to 18.5W Krypton.
Options	



SKU	15447
Description	Aries Manor™
Finishes	OZ
LED Lamp	2W (18039-18041) Compares up to 16W Xenon.
Options	



SKU	15314
Description	Single Tier Leaf
Finishes	AZT, MST
LED Lamp	2W (18036-18038) Compares up to 18.5W Krypton.
Options	



SKU	15436
Description	Intaglio Brass Crook Neck
Finishes	OZ
LED Lamp	2W (18039-18041) Compares up to 16W Xenon.
Options	



SKU	15401
Description	Thatched Roof
Finishes	AZT
LED Lamp	2W (18042-18044) Compares up to 20W Halogen.
Options	



SKU	15369
Description	Vintage Park™
Finishes	TZT
LED Lamp	2W (18036-18038) Compares up to 18.5W Krypton.
Options	



SKU	15393
Description	Kentucky
Finishes	OZ
LED Lamp	2W (18039-18041) Compares up to 16W Xenon.
Options	



SKU

Description

Finishes

LED Lamp

Options

15426

Almeria™

OZ

2W (18039-18041) Compares up to 16W Xenon.



15422

Cotworld™

AGZ

2W (18039-18041) Compares up to 16W Xenon.



15420

Cotworld™

AGZ

2W (18039-18041) Compares up to 16W Xenon.



SKU

Description

Finishes

LED Lamp

Options

15421

Cotworld™ Convertible Height Tiki

AGZ

2W (18039-18041) Compares up to 16W Xenon.



15449

Cathedral Bollard

TZT

2W (18039-18041) Compares up to 16W Xenon. 2W (18120-18121) Compares up to 16W Xenon.



15429

Cathedral

TZT

2W (18039-18041) Compares up to 16W Xenon.



SKU

Description

Finishes

LED Lamp

Options

15457

Pierced Dome

AZT

2W (18039-18041) Compares up to 16W Xenon.



15437

Pierced Scrollwork

TZT

2W (18039-18041) Compares up to 16W Xenon.



15330

Adjustable Crescent

OZ

2W (18036-18038) Compares up to 18.5W Krypton. 2W (18122-18123) Compares up to 18.5W Krypton.



SKU

Description

Finishes

LED Lamp

Options

15443

Decorative Hammered Roof

CO, OB, OB12, **TZT**

2W (18036-18038) Compares up to 18.5W Krypton.



15471

Cast Hammered Roof

BBR, TZT

2W (18036-18038) Compares up to 18.5W Krypton.



15418

Ribbed Roof

AZT

2W (18042-18044) Compares up to 20W Halogen.



SKU

Description

Finishes

LED Lamp

Options

15349

Tulip

MST

2W (18036-18038) Compares up to 18.5W Krypton.



15313

Lafayette™ Lantern

TZG

2W (18039-18041) Compares up to 16W Xenon.



15444

Larkin Estate™

OZ

2W (18039-18041) Compares up to 16W Xenon.

LED/INCANDESCENT 12V PATH & SPREAD

CONTINUED

SKU

Description

Finishes
LED Lamp
Options

15350

Adjustable Copper

CO
N/A

15391

Zen Garden

OZ
2W (18039-18041) Compares up to
16W Xenon.

SKU

Description

Finishes
LED Lamp
Options

15392

Zen Garden Bollard

OZ
2W (18039-18041) Compares up to 16W
Xenon. 2W (18120-18121) Compares up
to 16W Xenon.

15319

Mission Lantern

PZ
2W (18036-18038) Compares up to
18.5W Krypton.

15429

Cathedral

TZT
2W (18039-18041) Compares up to
16W Xenon.

SKU

Description

Finishes
LED Lamp
Options

15322

Cross Creek™ Lantern

AGZ
2W (18039-18041) Compares up to
16W Xenon.

15458

Mission Bollard

OZ
2W (18039-18041) Compares up to 16W
Xenon. 2W (18120-18121) Compares up
to 16W Xenon.

15367

Round Lantern

TZT
2W (18036-18038) Compares up to
18.5W Krypton.

SKU

Description

Finishes
LED Lamp
Options

15438

Traditional Marine Lantern

OB, OZ
2W (18036-18038) Compares up to
18.5W Krypton.

15450

Mica Mission

TZT
N/A

15334

Concord Lantern

OB
2W (18039-18041) Compares up to
16W Xenon.

SKU

Description

Finishes
LED Lamp
Options

15317

Glass & Metal

AZT, BN
2W (18036-18038) Compares up to
18.5W Krypton.

15318

Galaxy

AZT
2W (18036-18038) Compares up to
18.5W Krypton.

15360

Simplicity Side Mount

AZT
2W (18036-18038) Compares up to 18.5W
Krypton. 2W (18122-18123) Compares up
to 18.5W Krypton.



SKU

15333

Description

Contours

Finishes

LED Lamp

Options

TZT

2W (18036-18038) Compares up to 18.5W Krypton.



15439

Fundamentals™

CO, OB, **TZT**

2W (18036-18038) Compares up to 18.5W Krypton.



15328

Larger Center Mount

AZT

2W (18036-18038) Compares up to 18.5W Krypton.



SKU

15005

Description

Fundamentals™

Finishes

LED Lamp

Options

AZT, BKT

2W (18036-18038) Compares up to 18.5W Krypton.



15315

Side Mount

AZT, AZT6, BKT

2W (18036-18038) Compares up to 18.5W Krypton. 2W (18122-18123) Compares up to 18.5W Krypton.



15326

Center Mount

AZT, BKT

2W (18036-18038) Compares up to 18.5W Krypton.



SKU

15011

Description

One Tier

Finishes

LED Lamp

Options

AZT

2W (18036-18038) Compares up to 18.5W Krypton.



15336

Large Eclipse™

BKT, TZT

2W (18036-18038) Compares up to 18.5W Krypton.



15323

Eclipse™

AZT, BKT, TZT

2W (18036-18038) Compares up to 18.5W Krypton.



SKU

15423

Description

Side Mount Eclipse™

Finishes

LED Lamp

Options

AZT, BKT

2W (18036-18038) Compares up to 18.5W Krypton. 2W (18122-18123) Compares up to 18.5W Krypton.



15310

Dome

AZT, AZT6, BKT

2W (18039-18041) Compares up to 16W Xenon.



15410

Dome

AZT

2W (18039-18041) Compares up to 16W Xenon.



SKU

15470

Description

6" Dome

Finishes

LED Lamp

Options

AZT, BKT, CBR

2W (18039-18041) Compares up to 16W Xenon.



15480

Solid Brass Missionary

CBR

2W G4/T3 Bi-Pin (18042-18044) Compares to 20W Halogen.



15478

Solid Brass Traditional

CBR

2W G4/T3 Bi-Pin (18042-18044) Compares to 20W Halogen.



LED/INCANDESCENT 12V DECK & PATIO



SKU
Description
Finishes
LED Lamp
Options

15047
Oak Trail™ Accent
OZ
N/A



15110
Zen Garden™ Deck
OZ
N/A



SKU
Description
Finishes
LED Lamp
Options

15071
Zen Garden™ Post
OZ
2W (18039-18041) Compares up to 16W Xenon.



15474
Larkin Estate™ Post
OZ
2W (18039-18041) Compares up to 16W Xenon.



SKU
Description
Finishes
LED Lamp
Options

15064
Half Moon
AZT, **BBR**, WHT
2W (18042-18044) Compares up to 20W Halogen. 2W (18124-18125) Compares up to 20W Halogen.



15065
Mini
AZT, **BBR**, BKT, WHT
2W (18039-18041) Compares up to 16W Xenon. 2W (18120-18121) Compares up to 16W Xenon.



15045
Full Back Mini Deck
AZT
2W (18039-18041) Compares up to 16W Xenon. 2W (18120-18121) Compares up to 16W Xenon.



SKU
Description
Finishes
LED Lamp
Options

15165
Mini Deck
AZT
2W (18039-18041) Compares up to 16W Xenon. 2W (18120-18121) Compares up to 16W Xenon.



15477
Solid Brass Deck
CBR
2W T5 Side mount wedge base (18120-18121) Compares up to 16W Xenon.



15077
Adjustable Under Railing
AZT
2W (18036-18038) Compares up to 18.5W Krypton.



SKU

15066

Description

6.5W Louvered Down

Finishes

AZT, WHT

LED Lamp

N/A

Options



15079

11.6W Up/Down Accent Light

BBR

2W (18039-18041) Compares up to 16W Xenon.



15123

35W Barbecue Light

BKT

N/A



SKU

15070

Description

11.6W Mini Step Light

Finishes

AZT

LED Lamp

2W (18120-18121) Compares up to 16W Xenon.

Options



15072

11.6W Mini Step Light

AZT, WHT

2W (18120-18121) Compares up to 16W Xenon.



15074

10W Louvered & Brick Light Glass Lens

AZT

2W (18124-18125) Compares up to 20W Halogen.



SKU

15073

Description

Louvered & Brick Light Glass Lens

Finishes

AZT

LED Lamp

2W (18124-18125) Compares up to 20W Halogen.

Options



15409

Zen Garden™ 12V Outdoor Chandelier

OZ

2W (18039-18041) Compares up to 16W Xenon.




15402

Outdoor Trail™ 12V Outdoor Chandelier

OZ


2W (18039-18041) Compares up to 16W Xenon.

LED/INCANDESCENT 12V ACCESSORIES



For use with fixtures 4W, 6.5W & 14W –
16030, 16031, 16032, 16033,
16034, 16035, 16036, 16037,
16038

SKU	16501
Description	Concrete Installation Kit
Finishes	BBRP



1/4-18 NPSM thd. Stems 0.5" D. overall
12" – 15651 AZT, 15651 BKT
18" – 15652 AZT, 15652 BKT
24" – 15653 AZT, 15653 BKT

1/2-14 NPSM thd. Stems .75" D. overall
6" – 15645 AZT, 15645 BBR, 15645 BKT
12" – 15656 AZT, 15656 BBR, 15656 BKT
18" – 15657 AZT, 15657 BBR, 15657 BKT
24" – 15658 AZT, 15658 BBR, 15658 BKT

SKU	15645, 15651, 15652, 15653, 15656, 15657, 15658
Description	Fixture Mounting Stems
Finishes	AZT, BBR, BKT



Extends from
18" to 33"



4.0625" ID
4.25" OD

18" 15665 AZT, BKT
24" 15666 AZT, BKT
36" 15667 AZT, BKT



For use with
LED fixtures
16130AZT, 16130BKT,
16131AZT, 16131BKT,
16132AZT, 16132BKT,
16133AZT, 16133BKT

SKU	15570
Description	Adjustable Height Stems
Finishes	AZT, BKT

SKU	15665, 15666, 15667
Description	Bollard Mounting Kit
Finishes	AZT, BKT

SKU	15671
Description	Bollard Template Kit
Finishes	ST



23" Height

For use with
LED fixtures
16130AZT, 16130BKT,
16131AZT, 16131BKT,
16132AZT, 16132BKT,
16133AZT, 16133BKT



8" Height –
15575 In-Ground Stake
14" Height –
15576 In-Ground Stake



1.18" W
2.09" H
1.35" L



1/4-18 NPSM thd
1.5" H

SKU	15578
Description	Bollard Mounting Stake
Finishes	BK

SKU	15575, 15576
Description	Polymeric Support Stakes
Finishes	BK

SKU	15647
Description	Elbow
Finishes	AZT, BBR, BKT

SKU	15649
Description	Stem Coupler
Finishes	AZT, BBR, BKT



4" D
1/2-14 NPSM thd



1" x 1/2-14
NPSM thd



1.5" x 2.5" x 1"
1/2-14 NPSM thd




3.375" W
15776 BK for use with 15711 SS

SKU	15601
Description	Surface Mounting Flange
Finishes	AZT, BBR, BKT, WHT

SKU	15602
Description	Flange Mounting Nipple
Finishes	AL

SKU	15607
Description	Surface Mounting Bracket
Finishes	AZT, BBR, BKT, WHT

SKU	15776
Description	Multi-Fixture Weighted Base
Finishes	BK

		3.375" W 15778 BK for use with 15711 SS
SKU	15778	
Description	Single Fixture Weighted Base	
Finishes	BK	
		2.52" W Use with fixture 15711 SS
	15777	
	Out of Water Bracket	
	SS	
		2.39" W 5.56" H
	15609	
	Junction Box Mounting Bracket	
	AZT, BKT, WHT	
		
	16064, 16065, 16066, 15875, 15876	
	LED Amber Lens	
	AMB	
	16064 AMB for use with 3W & 4W – 16000, 16001, 16002, 16003, 16004, 16005	
	16065 AMB for use with 6.5W & 13W – 16006, 16007, 16008, 16009, 16010, 16011	
	16066 AMB for use with 21W – 16012, 16013, 16014	
	15875 AMB for use with 15731, 15732, 15733, 15741, 15742, 15743, 15767, 15768, 15769, 15728, 15747, 15748	
	15876 AMB for use with 15751, 15752, 15753, 15729, 15757, 15758	
		
	16064, 16065, 16066, 15885, 15886	
	LED Green Lens	
	GRN	
	16064 GRN for use with 3W & 4W – 16000, 16001, 16002, 16003, 16004, 16005	
	16065 GRN for use with 6.5W & 13W – 16006, 16007, 16008, 16009, 16010, 16011	
	16066 GRN for use with 21W – 16012, 16013, 16014	
	15885 GRN for use with 15731, 15732, 15733, 15741, 15742, 15743, 15767, 15768, 15769, 15728, 15747, 15748	
	15886 GRN for use with 15751, 15752, 15753, 15729, 15757, 15758	
		
	16064, 16065, 16066, 15895, 15896	
	LED Frosted Lens	
	FRO	
	16064 FRO for use with 3W & 4W – 16000, 16001, 16002, 16003, 16004, 16005	
	16065 FRO for use with 6.5W & 13W – 16006, 16007, 16008, 16009, 16010, 16011	
	16066 FRO for use with 21W – 16012, 16013, 16014	
	15895 FRO for use with LED fixtures 15731, 15732, 15733, 15741, 15742, 15743, 15767, 15768, 15769, 15728, 15747, 15748	
	15896 FRO for use with LED fixtures 15751, 15752, 15753, 15729, 15757, 15758	
		15875AMB
		15886GRN
		15895FRO
	15633 15643, 15672, 15676, 15691	
	Incandescent Forsted Lens	
	FRO	
	15672 FRO for use with fixture 15382	
	15676 FRO for use with fixtures 15092, 15384, 15484, 15494	
	15691 FRO for use with fixture 15381	
	15643 FRO for use with fixture 15374	
	15633 FRO for use with fixture 15398	
		
	15677, 15695	
	Polycarbonate Lens	
	CLR	
	15677 CLR for use with fixture 15827	
	15695 CLR for use with fixture 15315, 15815	
		
	15632, 15642, 15674, 15675, 15692	
	LED Frosted Lens	
	LIN	
	15674 LIN clear ribbed for use with fixture 15382	
	15675 LIN clear ribbed for use with fixtures 15092, 15384, 15484, 15494	
	15692 LIN clear ribbed for use with fixture 15381	
	15642 LIN clear ribbed for use with fixture 15374	
	15632 LIN clear ribbed for use with fixture 15398	
		
		
	15659, 15689	
	Heat Resistant Lens	
	AZT, BKT	
	15659 AZT for use with fixture 15079	
	15689 BK for use with fixtures 15088, 15388	
		5.8"
	16060, 16062	
	LED Long Cowl	
	AZT, BBR, BKT, WHT	
	16060 AZT, 16060 BBR for use with 6.5W & 13W fixtures 16061 BKT 16006, 16007, 16008, 16009, 16060 WHT 16010, 16011	
	16062 AZT, 16062 BBR, 16063 BKT for use with 21W fixtures 16062 WHT 16012, 16013, 16014	
		16061: 2.5" 16063: 3.3"
	16061, 16063	
	LED 360° Short Cowl	
	AZT, BBR, BKT, WHT	
	16061 AZT, 16061 BBR, 16061 BKT, 16061 WHT for use with 6.5W & 13W fixtures 16006, 16007, 16008, 16009, 16010, 16011	
	16063 AZT, 16063 BBR, 16063 BKT, 16063 WHT for use with 21W fixtures 16012, 16013, 16014	
		
	15631, 15641, 15673, 15686, 15687, 15693	
	Blue Lens	
	BL	
	15673 BL for use with fixture 15382	
	15686 BL for use with fixtures 15092, 15384, 15484, 15494	
	15687 BL for use with fixture 15381	
	15693 BL for use with fixture 15397	
	15641 BL for use with fixture 15374	
	15631 BL for use with fixture 15398	

LED/INCANDESCENT 12V ACCESSORIES CONTINUED



SKU

16050

Description

Cowl – Polycarbonate/Cast Brass

Finishes

BBRP, BBR

16050 BBRP for use with 4W, 6.5W & 14W fixtures 16030, 16031, 16032, 16033, 16034, 16035, 16036, 16037, 16038



16051

LED Rock Guard – Polycarbonate/Cast Brass

BBRP, BBR

16051 BBRP for use with 4W, 6.5W & 14W fixtures 16030, 16031, 16032, 16033, 16034, 16035, 16036, 16037, 16038



SKU

15701, 15702, 15703, 15704

Description

LED Snap-On Cowls

Finishes

AZTP, BKTP

Short Cowl – 15701 AZTP for use with fixtures 15731, 15732, 15701 BKTP 15733, 15741, 15742, 15743

15702 AZTP for use with fixtures 15751, 15702 BKTP 15752, 15753

For BBR fixture finishes, use AZTP

Long Cowl – 15703 AZTP for use with fixtures 15731, 15732, 15703 BKTP 15733, 15741, 15742, 15743

15704 AZTP for use with fixtures 15704 BKTP 15751, 15752, 15753

For BBR fixture finishes, use AZTP



15787

LED Rock Guard

BK

15787 BK only for use with fixtures 15767BKT, 15768BKT, 15769BKT, 15728BKT, 15747BKT, 15748BKT, 15729BKT, 15757BKT, 15758BKT



SKU

15694

Description

Incandescent Rock Guard

Finishes

AZ

15694 AZ for use with fixture 15194 or 15268




15690

Incandescent Rock Guard

BK

15690 BK for use with fixtures 15088BK or 15388 BK



15679, 15680, 15683, 15644, 15634, FM127265

Hexcell Louver

BK

15679 BK for use with fixtures 15092, 15384, 15484, 15494

15680 BK for use with fixture 15381

15683 BK for use with fixture 15397

15644 BK for use with fixture 15374

15634 BK for use with fixture 15398

FM127265

For use with downward center mount LED path lights.



SKU

15482

Description

Solid Brass Rock Guard with Clear Glass

Finishes

CBR

15482 CBR for use with fixture 15481 CBR



Length = 3.93"
Width = 1.33"



16080

Remote

BK

16080BK Remote



Length = 1.83"
Width = 1.83"




16081

Range Extender

WH

16081WH Range Extender



SKU

Description
Finishes

15507

Kichler Landscape Flag Marker
ONG



15670

Corrosion Preventative Compound
BK



16059

Low Voltage Power Conditioner (LVPC)
BK

16059 BK Master pack of 5



15529

Pro Series Wire Connector
BL

15529 BL Bulk pack of 100 connectors packed in sealed bags of 10



SKU

Description
Finishes

15501, 15502, 15503, 15503, 15504, 15505, 15506

Low Voltage Cable

BKT

For use with all 12V rated fixtures.
8-gauge – 15503 BK 250'
10-gauge – 15504 BK 250'
12-gauge – 15501 BK 100',
15502 BK 250', 15505 BK 500',
15506 BK 1000'



15579, 15589

Gel Filled Wire Connector

BKT

15579 BK for use when connecting:
• 8-gauge wire to 10- and 12-gauge
• connecting 10-gauge wire to 12-gauge wire

15589 BK for use when connecting:
• 10-gauge wire
• 12-gauge wire
• 10-gauge wire to 12-gauge wire
• 12-gauge wire to 18-gauge wire



15509

QUIC DISC Connector

BKT

15509 BK for use with #12-2 or #10-2 low voltage cable only




EZPull
250' Boxes




16081

Wire

BK

16088BK – #14-2 Wire,
16089BK – #16-2 Wire



BASE / LAMP TYPE	WATTS	KELVIN / LUMENS	BEAM ANGLE
S8 Wedge 	2W, 2.4VA* Compares up to 18.5W Krypton	2700K – Warm White 130Lm	120° BEAM ANGLE 18122
		3000K – Pure White 130Lm	18123
T5 Wedge 	2W, 2.4VA* Compares up to 16W Xenon	2700K – Warm White 130Lm	18120
		3000K – Pure White 130Lm	18121
G4/T3 Bi-Pin 	2W, 2.4VA* Compares up to 20W Halogen	2700K – Warm White 130Lm	18124
		3000K – Pure White 130Lm	18125

* Ideal for side mount path, deck/step, wall wash fixtures and more.


* Multiply fixture VA by the number of fixtures used to determine size of transformer.







Stated lumens are for bare lamp only. Using lamp in enclosed fixtures can result in up to 30-40% loss in lumen output based on test data.

All lamps are listed or certified by UL, ETL, and/or CSA to the appropriate ANSI/standard for both the United States and Canada and have tested for FCC compliance, assuring they won't interfere with other home electronic devices. So, you don't have to worry about inadvertent interference.



LED/INCANDESCENT 12V ACCESSORIES CONTINUED



BASE / LAMP TYPE	WATTS	KELVIN / LUMENS	BEAM ANGLE			
MR16 Bi-Pin Medium Power 	4W, 5.3VA* Compares up to 20W Halogen		15° SPOT	25° WIDE SPOT	40° FLOOD	60° WIDE FLOOD
		2700K – Warm White 270Lm	18126	18128	18130	18132
		3000K – Pure White 270Lm	18127	18129	18131	18133
MR16 Bi-Pin High Power 	5W, 6.6VA* Compares up to 35W Halogen	2700K – Warm White 360Lm	18134	18136	18138	18140
		3000K – Pure White 360Lm	18135	18137	18139	18141
PAR36/AR111 Wet Location 	11W, 14.9VA* Compares up to 50W Halogen		15° SPOT	25° WIDE SPOT	40° FLOOD	
		2700K – Warm White 540Lm	18021	18024	18027	
		3000K – Pure White 600Lm	18022	18025	18028	
S8 Wedge 	2W, 2.8VA* Compares up to 18.5W Krypton		300° OMNI-DIRECTIONAL			
		2700K – Warm White 85Lm	18036			
		3000K – Pure White 100Lm	18037			
T5 Wedge 	2W, 2.8VA* Compares up to 16W Xenon		300° OMNI-DIRECTIONAL			
		2700K – Warm White 85Lm	18039			
		3000K – Pure White 100Lm	18040			
G4/T3 Bi-Pin 	2W, 2.8VA* Compares up to 20W Halogen		300° OMNI-DIRECTIONAL			
		2700K – Warm White 85Lm	18042			
		3000K – Pure White 100Lm	18043			

* Multiply fixture VA by the number of fixtures used to determine size of transformer.

Stated lumens are for bare lamp only. Using lamp in enclosed fixtures can result in up to 30-40% loss in lumen output based on test data.

All lamps are listed or certified by UL, ETL, and/or CSA to the appropriate ANSI/standard for both the United States and Canada and have tested for FCC compliance, assuring they won't interfere with other home electronic devices. So, you don't have to worry about inadvertent interference.



DESIGN PRO LED 120V ACCENT



12.5W

10°
Beam Spread

SKU/
Finish

16200 AZT30
16200 BBR30
16200 WHT30

16200 AZT42
16200 BBR42
16200 WHT42

Wattage

12.5W, 13VA 12V LED

Kelvin/
Lumens

3000K – Warm White/
590 Lm

4250K – Pure White/
646 Lm



12.5W

35°
Beam Spread

16201 AZT30
16201 BBR30
16201 WHT30

16201 AZT42
16201 BBR42
16201 WHT42

12.5W, 13VA 12V LED

3000K – Warm White/
590 Lm

4250K – Pure White/
646 Lm



12.5W

60°
Beam Spread

SKU/
Finish

16206 AZT30
16206 BBR30
16206 WHT30

16206 AZT42
16206 BBR42
16206 WHT42

Wattage

12.5W, 13VA 12V LED

Kelvin/
Lumens

3000K – Warm White/
590 Lm

4250K – Pure White/
646 Lm



19.5W

10°
Beam Spread

16202 AZT30
16202 BBR30
16202 WHT30

16202 AZT42
16202 BBR42
16202 WHT42

19.5W, 18VA 12V LED

3000K – Warm White/
947 Lm

4250K – Pure White/
993 Lm



19.5W

35°
Beam Spread

SKU/
Finish

16203 AZT30
16203 BBR30
16203 WHT30

16203 AZT42
16203 BBR42
16203 WHT42

Wattage

19.5W, 18VA 12V LED

Kelvin/
Lumens

3000K – Warm White/
947 Lm

4250K – Pure White/
993 Lm



19.5W

60°
Beam Spread

16207 AZT30
16207 BBR30
16207 WHT30

16207 AZT42
16207 BBR42
16207 WHT42

19.5W, 18VA 12V LED

3000K – Warm White/
947 Lm

4250K – Pure White/
993 Lm



29W

10°
Beam Spread

16204 AZT30
16204 BBR30
16204 WHT30

16204 AZT42
16204 BBR42
16204 WHT42

29W, 27VA 12V LED

3000K – Warm White/
1,131 Lm

4250K – Pure White/
1,368 Lm



29W

35°
Beam Spread

SKU/
Finish

16205 AZT30
16205 BBR30
16205 WHT30

16205 AZT42
16205 BBR42
16205 WHT42

Wattage

29W, 27VA 12V LED

Kelvin/
Lumens

3000K – Warm White/
1,131 Lm

4250K – Pure White/
1,368 Lm



29W

60°
Beam Spread


16208 AZT30
16208 BBR30
16208 WHT30

16208 AZT42
16208 BBR42
16208 WHT42

29W, 27VA 12V LED

3000K – Warm White/
1,131 Lm

4250K – Pure White/
1,368 Lm



LED/INCANDESCENT 120V ACCESS



SKU	15231
Description	120V 35W Small
Finishes	AZT, BKT
LED Lamp	7W PAR20 Wet (18081-18086) Compares up to 35W Halogen.
Options	



SKU	15241
Description	120V 70W Medium
Finishes	AZT, BKT
LED Lamp	12W PAR30L Wet (18111-18116) Compares up to 50W Halogen.
Options	



SKU	15251
Description	120V 175W LED Large
Finishes	AZT, BKT
LED Lamp	17W PAR38 Wet (18093-18098) Compares up to 75W Halogen.
Options	



SKU	15230
Description	120V 35W LED Small Compact
Finishes	AZT
LED Lamp	N/A
Options	



SKU	15250
Description	120V 100W LED Large Compact
Finishes	AZT
LED Lamp	12W PAR30L Wet (18111-18116) Compares up to 50W Halogen.
Options	



SKU	15255
Description	120V 175W LED Downlight
Finishes	AZT
LED Lamp	17W PAR38 Wet (18093-18098) Compares up to 75W Halogen.
Options	



SKU	15295
Description	120V 150W In-Ground Incandescent – PAR38
Finishes	AZ
LED Lamp	17W PAR38 Wet (18093-18098) Compares up to 75W Halogen.
Options	



SKU	15268
Description	120V 75W Small In-Ground – PAR20/PAR30
Finishes	AZ
LED Lamp	7W PAR20 Wet (18081-18086) Compares up to 35W Halogen.
Options	12W PAR30 Wet (18087-18029) Compares up to 50W Halogen.
	12W PAR30L Wet (18111-18116) Compares up to 50W Halogen.



SKU	15262
Description	120V 35W In-Ground 35-W MH
Finishes	AZ
LED Lamp	7W PAR20 Wet (18081-18086) Compares up to 35W Halogen.
Options	12W PAR30 Wet (18087-18029) Compares up to 50W Halogen.
	12W PAR30L Wet (18111-18116) Compares up to 50W Halogen.



SKU	15263
Description	120V 170W In-Ground 70-W MH
Finishes	AZ
LED Lamp	7W PAR20 Wet (18081-18086) Compares up to 35W Halogen.
Options	12W PAR30 Wet (18087-18029) Compares up to 50W Halogen.
	12W PAR30L Wet (18111-18116) Compares up to 50W Halogen.



SKU	15266
Description	120V 70W In-Ground 70-W MH Quad-Tap
Finishes	AZ
LED Lamp	7W PAR20 Wet (18081-18086) Compares up to 35W Halogen.
Options	12W PAR30 Wet (18087-18029) Compares up to 50W Halogen.
	12W PAR30L Wet (18111-18116) Compares up to 50W Halogen.

INCANDESCENT 120V PATH & SPREAD



SKU
Description
Finishes
Lamp
Type

15205
120V 75W Three Tier
AZT, BKT
Up to 75W Max. A19 light bulb
(not supplied)

15211
120V Large One Tier
AZT, BKT
Internal ANSI M98 Metal Halide ballast
with 120V tap



SKU
Description
Finishes
Lamp
Type

15232
120V 25W Cross Creek™ Lantern
AGZ
Up to 25W Max. A19 light bulb
(not supplied)




15236
120V 25W Eclipse™
BKT, TZT
Up to 25W Max. A19 light bulb
(not supplied)



15239
120V Traditional Marine Lantern
OZ
Up to 25W Max. A19 light bulb
(not supplied)

LED/INCANDESCENT 120V OUTDOOR



SKU
Description
Finishes
Lamp
Type

11251
14.67W LED 120V Outdoor
AZT, BKT
Integrated high output Nichia LEDs
and Drivers

11250
11.23W LED 120V Outdoor
AZT, BKT
Integrated high output Nichia LEDs
and Drivers



SKU
Description
Finishes
Lamp
Type

11077
15.42W LED 120V Outdoor
AZT, BKT
Integrated high output Nichia LEDs
and Drivers



6051
120W 120V Outdoor
AZ, WH
12W PAR30 Wet (18087-18092) Compares
up to 50W Halogen.
12W PAR30L Wet (18111-18116) Compares
up to 50W Halogen.
17W PAR38 Wet (18093-18098) Compares
up to 75W Halogen.



6052
120W 120V Outdoor
AZ, WH
12W PAR30 Wet (18087-18092) Compares
up to 50W Halogen.
12W PAR30L Wet (18111-18116) Compares
up to 50W Halogen.
17W PAR38 Wet (18093-18098) Compares
up to 75W Halogen.

ADDRESS LIGHT KIT

The address light collection provides for enhanced visibility to your home address for deliveries, visitors and in emergency situations.



43800 BKT
Xenon Address Light



43800 OZ
Xenon Address Light



43800 BKT LED
LED Address Light



43800 OZ LED
LED Address Light



4355 CLR
5W T5 Wedge Base



4381
Transformer

1

4301 - E
#1 Block

2

4302 - F
#2 Block

3

4303 - G
#3 Block

4

4304 - H
#4 Block

5

4305 - J
#5 Block

6

4306 - K
#6 Block

7

4307 - L
#7 Block

8

4308 - M
#8 Block

9

4309 - N
#9 Block

0

4300 - O
#0 Block




4310 - P
Blank Block



4311 - Q
2 Blank
Half Blocks

CAST ALUMINUM
CONSTRUCTION

INCANDESCENT 120V BALLASTS



SKU

Description

Finishes

15MHS35

Above Ground

AZT

Product ID - 15MHS35 AZT
Description - Single 35-W-MH
Tap - 120V
ANSI# - M130



SKU

Description

Finishes


15IGMHS70

In-Ground

AZ

Product ID - 15IGMHS70 AZ
Description - Single 70-W MH
Tap - 120V
ANSI# - M98

LED/INCANDESCENT 120V ACCESSORIES



6" – 15645 AZT, 15645 BBR, 15645 BKT
12" – 15656 AZT, 15656 BBR, 15656 BKT
18" – 15657 AZT, 15657 BBR, 15657 BKT
24" – 15658 AZT, 15658 BBR, 15658 BKT

1/2-14 NPSM thd. stems
.75 dia. overall

SKU **15645, 15656, 15657, 15658**

Description **Fixture Mounting Stems**

Finishes **AZT**



SKU **15276**

Description **Power Post®**

Finishes **BK**

15276 BKT – for use with fixtures
15205 AZT, 15205 BKT, 15211 AZT,
15211 BKT, 15232 AGZ, 5236 BKT,
15236 TZ, 15239 OB & 15239 OZ

SKU **15578**

Description **Bollard Mounting Stake**

Finishes **BK**

15578 BK – for use with all bollard mounting
kits on 12V and 120V fixtures 15005, 15205,
15211



4" D
1/2-14 NPSM thd

SKU

15601

Description **Surface Mounting Flange**

Finishes **AZT, BBR, BKT, WHT**



1" x 1/2-14
NPSM thd

SKU **15602**

Description **Flange Mounting Nipple**

Finishes **AL**




2.39" W
5.56" H

SKU **15609**

Description **Junction Box Mounting Bracket**

Finishes **AZT, BKT, WHT**



SKU **15671**

Description **Bollard Template Kit**

Finishes **ST**



15616 WHT10 – 10 pack

SKU

15616 WHT10

Description **Gel Encapsulant**

Finishes **WHT**



7" D
5.19" H

SKU **15608**

Description **In-Ground Concrete Pour Kit**

Finishes **AZ**

15608 AZ for use with 15262,
15263, 15266, 15295, 151GT100,
151GT300, 151GT600



SKU **16065, 16066**

Description **LED Amber Lens**

Finishes **AMB**

16065 AMB for use with 12.5W –
16200, 16201, 16206
16066 AMB for use with 19.5W &
29W – 16202, 16203, 16204,
16205, 16207, 16208



SKU **16065, 16066**

Description **LED Green Lens**

Finishes **GRN**

16065 GRN for use with 12.5W –
16200, 16201, 16206
16066 GRN for use with 19.5W &
29W – 16202, 16203, 16204,
16205, 16207, 16208




SKU

16065, 16066

Description **LED Frosted Lens**

Finishes **FRO**

16065 FRO for use with 12.5W –
16200, 16201, 16206
16066 FRO for use with 19.5W &
29W – 16202, 16203, 16204,
16205, 16207, 16208




SKU **15623**

Description **Blue Lens Filter**

Finishes **BL**

15623 BL for use with 15231



SKU **15638**

Description **45° Hexcell Louver**

Finishes **BK**

15638 BKT for use with 15241

LED/INCANDESCENT 120V ACCESSORIES CONTINUED



SKU

Description

Finishes

16060, 16062

LED Long Cowl

AZT, BBR, WHT

16060 AZT, BBR, WHT for use with 12.5W fixtures 16200, 16201, 16206

16062 AZT, BBR, WHT for use with 19.5W & 29W fixtures 16202, 16203, 16204, 16205, 16207, 16208



16061, 16063

LED 360° Short Cowl

AZT, BBR, WHT

16061 AZT, BBR, WHT for use with 12.5W fixtures 16200, 16201, 16206

16063 AZT, BBR, WHT for use with 19.5W & 29W fixtures 16202, 16203, 16204, 16205, 16207, 16208



SKU

Description

Finishes

15688

Rock Guard

AZ

15688 AZ for use with 15263, 15264, 15265 and 15295



15620

PAR20 Medium Cowl

AZT, BKT

15620 AZT, BKT for use with 15231



SKU

Description

Finishes

15628

PAR20 Long Cowl

AZT, BKT

15628 AZT, BKT for use with 15231



15640

PAR30 Medium Cowl

AZT, BKT

15640 AZT, BKT for use with 15241



15648

PAR30 Long Cowl

AZT, BKT

15648 AZT, BKT for use with 15241



SKU

Description

Finishes

15660

PAR38 Medium Cowl

AZT, BKT

15660 AZT, BKT for use with 15251, 15255



15668

PAR38 Long Cowl

AZT

15668 AZT for use with 15251, 15255



15630

PAR20 Cowl

AZ

15630 AZ for use with 15230



SKU

Description

Finishes


15650

PAR38 Cowl

AZT

15650 AZT for use with 15250

LED 120V – 277V LAMPS



BASE / LAMP TYPE	WATTS	KELVIN / LUMENS	BEAM ANGLE	
PAR20 – Wet*** Location			25° SPOT	40° FLOOD
	7W Compares up to 35W Halogen	2700K – Warm White 310Lm	18081	18084
		3000K – Pure White 330Lm	18082	18085
		4200K – Cool White 350Lm	18083	18086
PAR30 – Wet*** Location			25° SPOT	40° FLOOD
	12W Compares up to 50W Halogen	2700K – Warm White 580Lm	18087	18090
		3000K – Pure White 610Lm	18088	18091
		4200K – Cool White 640Lm	18089	18092
PAR30 – Wet*** Location Longneck			25° SPOT	40° FLOOD
	12W Compares up to 50W Halogen	2700K – Warm White 580Lm	18111	18114
		3000K – Pure White 610Lm	18112	18115
		4200K – Cool White 640Lm	18113	18116
PAR38 – Wet*** Location			25° SPOT	40° FLOOD
	17W Compares up to 75W Halogen	2700K – Warm White 800Lm	18093	18096
		3000K – Pure White 850Lm	18094	18097
		4200K – Cool White 900Lm	18095	18098

***Wet location versions designed and listed for use in an enclosed or open fixture.

Stated lumens are for bare lamp only. Using lamp in enclosed fixtures can result in up to 30-40% loss in lumen output based on test data.

KICHLER OUTDOOR LANTERNS

Our newest outdoor lighting collections add curb appeal and architectural interest wherever you choose. They are designed to make a statement and made to shine in the harshest of elements.



OUTDOOR/INDOOR CEILING FANS

Add a gentle breeze in your outdoor spaces with a Kichler Outdoor rated Ceiling Fan. Designed and constructed to withstand the elements, they are a perfect way to enhance your out of doors leisure and entertainment experiences.





Catalog No. K315
Printed in USA 12.15
14-LD-3177-171M
© Copyright All rights reserved. Kichler.
Customer Service: 1-866-814-7702
kichler.com/landscape

KICHLER.