

KICHLER.

TABLE OF CONTENTS

| CHANDELIERS | | | | 4 |
|----------------------------|--------------------------------------|----------------------------------|--------------|---------------|
| Armand™63 | Ciona™11 Downtown Deco65 Eastmont™ | Everett™18 | Kimrose™ | Tolani™30 |
| Calters™45 | | | | |
| PENDANTS | | | | 68 |
| Abbotswell™ 103 | Baland™81 | Ciri76 | Kimrose™86 | Moonlit88 |
| | Calters™72 Ciona™83 | Downtown Deco 106 Eastmont™85 | | Ritson™101 |
| FLUSH MOUNT LIGH | TS | | | 112 |
| Moorgate™113 | Ritson™115 | | | |
| WALL SCONCES | | | | 117 |
| Finnick™118 Kimrose™121 | Marrus™123 | Sylvia™124 | Trentino119 | Valserrano126 |
| BATH & VANITY LIGHT | ΓS | | | 128 |
| Brianne™153 | Everett™165 | Harvan™141 | Meller™147 | Truby™150 |
| Ciona™132 Cosabella™159 | Giarosa™ 138 | Kennewick 169 | Moorgate177 | Valserrano181 |
| INDOOR ACCESSORIE | ES | | | 188 |
| Chennai™189 | Menillo™191 | Radana™192 | Tyan™193 | |
| OUTDOOR WALL LIGI | HTS | | | 194 |
| Camillo™197 | Fairfield233 | Grand Bank™227 | Harmont™ 224 | Timmin™ 206 |
| Drega221 | Goson™ 203 | Hampshire™239 | Mercer™215 | Tollis209 |
| OUTDOOR POST LIGH | HTS | | | 242 |
| Drega243 | Fairfield247 | Goson™ 244 | Tollis245 | |
| OUTDOOR HANGING | LIGHTS | | | 234 |
| Camillo™251 | Grand Bank™253 | Hampshire™257 | Mercer™259 | Tollis255 |
| APPENDIX | | | | 262 |















CHANDELIERS



Aivian™ 23" 3 Light Chandelier with Clear Glass (Weathered Brass)



Aivian™ 30" 5 Light Chandelier with Clear Glass (Weathered Brass)



Aivian™ 42" 8 Light Linear Chandelier with Clear Glass (Weathered Brass)



Ciona™ 43" 5 Light Linear Chandelier with Round Ribbed Glass (Brushed Natural Brass)



Ciona™ 43" 5 Light Linear Chandelier with Round Ribbed Glass (Polished Nickel)



Eastmont™ 5 Light Linear Chandelier Clear Glass and Walnut Wood (Polished Nickel)



Eastmont™ 3 Light Chandelier Clear Glass and Walnut Wood (Polished Nickel)



Eastmont™ 5 Light Chandelier Clear Glass and Walnut Wood (Polished Nickel)






Chandelier (Brushed Natural Brass)







Everett™ 42" 5 Light Linear Chandelier with Clear Glass (Polished Nickel)






Kimrose™ 12 Light Chandelier with Clear Fluted Glass (Polished Nickel)




Kimrose™ 3 Light Chandelier with Clear Fluted Glass (Brushed Natural Brass)



Kimrose™ 3 Light Chandelier with Clear Fluted Glass (Polished Nickel)



52428PN






Tolani™ 12 Light Chandelier

(Polished Nickel)

NEW









Torvee™ 42" 5 Light Linear Chandelier (Brushed Natural Brass)



Chandelier (Black)



Baland™ LED 22" 6 Light Chandelier (Brushed Natural Brass)





Baland™ LED 31" 12 Light Chandelier (Brushed Natural Brass)



Chandelier (Black)



Calters 38" LED Linear Chandelier (Champagne Gold)





(Olde Bronze)



Kennewick™ 3 Light Chandelier (Brushed Nickel)



Kennewick™ 3 Light Chandelier (Olde Bronze)



 $\mathsf{Kennewick^{\mathsf{TM}}}\;\mathsf{5}\;\mathsf{Light}\;\mathsf{Chandelier}$ (Brushed Nickel)



Kennewick™ 5 Light Chandelier (Olde Bronze)



Kennewick™ 5 Light Chandelier with Etched Glass (Brushed Nickel)



Kennewick™ 5 Light Chandelier with Etched Glass (Olde Bronze)



Kennewick™ 8 Light Chandelier (Brushed Nickel)



84113MWH

Kordan™ 41.75 inches 5 LED Light Linear Pendant Cluster (Matte White)



Kordan™ 41.75 inches 5 LED Light Linear Pendant Cluster (Matte Black)





Lente™ 5 Light Linear Chandelier (Brushed Nickel)



Lente™ 7 Light Linear Chandelier (Mdnight Oak)



Lente™ 7 Light Linear Chandelier (Brushed Nickel)





Armand 42.75" 12 Light Linear Chandelier (Black)



Downtown Deco™ 6 Light Convertible Chandelier (Mdnight Chrome)



Downtown Deco™ 6 Light Convertible Chandelier (Polished Nickel)

SPECIFICATIONS

| Certifications/Qualifications | |
|-------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.25 DIA |
| Chain/Stem Length | 36" |
| Weight | 6.50 LBS |
| Height | 12.25" |
| Overall Height | 50.00" |
| Width | 22.75" |
| Light Source | |

Lamp Included Not Included A19 Lamp Type Light Source Incandescent 75.00 Max or Nominal Watt # of Bulbs/LED Modules 3 Max Wattage/Range 75.00 Socket Type Medium Socket Wire 105"

Mounting/Installation

Interior/Exterior Interior
Lead Wire Length 70"
Location Rating Dry
Mounting Style Stem Hung
Mounting Weight 4.00 LBS
Slope Ceiling Kit Included Yes

FIXTURE ATTRIBUTES

| Housing | |
|----------------------|------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |

Product/Ordering Information

 SKU
 52397WBR

 Finish
 Weathered Brass

 Style
 Industrial

 UPC
 783927001984

Finish Options







| o o | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.25 DIA 36" 10.00 LBS 13.50" 52.00" 30.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 5 75.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 104" Dry Stem Hung 5.75 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 52398WBR |
| Finish | Weathered Brass |
| Style | Industrial |
| UPC | 783927001960 |
| Finish Options | |





ALSO IN THIS FAMILY

52400WBR

52397WBR

Back to Category List

52399WBR

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 11.00 X 5.00 36" 16.00 LBS 13.00" 42.00" 52.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 8 75.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included FIXTURE ATTRIBUTES | Interior 104" Dry Stem Hung 9.50 LBS Yes |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52400WBR |
| Finish | Weathered Brass |
| Style | Industrial |
| UPC | 783927001991 |
| Finish Options | |







Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 12.50 X 4.75 36" 10.00 LBS 13.50" 42.75" 52.00" 4.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 5 75.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Interior 104" Dry Stem Hung 6.00 LBS |



| Housing | |
|------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52430BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927001762 |
| Finish Options | |



Brushed Natural Brass



Polished Nickel

ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 12.50 X 4.75 36" 10.00 LBS 13.50" 42.75" 52.00" 4.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 5 75.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included | Interior 104" Dry Stem Hung 6.00 LBS Yes |

| Housing | |
|--|-------------------------------|
| Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information | |
| SKU | 52430PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927001786 |
| | |

Finish Options



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 11.75 X 5.00 36" 17.00 LBS 19.00" 50.00" 58.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 5 75.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 98" Dry Stem Hung 11.80 LBS |
| FIXTURE ATTRIBUTES | |



| Clear |
|-----------------|
| STEEL |
| |
| 52404PN |
| Polished Nickel |
| Industrial |
| 783927001854 |
| |
| |



Back to Category List



Polished Nickel

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight | 5.00 DIA 36" 9.10 LBS |
| Height Overall Height Width | 17.25" 55.00" 23.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included FIXTURE ATTRIBUTES | Interior 59" Dry Stem Hung 5.80 LBS Yes |

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52402PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927001847 |
| Finish Options | |



Polished Nickel



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length | 5.00 DIA 36" |
| Weight Height | 14.80 LBS 17.75" |
| Overall Height | 56.00" |
| Width | 31.50" |
| Light Source | |
| Lamp Included Lamp Type | Not Included A19 |
| Light Source | Incandescent |
| Max or Nominal Watt # of Bulbs/LED Modules | 75.00 5 |
| Max Wattage/Range | 75.00 |
| Socket Type | Medium |
| Socket Wire | 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length | Interior 100" |
| Location Rating | Dry |
| Mounting Style | Stem Hung |
| Mounting Weight Slope Ceiling Kit Included | 9.30 LBS Yes |
| Ciopo Colling Nit irioladea | 103 |
| FIXTURE ATTRIBUTES | |
| | |

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52403PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927001830 |
| Finish Options | |





ALSO IN THIS FAMILY 52405PN 52402PN 52404PN

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 12.00 LBS 24.00" 62.00" 26.75" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 6 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 90" Dry Stem Hung 12.00 LBS |
| | |



FIXTURE ATTRIBUTES

| STEEL |
|-----------------------|
| |
| 52420BNB |
| Brushed Natural Brass |
| Art Deco |
| 783927001656 |
| |

Finish Options



Brushed Natural Brass

ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 1625.00 LBS 27.50" 66.00" 34.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 10 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Interior 86" Dry Stem Hung 16.25 LBS |

ALSO IN THIS FAMILY



| Housing | |
|------------------------------|-----------------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52421BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927001663 |
| Finish Ontions | |



Brushed Natural Brass

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 8.70 LBS 19.50" 58.00" 22.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 73" Dry Stem Hung 6.00 LBS |
| CIVILIDE ATTRIBUTEO | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 52377PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927801508 |







ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 12.50 X 4.50 36" 13.85 LBS 23.00" 42.00" 61.00" 6.50" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 5 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included | Interior 89" Dry Stem Hung 8.40 LBS Yes |

FIXTURE ATTRIBUTES

| TIXTORE ALTRIBUTES | |
|------------------------------|-----------------|
| Housing | |
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52379PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927801515 |
| Finish Ontions | |

Finish Options



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 12.00 LBS 32.25" 72.00" 40.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 12 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 84" Dry Stem Hung 6.00 LBS |

FIXTURE ATTRIBUTES

Polished Nickel

| TIXTOTAL TALLOTTE | |
|---|-----------------------|
| Housing Diffuser Description Primary Material | Clear Fluted STEEL |
| Product/Ordering Information | |
| SKU | 52412BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927002790 |
| Finish Options | |
| Brushed Natural Brass | |



| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | C 00 DIA |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 12.00 LBS 32.25" 72.00" 40.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 12 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 84" Dry Stem Hung 6.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear Fluted |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52412PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927002806 |
| | |

Finish Options



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



Back to Category List

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.25 DIA 36" 5.00 LBS 14.75" 54.00" 18.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 66" Dry Stem Hung 2.00 LBS |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Fluted STEEL |
|---|---|
| Product/Ordering Information | |
| SKU Finish Style UPC | 52410BNB Brushed Natural Brass Art Deco 783927002691 |
| Finish Options | |





Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.25 DIA 36" 5.00 LBS 14.75" 54.00" 18.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 66" Dry Stem Hung 3.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear Fluted |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52410PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927002707 |
| Finish Options | |



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 24.00 X 5.00 36" 15.00 LBS 17.75" 44.75" 57.00" 12.75" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 10 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 99" Dry Stem Hung 7.00 LBS |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Fluted STEEL |
|---|-----------------------|
| Product/Ordering Information | |
| SKU | 52413BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927002813 |
| Finish Options | |



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length | 24.00 X 5.00 36" |
| Height Length Overall Height Width | 17.75" 44.75" 57.00" 12.75" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 10 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style | Interior 99" Dry Stem Hung |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear Fluted |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52413PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927002844 |
| Finish Options | |



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 5.25 DIA |
| Chain/Stem Length | 36" |
| Weight Height | 9.00 LBS 20.75" |
| Overall Height | 60.00" |
| Width | 27.00" |
| Light Source | |
| Lamp Included Lamp Type | Not Included B |
| Light Source | Incandescent |
| Max or Nominal Watt # of Bulbs/LED Modules | 60.00 |
| Max Wattage/Range | 60.00 |
| Socket Type | CAND |
| Socket Wire | 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length | Interior 96" |
| Location Rating | Dry |
| Mounting Style Mounting Weight | Stem Hung 4.00 LBS |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Fluted STEEL |
|---|-----------------------|
| Product/Ordering Information | |
| SKU | 52411BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927002714 |

Finish Options



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.25 DIA 36" 9.00 LBS 20.75" 60.00" 27.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 6 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 96" Dry Stem Hung 4.00 LBS |
| | |

FIXTURE ATTRIBUTES

Brushed Natural Brass

Polished Nickel

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear Fluted |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52411PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927002783 |
| Finish Options | |



SPECIFICATIONS

| www.kichler.com/warranty 5.00 DIA 36" 7.80 LBS 12.50" 51.00" 31.50" |
|--|
| 5.00 DIA 36" 7.80 LBS 12.50" 51.00" |
| 36" 7.80 LBS 12.50" 51.00" |
| |
| Not Included A19 Incandescent 60.00 4 60.00 Medium 105" |
| Interior 69" Dry Stem Hung 7.80 LBS |
| |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|------------------------------------|----------------|
| Product/Ordering Information | |
| SKU | 52407WZC |
| Finish | Weathered Zinc |
| Style | Industrial |
| UPC | 783927001885 |





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 15.75 X 5.00 36" 13.80 LBS 9.50" 51.00" 42.00" 29.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 6 60.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 78" Dry Stem Hung 13.80 LBS |



FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52408WZC |
| Finish | Weathered Zinc |
| Style | Industrial |
| UPC | 783927001878 |
| Finish Ontions | |

ALSO IN THIS FAMILY







Weathered Zinc

SPECIFICATIONS

| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 15.00 LBS 33.25" 72.00" 40.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 12 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included | Interior 84" Dry Stem Hung 15.00 LBS Yes |


FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52428BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927001748 |

Finish Options



Black





Polished Nickel



| SPECIFICALIONS | |
|---|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 15.00 LBS 33.25" 72.00" 40.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 12 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 84" Dry Stem Hung 15.00 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|-----------------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52428BNB |
| Finish | Brushed Natural Brass |
| Style | Contemporary |
| UPC | 783927001694 |

Finish Options




Brushed Natural Brass





ALSO IN THIS FAMILY



Back to Category List

| 00 | |
|---|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 15.00 LBS 33.25" 72.00" 40.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 12 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 84" Dry 15.00 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing | | |
|------------------------------|-----------------|--|
| Primary Material | STEEL | |
| Product/Ordering Information | | |
| SKU | 52428PN | |
| Finish | Polished Nickel | |
| Style | Contemporary | |
| UPC | 783927002684 | |

Finish Options



Black



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height | 9.00 X 5.00 OVAL 36" 25.00 LBS 20.00" 43.00" 58.00" |
| Width | 21.50" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 8 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 98" Dry Stem Hung 25.00 LBS |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|--|----------------------------------|
| Product/Ordering Information SKU Finish Style | 52429BK Black Contemporary |
| UPC | 783927001755 |

Finish Options



Black



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| www.kichler.com/warranty |
|--|
| 9.00 X 5.00 OVAL 36" 25.00 LBS 20.00" 43.00" 58.00" 21.50" |
| Not Included B10 Incandescent 60.00 8 60.00 CAND 105" |
| Interior 98" Dry Stem Hung 25.00 LBS |
| |

FIXTURE ATTRIBUTES

Brushed Natural Brass

Polished Nickel

| FIXTURE ATTRIBUTES | |
|------------------------------|-----------------------|
| Housing | |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52429BNB |
| Finish | Brushed Natural Brass |
| Style | Contemporary |
| UPC | 783927001700 |
| Finish Options | |
| Black | |



52429PN

Back to Category List

52427PN

SPECIFICATIONS

| 000 | |
|-------------------------------------|--------------------------|
| Certifications/Qualifications | kialalan aanakummanku |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 9.00 X 5.00 OVAL |
| Chain/Stem Length Weight | 36" 25.00 LBS |
| Height | 20.00" |
| Length | 43.00" |
| Overall Height | 58.00" |
| Width | 21.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | B10 Incandescent |
| Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 8 |
| Max Wattage/Range | 60.00 |
| Socket Type | CAND |
| Socket Wire | 105" |
| Mounting/Installation | |
| Interior/Exterior | Interior 98" |
| Lead Wire Length Location Rating | Dry |
| Mounting Style | Stem Hung |
| Mounting Weight | 25.00 LBS |
| | |

FIXTURE ATTRIBUTES

| 13(10)(27(11)(100)20 | |
|------------------------------|-----------------|
| Housing | |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52429PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927001724 |
| Finish Options | |




Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



| SPECIFICATIONS | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 15.00 LBS 20.00" 58.00" 34.00" |
| Light Source | 3.100 |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 6 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hung 15.00 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52427BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927001731 |


Finish Options



Brushed Natural Brass







Back to Category List

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 15.00 LBS 20.00" 58.00" 34.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 6 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length | Interior 62" |

Dry

Stem Hung 15.00 LBS

FIXTURE ATTRIBUTES

| Product/Ordering | Information |
|------------------|-------------|
| SKU | |

52427BNB Brushed Natural Brass Contemporary Finish Style UPC 783927001670

Finish Options

Location Rating

Mounting Style Mounting Weight



Black



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



Back to Category List

| SPECIFICATIONS | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 DIA 36" 15.00 LBS 20.00" 58.00" 34.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B10 Incandescent 60.00 6 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hung 15.00 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|-----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52427PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927002677 |

Finish Options




Brushed Natural Brass





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Height Overall Height Width | 6.00 DIA 36" 19.50" 57.00" 26.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 6 60.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style | Interior 95" Dry Stem Hung |

FIXTURE ATTRIBUTES

| Housing | |
|------------------|-------|
| Primary Material | STEEL |

Product/Ordering Information

SKU 52424BNB

Finish Style Brushed Natural Brass Art Deco

UPC 783927001632

Finish Options



Brushed Natural Brass



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Height Length Overall Height Width | 32.75 X 6.00 36" 21.25" 42.25" 59.00" 2.75" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 5 60.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style | Interior 93" Dry Stem Hung |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52425BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927001649 |
| Finish Ontions | |



Brushed Natural Brass



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 7.00 DIA |
| Weight Height Overall Height Width | 10.00 LBS 20.00" 58.00" 22.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 1100 Yes 40000 Integrated LED 6 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hang 10.00 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| FIVELINE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------------|
| Diffuser Description | Frosted Acrylic |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52417BKLED |
| Finish | Black |
| Style | Mid-Century Modern |
| UPC | 783927002516 |

Finish Options



Black





ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Width | 7.00 DIA 10.00 LBS 20.00" 22.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 1900 Yes 40000 Integrated LED 6 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hang 10.00 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|------------------------|
| Diffuser Description | Frosted Acrylic |
| Primary Material | STEEL |
| Product/Ordering Information | |
| 01/11 | 50 4 4 5 D 4 D 4 D 5 D |

SKU 52417BNBLED
Finish Brushed Natural Brass
Style Mid-Century Modern
UPC 783927002592

Finish Options



Black





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 7.00 DIA 12.00 LBS 23.00" 61.00" 31.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 2300 Yes 40000 Integrated LED 12 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 95" Dry Stem Hang 12.00 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Frosted Acrylic STEEL |
|---|------------------------------------|
| Product/Ordering Information | FO MADIN FD |
| SKU Finish | 52418BKLED Black |
| Style UPC | Mid-Century Modern 783927002509 |
| Finish Ontions | |

Finish Options



Black



Brushed Natural Brass



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 7.00 DIA 36" 12.00 LBS 23.00" 61.00" 31.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 3900 Yes 40000 Integrated LED 12 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 95" Dry Stem Hung 12.00 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |

FIXTURE ATTRIBUTES

| Housing Diffuser Description | Frosted Acrylic |
|------------------------------|-----------------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52418BNBLED |
| Finish | Brushed Natural Brass |
| Style | Mid-Century Modern |
| UPC | 783927002561 |

Finish Options



Black



Brushed Natural Brass



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 8.00 DIA 36" 18.00 LBS 14.50" 13.50" 53.25" 38.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt Max Wattage/Range | 2400 Yes 40000 Integrated LED 50.00 50.00 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 72" Dry Ceiling 18.00 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 54 3000K |
| FIXTURE ATTRIBUTES | |
| Housing | |
| Diffuser Description Primary Material Max Stem Tilt | Light Guide Acrylic STEEL 45 Degrees |

52293BKLED

Contemporary 783927807227

Black



ALSO IN THIS FAMILY 52293CGLED 52291BKLED 52291CGLED 52292CGLED 52292BKLED

Back to Category List

Finish Style UPC





Champagne Gold

Product/Ordering Information

SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 8 00 DIA |
| Chain/Stem Length Weight Height Length Overall Height Width | 36" 18.00 LBS 14.50" 13.50" 53.25" 38.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt Max Wattage/Range | 2400 Yes 40000 Integrated LED 50.00 50.00 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 72" Dry Ceiling 18.00 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 54 3000K |

FIXTURE ATTRIBUTES

| FIXTURE ATTRIBUTES | |
|---|--|
| Housing | |
| Diffuser Description Primary Material Max Stem Tilt | Light Guide Acrylic STEEL 45 Degrees |
| Product/Ordering Information | |
| SKU | 52293CGLED |
| Finish | Champagne Gold |
| Style | Contemporary |
| UPC | 783927807234 |
| F: : 1 0 () | |





Black



Champagne Gold





SPECIFICATIONS

Olde Bronze

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight | 4.50 DIA 36" 5.30 LBS |
| Height Overall Height Width | 15.00" 54.00" 20.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 62" Dry 4.00 LBS |
| CIYTLIDE ATTDIDLITES | |

| FIXTURE ATTRIBUTES | |
|---------------------------------------|-----------------------|
| Housing | |
| Primary Material Shade Description | STEEL WHITE FABRIC |
| Product/Ordering Information | |
| SKU | 52384NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801737 |
| Finish Options | |
| Brushed Nickel | |



52383NI

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 4.50 DIA |
| Chain/Stem Length | 36" 5.30 LBS |
| Weight Height | 15.00" |
| Overall Height Width | 54.00" 20.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating | Interior 62" Dry |
| Mounting Weight | 4.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Shade Description | WHITE FABRIC |
| Product/Ordering Information | |
| SKU | 52384OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927801744 |
| | |

Finish Options



Brushed Nickel



Olde Bronze



ALSO IN THIS FAMILY



SPECIFICATIONS

| SPECIFICATIONS | |
|---|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 4.50 DIA 36" 3.80 LBS 14.75" 53.00" 16.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 64" Dry 3.80 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52383NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801690 |
| Finish Options | |
| • | |





ALSO IN THIS FAMILY 52384NI 52385NI 52385OZ

Back to Category List

| www.kichler.com/warranty |
|---|
| 4.50 DIA 36" 3.80 LBS 14.75" 53.00" 16.00" |
| 4064CLR Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Interior 64" Dry 3.80 LBS |
| |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52383OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927801706 |
| | |

Finish Options



Brushed Nickel



Olde Bronze



ALSO IN THIS FAMILY



Back to Category List

| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 4.50 DIA 36" 5.90 LBS 17.00" 55.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 5 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight FIXTURE ATTRIBUTES | Interior 60" Dry 5.90 LBS |

| Housing | |
|------------------------------|----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52385NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801676 |
| Finish Options | |



Brushed Nickel





ALSO IN THIS FAMILY



| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height | 4.50 DIA 36" 5.90 LBS 17.00" 55.00" |
| Width | 18.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 5 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 60" Dry 5.90 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52385OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927801683 |

Finish Options



Olde Bronze



ALSO IN THIS FAMILY



SPECIFICATIONS

Olde Bronze

| SPECIFICATIONS | |
|---|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 4.50 DIA 36" 10.60 LBS 17.00" 55.00" 18.50" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 5 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 60" Dry 6.00 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|----------------|
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52386NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801751 |
| Finish Options | |
| Brushed Nickel | |



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|-------------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | 4.50.014 |
| Base Backplate Chain/Stem Length | 4.50 DIA 36" |
| Weight | 10.60 LBS |
| Height | 17.00" |
| Overall Height Width | 55.00" 18.50" |
| Light Source | . 6.66 |
| Bulb Product ID | 4064CLR |
| Lamp Included | Not Included B |
| Lamp Type Light Source | Incandescent |
| Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 5 60.00 |
| Max Wattage/Range Socket Type | CAND |
| Socket Wire | 105" |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Lead Wire Length Location Rating | 60" Drv |
| Mounting Weight | 6.00 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched STEEL |
|---|-----------------------|
| Product/Ordering Information | |
| SKU | 52386OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927801768 |
| Finish Ontions | |

Finish Options



Brushed Nickel



Olde Bronze



ALSO IN THIS FAMILY



| www.kichler.com/warranty |
|---|
| www.kichler.com/warranty |
| |
| 4.50 DIA 36" 7.60 LBS 25.00" 63.00" 27.25" |
| 4064CLR Not Included B Incandescent 60.00 8 60.00 CAND 105" |
| Interior 53" Dry 7.60 LBS |
| |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52388NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801713 |
| Finish Options | |



Brushed Nickel





ALSO IN THIS FAMILY



Back to Category List

| SPECIFICALIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 4.50 DIA 36" 7.60 LBS 25.00" 63.00" 27.25" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 8 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 53" Dry 7.60 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52388OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927801720 |
| | |







ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 35.50 X 4.75 |
| Weight Height Length | 17.50 LBS 11.25" 41.75" |
| Overall Height Width | 100.00" 7.75" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt Max Wattage/Range | 2100 Yes 40000 Integrated LED 55.00 55.00 |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Weight | Interior Dry 15.50 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 38 3000K |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|------------------------------|--------------|
| Product/Ordering Information | |
| SKU | 84113MWH |
| Finish | Matte White |
| Style | Contemporary |
| UPC | 887913570666 |
| Finish Outland | |

Finish Options





ALSO IN THIS FAMILY



| SPECIFICATIONS | |
|--|--|
| Certifications/Qualifications | |
| Prop65 | Yes www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Length Overall Height Width | 1.38 X 35.43 X 4. 16.01 LBS 11.00" 41.75" 108.35" 7.75" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules | 2100 Yes 40000 Integrated LED 55W 5 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interrior 96" Damp 6.00 LBS |
| Photometrics | |
| Color Rendering Index Color Temperature Range Kelvin Temperature | 90 3200 3000K |
| FIXTURE ATTRIBUTES | |
| Housing | |
| Diffuser Description Primary Material Shade Dimensions | Clear Polycarbonate STEEL 6 00 |

Shade Dimensions 6.00 **Product/Ordering Information** SKU 84113 Finish Matte Black Style UPC Contemporary 887913841131

Finish Options





ALSO IN THIS FAMILY



SPECIFICATIONS

Midnight Oak

| SPECIFICATIONS | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 10.25 X 4.75 36" 12.50 LBS 13.50" 39.00" 39.00" 12.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not included B Incandescent 60.00 5 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included FIXTURE ATTRIBUTES Housing | Interior 102" Dry 12.50 LBS Yes |
| Primary Material | STEEL |
| Product/Ordering Information | 44250MOK |

| TIXTORE ATTRIBUTES | |
|-------------------------------|--|
| Housing | |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU Finish Style UPC | 44250MOK Midnight Oak Industrial 783927801461 |
| Finish Options | |
| Brushed Nickel | |



ALSO IN THIS FAMILY 44252MOK 44253MOK 44251MOK 44252NI 44251NI

Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | www.kichler.com/warranty |
|--|--|
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 10.25 X 4.75 36" 12.50 LBS 13.50" 39.00" 39.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 5 60W CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included FIXTURE ATTRIBUTES | Interior 102" Dry 12.50 LBS Yes |

| Housing | |
|------------------------------|----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 44250NI |
| Finish | Brushed Nickel |
| Style | Industrial |
| UPC | 783927556576 |
| | |

Finish Options



Brushed Nickel



Midnight Oak



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 24.25 X 4.75 36" 18.50 LBS 13.50" 54.00" 39.00" 13.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 7 60.00 CAND 105" |
| Mounting/Installation Connector Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included | Yes Interior 66" Dry 18.50 LBS Yes |

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 44252MOK |
| Finish | Midnight Oak |
| Style | Industrial |
| UPC | 783927801447 |
| | |

Finish Options



Brushed Nickel



Midnight Oak



ALSO IN THIS FAMILY



| Certifications/Qualifications | www.kichler.com/warranty |
|--|--|
| Dimensions Base Backplate Chain/Stem Length Weight Height Length Overall Height Width | 24.25 X 4.75 36" 18.50 LBS 13.50" 54.00" 39.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 7 60W CAND |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included FIXTURE ATTRIBUTES | Interior 66" Dry 18.50 LBS Yes |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|------------------------------------|----------------|
| Product/Ordering Information | |
| SKU | 44252NI |
| Finish | Brushed Nickel |
| Style | Industrial |
| UPC | 783927573450 |
| Finish Ontions | |

Finish Options



Brushed Nickel



Midnight Oak



ALSO IN THIS FAMILY



SPECIFICATIONS

| 0. =0 | |
|---|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 5.00 DIA 8.90 LBS 20.25" 64.00" 26.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 8 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 50" Dry Chain/Stem Hung 8.90 LBS |
| FIXTURE ATTRIBUTES | |
| Housing | |

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52349BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927800846 |
| Finish Options | |





| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 12.00 X 5.00 |
| Weight Height | 13.70 LBS 20.00" |
| Length | 42.75" |
| Overall Height Width | 48.00" 9.50" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 12 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included | Interior 98" Dry Chain/Stem Hung 13.70 LBS Yes |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|---------------------------------|--------------|
| Product/Ordering Information | |
| SKU | 52350BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927800853 |
| Finish Options | |





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 6.60 LBS 10.75" 49.00" 21.50" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 6 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 67" Dry Stem Hung 6.60 LBS |
| FIXTURE ATTRIBUTES | |
| Housing Primary Material Max Stem Tilt | STEEL 90 Degrees |
| Product/Ordering Information | |

| riodomig | | |
|------------------------------|------------|--|
| Primary Material | STEEL | |
| Max Stem Tilt | 90 Degrees | |
| Product/Ordering Information | | |
| | | |

44128MCH Midnight Chrome SKU Finish Style UPC Art Deco 783927801621

Finish Options







SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 6.60 LBS 10.75" 49.00" 21.50" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 6 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 67" Dry 6.60 LBS |
| EIVTUDE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing Primary Material Max Stem Tilt | STEEL 90 Degrees |
|--|---------------------|
| Product/Ordering Information | |
| SKU | 44128PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927539258 |

Finish Options





Midnight Chrome



Polished Nickel


























SPECIFICATIONS

Black

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height Width | 5.00 DIA 10.60 LBS 27.00" 65.00" 19.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 46" Dry Chain/Stem Hung 10.60 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52351BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927800860 |
| Finish Ontions | |





| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 8.00 DIA 15.00 LBS 28.50" 67.20" 21.00" |
| Light Source | |
| Delivered Lumens Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 1450 Yes Incandescent 40000 Integrated LED 60.50 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 51" Dry Stem Hung 15.00 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 24 3000K |

FIXTURE ATTRIBUTES

| FIXTURE ALTRIBUTES | |
|---|--|
| Housing | |
| Diffuser Description Primary Material Max Stem Tilt | Light Guide Acrylic STEEL 90 Degrees |
| Product/Ordering Information | |
| SKU | 52292BKLED |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927806435 |

Finish Options









| 01 2011 107 11 10110 | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 8.00 DIA 15.00 LBS 28.50" 67.20" 21.00" |
| Light Source | |
| Delivered Lumens Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 1450 Yes Incandescent 40000 Integrated LED 60.50 1 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 51" Dry Stem Hung 15.00 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 24 3000K |
| EIVTLIDE ATTDIDLITES | |

FIXTURE ATTRIBUTES

| Housing | |
|---------|--|
|---------|--|

Diffuser Description Primary Material Light Guide Acrylic STEEL Max Stem Tilt 90 Degrees

Product/Ordering Information

SKU 52292CGLED Finish Champagne Gold Style Contemporary UPC 783927601405

Finish Options



Black



Champagne Gold



| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 8.00 DIA 9.00 LBS 19.75" 58.50" 13.75" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 725 Yes 40000 Integrated LED 40.00 1 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 61" Dry Stem Hung 9.00 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 18 3000K |
| CIVILIDE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing |
|---------|
| D.155 |

Diffuser Description Light Guide Acrylic
Primary Material STEEL
Max Stem Tilt 90 Degrees

Product/Ordering Information

 SKU
 52291BKLED

 Finish
 Black

 Style
 Contemporary

 UPC
 783927806428

Finish Options



Black



Champagne Gold



52293BKLED

52292CGLED

52293CGLED

52292BKLED

Back to Category List

52291CGLED

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height Width | 8.00 DIA 9.00 LBS 19.75" 58.50" 13.75" |
| Light Source Delivered Lumens Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 725 Yes Incandescent 40000 Integrated LED 40.00 1 40.00 |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Photometrics Color Reporting Index | Interior 61" Dry Stem Hung 9.00 LBS |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature FIXTURE ATTRIBUTES | 90 18 3000K |

| Housing | |
|------------------------------|---------------------|
| Diffuser Description | Light Guide Acrylic |
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 52291CGLED |
| Finish | Champagne Gold |
| Style | Contemporary |
| UPC | 783927601399 |
| | |

Finish Options



Black



Champagne Gold



| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height | 8.00 SQ 6.00 LBS 19.75" 58.00" |
| Width | 14.00" |
| Light Source | |
| Delivered Lumens Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 1100 Yes Incandescent 40000 Integrated LED 54.00 1 54.00 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hung 5.20 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 28 3000K |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------------------|
| Diffuser Description | Plastic Diffuser |
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 83346MBK |
| | |
| Finish | Matte Black |
| Finish Style | Matte Black Contemporary |
| | |

Finish Options



Matte Black



White



| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 8.00 SQ 6.00 LBS 19.75" 58.00" 14.00" |
| Light Source | |
| Delivered Lumens Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 1500 Yes Incandescent 40000 Integrated LED 54.00 1 |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hung 6.00 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 28 3000K |
| | |

FIXTURE ATTRIBUTES

| Housing | | |
|----------------------|------------------|--|
| Diffuser Description | Plastic Diffuser | |
| Primary Material | STEEL | |
| Max Stem Tilt | 90 Degrees | |

Product/Ordering Information SKU 83346WH White

Finish Style Contemporary UPC 783927806459

Finish Options



Matte Black





| OI LOII IOAI IOITO | |
|---|---|
| Certifications/Qualifications | www.kichler.com/warranty |
| Dimensions Base Backplate Weight | 8.00 SQ 7.90 LBS |
| Height Overall Height Width | 34.75" 73.00" 24.00" |
| Light Source Delivered Lumens | 2000 |
| Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | Yes Incandescent 40000 Integrated LED 92.00 1 92.00 |
| Mounting/Installation Interior/Exterior | Interior |
| Lead Wire Length Location Rating Mounting Style Mounting Weight | 47" Dry Stem Hung 7.90 LBS |
| Photometrics | 00 |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 22 3000K |

| FIXTURE ATTRIBUTES | |
|------------------------------|------------------|
| Housing | |
| Diffuser Description | Plastic Diffuser |
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 83348MBK |
| Finish | Matte Black |
| Style | Contemporary |
| UPC | 783927806466 |
| | |

Finish Options



Matte Black



White



| 00 | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 8.00 SQ 7.90 LBS 34.75" 73.00" 24.00" |
| Light Source | |
| Delivered Lumens Dimmable Equivalent Light Source Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 3500 Yes Incandescent 40000 Integrated LED 92.00 1 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 47" Dry Stem Hung 7.90 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 38 3000K |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|---|---|
| Diffuser Description Primary Material Max Stem Tilt | Plastic Diffuser STEEL 90 Degrees |
| Product/Ordering Information | |
| SKU | 83348WH |
| Finish | White |
| Style | Contemporary |
| UPC | 783927806473 |
| Finish Options | |
| | |



Matte Black



White



SPECIFICATIONS

| SPECIFICALIONS | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length | 5.25 DIA 36" |
| Weight Height Overall Height Width | 3.00 LBS 11.25" 49.00" 5.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included | Interior 71" Dry Stem Hung 2.25 LBS Yes |
| | |

FIXTURE ATTRIBUTES

| Housing | | |
|------------------------------|-----------------|--|
| Diffuser Description | Clear | |
| Primary Material | STEEL | |
| Max Stem Tilt | 90 Degrees | |
| Product/Ordering Information | | |
| SKU | 52399WBR | |
| E: : : | Marthan I Duran | |

 SKU
 52399WBR

 Finish
 Weathered Brass

 Style
 Industrial

 UPC
 783927001977

Finish Options





ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length | 5.50 DIA 36" |
| Weight Height Overall Height Width | 4.00 LBS 4.25" 42.00" 4.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 200 Yes 40000 Integrated LED 1 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 78" Dry Stem Hung 4.00 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| FIXTURE ATTRIBUTES | |
| | |

| ш | ıs | : | ~ |
|---|--------|---|---|
| | | | |

Diffuser Description Frosted Acrylic Primary Material STEEL

Product/Ordering Information

SKU 52419BKLED Finish Black

Style UPC Mid-Century Modern 783927002523

Finish Options









ALSO IN THIS FAMILY











SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.50 DIA 36" 4.00 LBS 4.25" 42.00" 4.00" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 300 Yes 40000 Integrated LED 1 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 75" Dry Stem Hang 4.00 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------------|
| Diffuser Description | Frosted Acrylic |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52419BNBLED |
| Finish | Brushed Natural Brass |
| Style | Mid-Century Modern |
| UPC | 783927002615 |





Black



Brushed Natural Brass



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height | 5.00 DIA 36" 3.00 LBS 7.75" 47.00" |
| Width Light Source | 4.25" |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 67" Dry Stem Hung 2.00 LBS |
| EIVTLIDE ATTDIDLITES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52431BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927001816 |

Finish Options



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 3.00 LBS 7.75" 47.00" 4.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 67" Dry Stem Hung 2.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|-------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| r roddet/ordering information | |
| SKU | 52431PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927001823 |
| | |
| Finish Options | |





Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 3.60 LBS 7.25" 45.00" 8.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight Slope Ceiling Kit Included | Interior 69" Dry Stem Hung 2.50 LBS Yes |
| FIXTURE ATTRIBUTES | |
| Housing | |

| Housing Diffuser Description Primary Material | Clear STEEL |
|---|-----------------|
| Product/Ordering Information | |
| SKU | 52405PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927001861 |
| Finish Options | |





SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.25 DIA 36" 4.00 LBS 22.50" 62.00" 7.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 1 60.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 58" Dry Stem Hung 2.00 LBS |

FIXTURE ATTRIBUTES

Polished Nickel

| FIXTURE ATTRIBUTES | |
|--|-----------------------|
| Housing Diffuser Description Primary Material | Clear Fluted STEEL |
| Product/Ordering Information | |
| SKU | 52414BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927002974 |
| Finish Options | |
| Brushed Natural Brass | |



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.25 DIA 36" 6.00 LBS 22.50" 62.00" 7.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 1 60.00 Medium 150" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 58" Dry Stem Hung 3.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear Fluted |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52414PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927003001 |
| Finish Options | |





ALSO IN THIS FAMILY

52414BNB

52413PN

Back to Category List

52410BNB

SPECIFICATIONS Certifications/Qualifications Prop65 Yes www.kichler.com/warranty **Dimensions** 2.36 X 4.72 X 0 Base Backplate Weight Height 2.20 LBS 4.75" Overall Height 103.18" Width 4.75" **Light Source** Delivered Lumens 675 Dimmable Yes Lamp Included Integrated Light Source LED # of Bulbs/LED Modules 1 Mounting/Installation Interior/Exterior INTERIOR Lead Wire Length 96" Location Rating Dry Mounting Weight 2.20 LBS **Photometrics**

FIXTURE ATTRIBUTES

Color Temperature Range

Color Rendering Index

Kelvin Temperature

| Housing | |
|----------------------|--------------------------------|
| Diffuser Description | Clear Polycarbonate With Cubic |
| | Zirconia Chip |
| Primary Material | GLASS |
| Shade Dimensions | 2.20 |
| | |

90 3200

3000K

Product/Ordering Information

 SKU
 83853

 Finish
 Chrome


 Style
 Contemporary

 UPC
 887913838537

Finish Options



Chrome



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height Width | 4.75 DIA 3.52 LBS 8.00" 105.00" 7.75" |
| Light Source | 7.70 |
| Delivered Lumens Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 850 40000 Integrated LED 17.00 1 |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Dry Cable Hung 3.52 LBS |
| Photometrics | |
| Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature | 90 52 3000K |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|---------------------------------------|----------------------------|
| Diffuser Description Primary Material | Etched White Acrylic STEEL |
| Shade Description | ETCHED WHITE |
| Product/Ordering Information | |
| SKU | 83854CGWH |
| Finish | Champagne Gold |
| Style | Contemporary |
| UPC | 783927803335 |
| Finish Options | |









SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 4.75 DIA. 3.52 LBS 8.00" 105.00" 7.75" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 850 Yes 40000 Integrated LED 17W 1 17W |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Dry Cable Hung 3.52 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Diffuser Description | Etched Acrylic |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 83854CHWH |
| Finish | Chrome |
| Style | Contemporary |
| UPC | 887913800435 |
| | |

Finish Options



Chrome





Moonlit LED 3000K 7.75" Pendant Matte Black with White Glass

83854MBKWH

© 2021 Kichler Lighting LLC. All Rights Reserved.

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 4.75 DIA. 3.52 LBS 8.00" 105.00" 7.75" |
| Light Source | |
| Delivered Lumens Dimmable Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | 850 Yes Integrated LED 17W 1 |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Dry Cable Hung 3.52 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| | |

FIXTURE ATTRIBUTES

| Housing | | |
|------------------------------|----------------|--|
| Diffuser Description | Etched Acrylic | |
| Primary Material | STEEL | |
| Product/Ordering Information | | |
| SKU | 83854MBKWH | |
| Finish | Matte Black | |

Contemporary 887913800442

Finish Options

Brushed Nickel



Style UPC

Champagne Gold



Chrome Chrome



Matte Black



83854CHWH

83956

83854CGWH

83854

Back to Category List

83853

Moonlit 7.75" 1 Light LED Pendant Brushed Nickel

83956

© 2021 Kichler Lighting LLC, All Rights Reserved.

SPECIFICATIONS

| SPECIFICATIONS | |
|---|--|
| Certifications/Qualifications | |
| Prop65 | Yes www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 0.98 X 4.72 X 0 3.52 LBS 8.00" 104.95" 7.75" |
| Light Source | |
| Delivered Lumens Dimmable Lamp Included Light Source # of Bulbs/LED Modules | 800 Yes Integrated LED 1 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | INTERIOR 96" Dry 3.52 LBS |
| Photometrics | |
| Color Rendering Index Color Temperature Range Kelvin Temperature | 90 3000 3000K |

FIXTURE ATTRIBUTES

Housing

Shade Dimensions

Primary Material GLASS

Shade Description CLEAR POLYCARBONATE WITH

CUBIC ZIRCONIA CHIP

3.52

Product/Ordering Information

 SKU
 83956

 Finish
 Brushed Nickel

 Style
 Contemporary

 UPC
 887913839565

Finish Options

Brushed Nickel

Champagne Gold

Chrome

Chrome

Matte Black



SPECIFICATIONS

| Certifications/Qualifications | |
|----------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 11.75 DIA |
| Weight | 10.50 LBS |
| Height | 11.25" |
| Overall Height Width | 111.00" 17.25" |
| Light Source | |
| Delivered Lumens | 1175 |
| Dimmable | Yes |
| Expected Life Span (Hours) | 40000 |
| Lamp Included Light Source | Integrated LED |
| Max or Nominal Watt | 31.50 |
| Max Wattage/Range | 31.50 |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Location Rating Mounting Weight | Dry 10.00 LBS |
| Photometrics | |
| Color Rendering Index | 90 |
| Delivered Efficacy (Lumens/Watt) | 37 |
| Kelvin Temperature | 3000K |
| | |

| FIXTURE ATTRIBUTES | |
|------------------------------|--------------|
| Housing | |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 84114MWH |
| Finish | Matte White |
| Style | Contemporary |
| UPC | 887913570673 |
| Finish Options | |
| | |





| 01 2011 107 11 10110 | |
|--|---|
| Certifications/Qualifications Prop65 | Yes www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Length Overall Height Width | 1.38 X 11.81 X 0 9.79 LBS 11.00" 17.25" 108.35" 17.25" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules | 1175 Yes 40000 Integrated LED 31.5W 3 |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interrior 96" Dry 4.66 LBS |
| Photometrics | |
| Color Rendering Index Color Temperature Range Kelvin Temperature | 90 3200 3000K |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|---------------|
| Diffuser Description | Polycarbonate |
| Primary Material | STEEL |
| Shade Description | CLEAR |
| Shade Dimensions | 4.66 |
| Product/Ordering Information | |
| SKU | 84114 |
| Finish | Matte Black |
| Style | Contemporary |
| UPC | 887913841148 |
| | |

Finish Options





ALSO IN THIS FAMILY



Kordan 3000K LED 1 Light Pendant Matte White

84112MWH

© 2021 Kichler Lighting LLC, All Rights Reserved.

SPECIFICATIONS

| Certifications/Qualifications | |
|-------------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.50 DIA 3.25 LBS |
| Weight Height | 11 25" |
| Overall Height | 105.00" |
| Width | 7.75" |
| Light Source | |
| Delivered Lumens | 275 |
| Dimmable Expected Life Span (Hours) | Yes 40000 |
| Lamp Included | Integrated |
| Light Source | LED |
| Max or Nominal Watt | 9.5W |
| Max Wattage/Range | 9.5W |
| Mounting/Installation | |
| Interior/Exterior Location Rating | Interior Dry |
| Mounting Weight | 3.00 LBS |
| Photometrics | |
| Color Rendering Index | 90 |
| Kelvin Temperature | 3000K |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|---------------------|
| Diffuser Description | Clear Polycarbonate |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 84112MWH |
| Finish | Matte White |
| Style | Contemporary |
| UPC | 887913570659 |

Finish Options








| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| Prop65 | Yes www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 1.38 X 4.92 X 0 3.45 LBS 11.25" 120.35" 7.75" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source Max or Nominal Watt # of Bulbs/LED Modules | 275 Yes 40000 Integrated LED 9.5W |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interrior 108" Dry 6.16 LBS |
| Photometrics | |
| Color Rendering Index Color Temperature Range Kelvin Temperature | 90 3200 3000K |

| FIXTURE ATTRIBUTES | |
|--|--------------------------------------|
| Housing | |
| Diffuser Description Primary Material Shade Dimensions | Clear Polycarbonate STEEL 6.16 |
| Product/Ordering Information | |
| SKU | 84112 |
| Finish | Matte Black |
| Style | Contemporary |
| UPC | 887913841124 |







ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 SQ 36" 15.80 LBS 24.75" 63.00" 16.75" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included | Interior 57" Dry 15.80 LBS Yes |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|-------------------------------|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 44251MOK Midnight Oak Industrial 783927801430 |
| Finish Options | |











44252NI

Back to Category List

44251NI

SPECIFICATIONS

| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 6.00 SQ 36" 15.80 LBS 24.75" 63.00" 16.75" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 4 60W CAND 105" |
| Mounting/Installation Connector Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included FIXTURE ATTRIBUTES | Yes Interior 57" Dry 15.80 LBS Yes |

FIXTURE ATTRIBUTES

| Housing Primary Material | STEEL |
|------------------------------------|----------------|
| Product/Ordering Information | |
| SKU | 44251NI |
| Finish | Brushed Nickel |
| Style | Industrial |
| UPC | 783927556583 |
| E: : 1 0 " | |

Finish Options



Brushed Nickel



Midnight Oak



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 4.75 DIA 36" 7.50 LBS 13.50" 46.00" 14.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length | Interior 68" |

Mounting Weight Slope Ceiling Kit Included **FIXTURE ATTRIBUTES**

Location Rating

| Housing Primary Material | STEEL |
|---|--|
| Product/Ordering Information SKU Finish Style UPC | 44253MOK Midnight Oak Industrial 783927801454 |

Dry

7.50 LBS Yes

Finish Options



Brushed Nickel



Midnight Oak





| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 4.75 DIA 36" 7.50 LBS 13.50" 46.00" 14.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 4 60W CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight Slope Ceiling Kit Included | Interior 68" Dry 7.50 LBS Yes |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 44253NI |
| Finish | Brushed Nickel |
| Style | Industrial |
| UPC | 783927573467 |
| Finish Ontions | |



Brushed Nickel



Midnight Oak



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 8.10 LBS 22.75" 97.00" 18.25" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 21" Dry 3.90 LBS |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched STEEL |
|---|-----------------------|
| Product/Ordering Information | |
| SKU | 52393NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801966 |

Finish Options Brushed Nickel













| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 8.10 LBS 22.75" 97.00" 18.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Weight | Interior 21" Dry 3.90 LBS |

FIXTURE ATTRIBUTES

| Housing |
|---------|
| ouog |

Diffuser Description Satin Etched Primary Material STEEL

Product/Ordering Information

 SKU
 52393OZ

 Finish
 Olde Bronze

 Style
 Traditional

 UPC
 783927802413

Finish Options







ALSO IN THIS FAMILY







| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 6.20 LBS 19.00" 93.00" 14.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Interior 23" Dry Chain Hung 6.20 LBS |

| Housing | |
|------------------------------|--------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 43498BK |
| Finish | Black |
| Style | Traditional |
| UPC | 783927801645 |
| Finish Options | |







Polished Nickel



43495NBR

43496NBR

Back to Category List

43494NBR

| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications Prop65 | Yes www.kichler.com/warranty |
| Dimensions Base Backplate | 5.00 DIA |
| Chain/Stem Length Weight Height Overall Height Width | 72" 6.20 LBS 19.00" 93.00" 14.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating | Interior 23" Dry |
| Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Chain Hung 6.20 LBS |

FIXTURE ATTRIBUTES

Natural Brass

Polished Nickel

Finish Options Black

| Housing Primary Material | STEEL |
|------------------------------|---------------|
| Product/Ordering Information | |
| SKU | 43498NBR |
| Finish | Natural Brass |
| Style | Traditional |
| UPC | 783927801638 |



43496NBR

43495NBR

Back to Category List

43494NBR

| 0. 20. 10. 1. 10. 10 | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height | 5.00 DIA 72" 6.20 LBS 19.00" 93.00" |
| Width | 14.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 23" Dry Chain Hung 6.20 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 43498PN |
| Finish | Polished Nickel |
| Style | Traditional |
| UPC | 783927801652 |
| Finish Ontions | |

Finish Options





Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| www.kichler.com/warranty 5.00 DIA 5.70 LBS 17.00" 55.00" |
|---|
| 5.00 DIA 5.70 LBS 17.00" |
| 5.70 LBS 17.00" |
| 12.00" |
| 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Interior 62" Dry Stem Hung 5.70 LBS |
| |

FIXTURE ATTRIBUTES

| Housing Primary Material Max Stem Tilt | STEEL 90 Degrees |
|--|---------------------|
| Product/Ordering Information | |
| SKU | 43964MCH |
| Finish | Midnight Chrome |
| Style | Art Deco |
| UPC | 783927801591 |

Finish Options



Midnight Chrome





SPECIFICATIONS

| Certifications/Qualifications | kiahlan aanah annanta |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length | 5.00 DIA 36" |
| Weight | 5.70 LBS |
| Height Overall Height | 17.00" 55.00" |
| Width | 12.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 4 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Swivel/Stem Hung 5.70 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing Primary Material Max Stem Tilt | STEEL 90 Degrees |
|--|--|
| Product/Ordering Information SKU Finish Finish Code Style UPC | 43964PN Polished Nickel PN Art Deco 783927518154 |

Finish Options



Midnight Chrome



Polished Nickel



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height Width | 5.00 DIA 5.70 LBS 17.00" 55.00" 12.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 62" Dry Stem Hung 5.70 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 43966MCH |
| Finish | Midnight Chrome |
| Style | Art Deco |
| UPC | 783927801614 |

Finish Options




Midnight Chrome



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 13.40 LBS 32.25" 70.00" 24.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 8 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Interior 51" Dry Swivel/Stem Hung 13.40 LBS |

| Housing | |
|------------------------------|-----------------|
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 43966PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927518161 |
| mi i i o di | |

Finish Options



Midnight Chrome



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Overall Height Width | 5.00 DIA 9.00 LBS 25.00" 63.00" 18.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 4 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight | Interior 56" Dry Stem Hung 9.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-----------------|
| Primary Material | STEEL |
| Max Stem Tilt | 90 Degrees |
| Product/Ordering Information | |
| SKU | 43965MCH |
| Finish | Midnight Chrome |
| Style | Art Deco |
| UPC | 783927801607 |
| | |

Finish Options



Midnight Chrome



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 9.00 LBS 25.00" 63.00" 18.00" |
| Light Source Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60W 4 CAND 105" |
| Mounting/Installation Interior/Exterior Lead Wire Length Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Interior 56" Dry Swivel/Stem Hung 9.00 LBS |

| Housing Primary Material Max Stem Tilt | STEEL 90 Degrees |
|--|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 43965PN Polished Nickel Art Deco 783927518079 |

Finish Options




Midnight Chrome



Polished Nickel



ALSO IN THIS FAMILY



FLUSH MOUNT LIGHTS

44084BK



Moorgate™ 16" 4 Light Flush Mount with Clear Glass (Black) 44084DAW



Moorgate™ 16" 4 Light Flush Mount with Clear Glass (Distressed Antique White) 52396NI



Ritson™ 2 Light Semi Flush with Satin Etched Glass (Brushed Nickel)



52396OZ

Ritson™ 2 Light Semi Flush with Satin Etched Glass (Olde Bronze)

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Width | 16.00 SQ 13.50 LBS 8.00" 16.00" |
| Electrical | |
| Supply Wire (Degrees) | 90 |
| Light Source | |
| Lamp Included | Not Included |
| Light Source | A19 Incandescent |
| Light Source Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 4 |
| Max Wattage/Range | 60.00 |
| Socket Type Socket Wire | Medium 150" |
| | 150 |
| Mounting/Installation Interior/Exterior | Interior |
| Location Rating | Dry |
| Mounting Weight | 10.30 LBS |
| FIXTURE ATTRIBUTES | |
| | |



| Housing Diffuser Description Primary Material | Clear STEEL |
|---|-----------------|
| Product/Ordering Information | |
| SKU | 44084BK |
| Finish | Black |
| Style | Lodge / Country |
| UPC | 783927602853 |

Finish Options



Black



Distressed Antique White

ALSO IN THIS FAMILY







44084DAW

55063BK

55065BK



55065DAW





44083DAW

Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Width | 16.00 SQ 13.50 LBS 8.00" 16.00" |
| Electrical | |
| Supply Wire (Degrees) | 90 |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 4 60.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Dry Flush Mount 10.30 LBS |



FIXTURE ATTRIBUTES

| Housing | | |
|----------------------|-------|--|
| Diffuser Description | Clear | |
| Primary Material | STEEL | |
| D 1 ((0 1 1 1 f 1) | | |

Product/Ordering Information

SKU 44084DAW

Finish Distressed Antique White Lodge / Country Style UPC 783927602846

Finish Options



Black



Distressed Antique White

ALSO IN THIS FAMILY







44084BK

55063BK

55065BK



55065DAW



55063DAW

44083DAW

Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Weight Height Width | 5.00 DIA 3.90 LBS 8.00" 13.50" |
| Electrical | |
| Supply Wire (Degrees) | 75 |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Weight | Interior Dry 1.70 LBS |
| FIXTURE ATTRIBUTES | |



FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52396NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927801119 |
| Finish Options | |



Olde Bronze

Brushed Nickel

SPECIFICATIONS

| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Width | 5.00 DIA 3.90 LBS 8.00" 13.50" |
| Electrical Supply Wire (Degrees) | 75 |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Weight | Interior Dry 1.70 LBS |
| FIXTURE ATTRIBUTES | |



FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52396OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927802420 |
| Finish Options | |

ALSO IN THIS FAMILY





Back to Category List

Brushed Nickel



Olde Bronze

WALL SCONCES



Finnick™ 20" 1 Light Wall Sconce with a shade (Champagne Gold)



Trentino™ 1 Light Wall Sconce (Black)



Trentino™ 1 Light Wall Sconce (Natural Brass)



NEW

Kimrose™ 1 Light Wall Sconce with Clear Fluted Glass (Brushed Natural Brass)



Kimrose™ 1 Light Wall Sconce with Clear Fluted Glass (Polished Nickel)



Marrus™ 1 Light Wall Sconce (Weathered Zinc)



Sylvia™ 2 Light Wall Sconce (Black)



Sylvia™ 2 Light Wall Sconce (White)



Valserrano 10" 1 Light Wall Sconce with Clear Seeded Glass (Brushed Nickel)



Valserrano 10" 1 Light Wall Sconce with Clear Seeded Glass (Black)

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 X 10.00 |
| Extension Weight | 31.75" 4.40 LBS |
| Height from center of Wall opening (Spec Sheet) | 15.00" |
| Height | 20.00" |
| Width | 8.75" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 75 00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 75.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Location Rating | Damp |
| Mounting Style | Wall 4.40 LBS |
| Mounting Weight | 4.40 LD3 |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------------|
| Primary Material | STEEL |
| Shade Description | STEEL |
| Product/Ordering Information | |
| SKU | 52339CG |
| Finish | Champagne Gold |
| Style | Mid-Century Modern |
| UPC | 783927801669 |





Champagne Gold



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension | 12.00" |
| Weight Height from center of Wall opening | 3.50 LBS 6.00" |
| (Spec Sheet) | |
| Height | 30.00" |
| Width | 3.25" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A19 Incandescent |
| Max or Nominal Watt | 75W |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 75W |
| Socket Type Socket Wire | Medium |
| | 200" |
| Mounting/Installation | |
| Interior/Exterior Location Rating | Interior |
| Mounting Weight | Dry 3.50 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------------|
| Primary Material | STEEL |
| Shade Description | BLACK SHADE |
| Product/Ordering Information | |
| SKU | 52165BK |
| Finish | Black |
| Style | Mid-Century Modern |
| UPC | 783927573733 |



Finish Options



52165NBR

52162NBR

Back to Category List

52164BK

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension | 12.00" |
| Weight | 3.50 LBS |
| Height from center of Wall opening (Spec Sheet) | 6.00" |
| Height | 30.00" |
| Width | 3.25" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source | Incandescent |
| Max or Nominal Watt | 75W |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 75W Medium |
| Socket Type Socket Wire | 200" |
| | 200 |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Location Rating | Dry |
| Mounting Weight | 3.50 LBS |

FIXTURE ATTRIBUTES

| Housing Primary Material Shade Description | STEEL METAL |
|--|--------------------|
| Product/Ordering Information | |
| SKU | 52165NBR |
| Finish | Natural Brass |
| Style | Mid-Century Modern |
| UPC | 783927573740 |

Finish Options



Black



Natural Brass



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.50 X 14.00 6.25" 3.00 LBS 7.00" 14.00" 4.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 1 60.00 CAND 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Dry Wall Mount 1.50 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Polished Nickel

| Housing | |
|------------------------------|-----------------------|
| Diffuser Description | Clear Fluted |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 52415BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927003025 |
| Finish Options | |
| Brushed Natural Brass | |





Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.50 X 14.00 |
| Extension | 6.25" |
| Weight | 3.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 7.00" |
| Height | 14 00" |
| Width | 4.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | В |
| Light Source | Incandescent |
| Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 60.00 |
| Socket Type | CAND |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Location Rating | Dry |
| Mounting Style | Wall Mount |
| Mounting Weight | 1.50 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Fluted STEEL |
|---|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 52415PN Polished Nickel Art Deco 783927003117 |
| | |

Finish Options



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension Weight | 15.00" 1.70 LBS |
| Height from center of Wall opening (Spec Sheet) | 7.50" |
| Height | 10.50" |
| Width | 10.25" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 60.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 60.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style | Interior Damp Wall Mount |
| Mounting Weight | 1.70 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Weathered Zinc

| Housing Primary Material | STEEL |
|------------------------------------|----------------|
| Product/Ordering Information | |
| SKU | 52409WZC |
| Finish | Weathered Zinc |
| Style | Industrial |
| UPC | 783927001892 |
| Finish Options | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.25 DIA |
| Extension | 6.75" |
| Weight | 4.50 LBS 8.75" |
| Height from center of Wall opening (Spec Sheet) | 6.75 |
| Height | 30.50" |
| Width | 17.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source | Incandescent |
| Max or Nominal Watt | 75W 2 |
| # of Bulbs/LED Modules Max Wattage/Range | 75W |
| Socket Type | Medium |
| Socket Wire | 200" |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Location Rating | Dry |
| Mounting Weight | 4.50 LBS |

FIXTURE ATTRIBUTES

| nousing | |
|------------------------------|-----------------------------|
| Primary Material | STEEL |
| Shade Description | BLACK OUTSIDE, WHITE INSIDE |
| Product/Ordering Information | |
| SKU | 52174BK |
| Finish | Black |
| Style | Mid-Century Modern |
| UPC | 783927573788 |
| | |

Finish Options



White



52129SN 52130BK

Back to Category List

52130BNB

SPECIFICATIONS

| 00 | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 DIA 6.75" 4.50 LBS 8.75" 30.50" 17.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75W 2 75W Medium 200" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Weight | Interior Dry 4.50 LBS |
| EIVTLIDE ATTRIBLITES | |

| FIXTURE ATTRIBUTES | |
|--|--|
| Housing Primary Material Shade Description | STEEL METAL |
| Product/Ordering Information | |
| SKU Finish Style UPC | 52174WH White Mid-Century Modern 783927573795 |
| Finish Options | |
| Black | |
| White | |



52130BK

52129SN

Back to Category List

52130BNB

SPECIFICATIONS

| Certifications/Qualifications | | | |
|---|--------------------------|--|--|
| | www.kichler.com/warranty | | |
| Dimensions | | | |
| Base Backplate | 4.50 X 8.00 | | |
| Extension Weight | 7.25" 1.70 LBS | | |
| Height from center of Wall opening (Spec Sheet) | 6.25" | | |
| Height | 10.25" | | |
| Width | 5.00" | | |
| Light Source | | | |
| Lamp Included | Not Included | | |
| Lamp Type | A19 | | |
| Light Source Max or Nominal Watt | Incandescent 75 00 | | |
| # of Bulbs/LED Modules | 1 | | |
| Max Wattage/Range | 75.00 | | |
| Socket Type | Medium | | |
| Socket Wire | 150" | | |
| Mounting/Installation | | | |
| Install Glass Up or Down | Yes | | |
| Interior/Exterior | Interior | | |
| Location Rating | Damp 1.00 LBS | | |
| Mounting Weight | 1.00 LD3 | | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Diffuser Description | Clear Seeded |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 44381NICS |
| Finish | Brushed Nickel |
| Finish Code | NI |
| Style | Traditional |
| UPC | 783927801867 |
| Finish Options | |
| | |





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.50 X 8.00 |
| Extension Weight | 7.25" 1.70 LBS |
| Height from center of Wall opening (Spec Sheet) | 6.25" |
| Height | 10.25" |
| Width | 5.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A19 Incandescent |
| Max or Nominal Watt | 75.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 75.00 Medium |
| Socket Type Socket Wire | 150" |
| | 100 |
| Mounting/Installation Install Glass Up or Down | Yes |
| Interior/Exterior | Interior |
| Location Rating | Damp |
| Mounting Weight | 1.00 LBS |
| FIXTURE ATTRIBUTES | |
| | |

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 44381BKCS |
| Finish | Black |
| Finish Code | BK |
| Style | Traditional |
| UPC | 783927801850 |
| Finish Options | |
| _ | |



Black



Brushed Nickel





BATH & VANITY LIGHTS

NEW

55112BNB



Ciona[™] 24" 3 Light Vanity Light with Round Ribbed Glass (Brushed Natural Brass)



Ciona™ 24" 3 Light Vanity Light with Round Ribbed Glass (Polished Nickel)



Ciona™ 14.5" 2 Light Vanity Light with Round Ribbed Glass (Brushed Natural Brass)



Ciona[™] 14.5" 2 Light Vanity Light with Round Ribbed Glass (Polished Nickel)



Ciona™ 9" 1 Light Wall Sconce with Round Ribbed Glass (Brushed Natural Brass)



Ciona[™] 9" 1 Light Wall Sconce with Round Ribbed Glass (Polished Nickel)



Giarosa™ 22.25" 3 Light Vanity Light (Chrome)



Giarosa™ 10" 1 Light Wall Sconce (Chrome)



Giarosa™ 15" 2 Light Vanity Light (Chrome)



Harvan[™] 15" 2 Light Vanity Light with Clear Ribbed Glass (Black)



Harvan™ 15" 2 Light Vanity Light with Clear Ribbed Glass (Satin Nickel)



Harvan™ 9.25" 1 Light Wall Sconce with Clear Ribbed Glass (Black)



Harvan™ 9.25" 1 Light Wall Sconce with Clear Ribbed Glass (Satin Nickel)



55107BK

Harvan[™] 25" 3 Light Vanity Light with Clear Ribbed Glass (Black)



Harvan™ 25" 3 Light Vanity Light with Clear Ribbed Glass (Satin Nickel)



Meller $^{\text{TM}}$ 24" 3 Light Vanity Light with Clear Glass (Black)



Meller™ 11" 1 Light Wall Sconce with Clear Glass (Black)



Meller™ 15" 2 Light Vanity Light with Clear Glass (Black)



Truby™ 19.75" 2 Light Vanity Light with Satin Etched Cased Opal Glass (Polished Nickel)



Sconce with Satin Etched Cased Opal Glass (Polished Nickel)



Truby™ 24.75" 2 Light Vanity Light with Satin Etched Cased Opal Glass (Polished Nickel)



Brianne™ 14.5" 2 Light Vanity Light with Satin Etched Cased Opal Glass (Brushed Natural Brass)



Brianne™ 14.5" 2 Light Vanity Light with Satin Etched Cased Opal Glass (Classic Pewter)



Brianne™ 24.5" 3 Light Vanity Light with Satin Etched Cased Opal Glass (Brushed Natural Brass)



Brianne™ 24.5" 3 Light Vanity Light with Satin Etched Cased Opal Glass (Classic Pewter)



Brianne™ 9.5" 1 Light Wall Sconce with Satin Etched Cased Opal Glass (Brushed Natural Brass)



Brianne™ 9.5" 1 Light Wall Sconce with Satin Etched Cased Opal Glass (Classic Pewter)



Cosabella™ 15" 2 Light Vanity Light with Satin Etched Case Opal Glass (Black)



Cosabella™ 15" 2 Light Vanity Light with Satin Etched Case Opal Glass (Polished Nickel)



Cosabella™ 24" 3 Light Vanity Light with Satin Etched Case Opal Glass (Black)



Cosabella™ 24" 3 Light Vanity Light with Satin Etched Case Opal Glass (Polished Nickel)



Cosabella™ 6" 1 Light Wall Sconce with Satin Etched Case Opal Glass (Black)



Cosabella™ 6" 1 Light Wall Sconce with Satin Etched Case Opal Glass (Polished Nickel)



Everett™ 16" 2 Light Vanity Light with Clear Glass (Polished Nickel)



Everett™ 24" 4 Light Vanity Light with Clear Glass (Polished Nickel)



Everett™ 34" 3 Light Vanity Light with Clear Glass (Polished Nickel)



Everett™ 9" 1 Light Wall Sconce with Clear Glass (Polished Nickel)



Kennewick™ 1 Light Wall Sconce with Etched Glass (Brushed Nickel)



Kennewick™ 1 Light Wall Sconce with Etched Glass (Olde Bronze)



Kennewick™ 2 Light Vanity Light with Etched Glass (Brushed Nickel)



Kennewick™ 2 Light Vanity Light with Etched Glass (Olde Bronze)



Kennewick™ 3 Light Vanity Light with Etched Glass (Brushed Nickel)



 $\label{eq:continuity_light} Kennewick^{\text{TM}} \ 3 \ Light \ Vanity \ Light \\ with \ Etched \ Glass \ (Olde \ Bronze)$



Kennewick™ 4 Light Vanity Light with Etched Glass (Brushed Nickel)





Kennewick™ 4 Light Vanity Light with Etched Glass (Olde Bronze)

55065BK

55087NI



Moorgate™ 23" 3 Light Vanity Light with Clear Glass (Black)

55065DAW



Moorgate™ 23" 3 Light Vanity Light with Clear Glass (Distressed Antique White)



Moorgate™ 7" 1 Light Wall Sconce with Clear Glass (Black)



Moorgate™ 7" 1 Light Wall Sconce with Clear Glass (Distressed Antique White)



Valserrano 14.50" 2 Light Vanity Light with Clear Seeded Glass (Black)



Valserrano 14.50" 2 Light Vanity Light with Clear Seeded Glass (Brushed Nickel)



Valserrano 24" 3 Light Vanity Light with Clear Seeded Glass (Black)





Valserrano 24" 3 Light Vanity Light with Clear Seeded Glass (Brushed Nickel)

45130BKCS



Valserrano 33.50" 4 Light Vanity Light with Clear Seeded Glass (Black)

45130NICS



Valserrano 33.50" 4 Light Vanity Light with Clear Seeded Glass (Brushed Nickel)

SPECIFICATIONS

| Certifications/Qualifications | | | | |
|---|--|--|--|--|
| | www.kichler.com/warranty | | | |
| Dimensions | | | | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height | 7.00 X 5.00 5.75" 6.49 LBS 2.50" | | | |
| Width | 24.00" | | | |
| Light Source | | | | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 3 100.00 Medium 150" | | | |
| Mounting/Installation Install Glass Up or Down | Yes | | | |
| Interior/Exterior | Interior | | | |

Damp Wall Mount

3.90 LBS



FIXTURE ATTRIBUTES

| | | | _ | | | |
|---|---|-------|---|---|---|--|
| н | _ | - | ы | n | ~ | |
| п | | | | | | |

Location Rating

Mounting Style Mounting Weight

Diffuser Description Satin Etched Cased Opal Primary Material STEEL

Product/Ordering Information

SKU 55112BNB

Finish Brushed Natural Brass
Style Art Deco
UPC 783927001571

Finish Options



Brushed Natural Brass



Polished Nickel

ALSO IN THIS FAMILY



SPECIFICATIONS

Certifications/Qualifications www.kichler.com/warranty **Dimensions** Base Backplate 7.00 X 5.00 Extension 5.75" Weight 6.49 LBS Height from center of Wall opening 2.50" (Spec Sheet) Height 10.00" Width 24.00" **Light Source**

Lamp Included Not Included Lamp Type A19 Light Source Incandescent Max or Nominal Watt 100.00 # of Bulbs/LED Modules 100.00 Max Wattage/Range Socket Type Medium Socket Wire 150"

Mounting/Installation Install Glass Up or Down Yes Interior/Exterior Interior Location Rating Damp Wall Mount Mounting Style 3.90 LBS Mounting Weight

FIXTURE ATTRIBUTES

| Housing | |
|--|-------------------------------|
| Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information | |
| SKU | 55112PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927001601 |
| · · · · · · · · | |

Finish Options



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 7.00 X 5.00 5.75" 4.09 LBS 2.50" 10.00" 14.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 2 100.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.37 LBS |

Polished Nickel

| FIXTURE ATTRIBUTES | |
|--|----------------------------------|
| Housing | |
| Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information | |
| SKU | 55111BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927001595 |
| Finish Options | |
| Brushed Natural Brass | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension | 7.00 X 5.00 5.75" |
| Weight Height from center of Wall opening (Spec Sheet) | 4.09 LBS 2.50" |
| Height Width | 10.00" 14.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 2 100.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.37 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55111PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927001625 |
| Finish Options | |



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 X 7.00 5.75" 2.57 LBS 3.50" 9.00" 5.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.70 LBS |
| CIVILIDE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| FIXTURE ALTRIBUTES | |
|---|----------------------------------|
| Housing Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information | |
| SKU | 55110BNB |
| Finish | Brushed Natural Brass |
| Style | Art Deco |
| UPC | 783927001588 |
| Finish Options | |



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 5.00 X 7.00 5.75" |
| Weight | 2.57 LBS |
| Height from center of Wall opening (Spec Sheet) | 3.50" |
| Height | 9.00" |
| Width | 5.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.70 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55110PN |
| Finish | Polished Nickel |
| Style | Art Deco |
| UPC | 783927001618 |
| Finish Options | |
| i illisti options | |



Brushed Natural Brass



Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.75 SQ 6.50" 6.77 LBS 7.25" 10.00" 22.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Included G9 HAL 50.00 3 50.00 G9 200" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.69 LBS |



FIXTURE ATTRIBUTES

Chrome

| Housing | |
|------------------------------|--------------------------------|
| Diffuser Description | Clear Icicle/Sandblast Outside |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55097CH |
| Finish | Chrome |
| UPC | 783927001359 |
| Finish Options | |

ALSO IN THIS FAMILY



SPECIFICATIONS

| SPECIFICATIONS | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.75 SQ 6.50" 2.46 LBS 7.25" 10.00" 5.75" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Included G9 HAL 50.00 1 50.00 G9 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.10 LBS |
| | |

FIXTURE ATTRIBUTES

Chrome

| Housing | |
|--|--------------------------------------|
| Diffuser Description Primary Material | Clear Icicle/Sandblast Outside STEEL |
| Product/Ordering Information | |
| SKU | 55095CH |
| Finish | Chrome |
| UPC | 783927001366 |
| Finish Options | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| oci inications/ qualifications | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.75 SQ 6.50" 4.68 LBS 7.25" 10.00" 14.75" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Included G9 HAL 50.00 2 50.00 G9 200" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.96 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|--|--------------------------------------|
| Diffuser Description Primary Material | Clear lcicle/Sandblast Outside STEEL |
| Product/Ordering Information | |
| SKU | 55096CH |
| Finish | Chrome |
| UPC | 783927001397 |
| Finish Ontions | |





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.75 X 4.25 6.50" 4.66 LBS 7.25" 9.25" 15.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |

Mounting/Installation

Install Glass Up or Down Interior/Exterior Yes Interior Damp Wall Mount Location Rating Mounting Style Mounting Weight 2.54 LBS

FIXTURE ATTRIBUTES

| Н | 0 | u | S | İI | 1 | g | | |
|---|----|---|---|----|---|---|---|---|
| | :0 | c | | _ | | | _ | ı |

Diffuser Description Clear Prismatic Ribbed STEEL Primary Material

Product/Ordering Information

SKU 55106BK Finish Black Style UPC Industrial 783927001496

Finish Options







ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.75 X 4.25 6.50" 4.66 LBS 7.25" 9.25" 15.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.54 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Satin Nickel

| TIXTORE ALTRIBUTES | |
|------------------------------|------------------------|
| Housing | |
| Diffuser Description | Clear Prismatic Ribbed |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55106SN |
| Finish | Satin Nickel |
| Style | Industrial |
| UPC | 783927001564 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.25 X 5.75 6.50" 2.66 LBS 6.50" 9.25" 5.00" |
| Light Source | |
| Lamp Included Lamp Type | Not Included A19 |

Lamp Type Light Source Max or Nominal Watt Incandescent 75.00 # of Bulbs/LED Modules Max Wattage/Range 75.00 Socket Type Medium Socket Wire 150"

Mounting/Installation

Interior/Exterior Interior Location Rating Damp Mounting Style Wall Mount Mounting Weight 1.60 LBS

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|------------------------|
| Diffuser Description | Clear Prismatic Ribbed |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55105BK |
| Finish | Black |
| Style | Industrial |
| UPC | 783927001434 |

Finish Options









ALSO IN THIS FAMILY









SPECIFICATIONS

| Certifications/Qualifications | www.kichler.com/warranty |
|--|--|
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.25 X 5.75 6.50" 2.66 LBS 6.50" 9.25" 5.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.60 LBS |

Satin Nickel

| FIXTURE ATTRIBUTES | |
|---------------------------------------|---------------------------------|
| Housing | |
| Diffuser Description Primary Material | Clear Prismatic Ribbed STEEL |
| Product/Ordering Information | |
| SKU | 55105SN |
| Finish | Satin Nickel |
| Style | Industrial |
| UPC | 783927001540 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|------------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.75 X 4.25 |
| Extension | 6.50" |
| Weight | 7.17 LBS |
| Height from center of Wall opening | 7.25" |
| (Spec Sheet) | |
| Height | 9.25" |
| Width | 25.00" |
| Light Source | |

Lamp Included Not Included A19 Lamp Type Light Source Incandescent Max or Nominal Watt 75.00 # of Bulbs/LED Modules Max Wattage/Range 75.00 Socket Type Medium Socket Wire 150"

Mounting/Installation

Install Glass Up or Down Yes Interior/Exterior Interior Location Rating Damp Mounting Style Wall Mount Mounting Weight 3.99 LBS

FIXTURE ATTRIBUTES

Housing

Diffuser Description Primary Material Clear Prismatic Ribbed STEEL

Product/Ordering Information

SKU 55107BK Finish Black Style Industrial UPC 783927001427

Finish Options



Black



Satin Nickel



ALSO IN THIS FAMILY







55105SN

55107SN

Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|------------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.75 X 4.25 |
| Extension | 6.50" |
| Weight | 7.17 LBS |
| Height from center of Wall opening | 7.25" |
| (Spec Sheet) | |
| Height | 9.25" |
| Width | 25.00" |
| Light Source | |
| Lamp Included | Not Included |

Lamp Included Not Included Lamp Type A19 Light Source Incandescent Max or Nominal Watt 75.00 # of Bulbs/LED Modules 3 Max Wattage/Range 75.00 Socket Type Medium Socket Wire 150"

Mounting/InstallationInstall Glass Up or DownYesInterior/ExteriorInteriorLocation RatingDampMounting StyleWall MountMounting Weight3.99 LBS

FIXTURE ATTRIBUTES

Black

Satin Nickel

| Housing Diffuser Description Primary Material | Clear Prismatic Ribbed STEEL |
|---|---------------------------------|
| Product/Ordering Information | |
| SKU | 55107SN |
| Finish | Satin Nickel |
| Style | Industrial |
| UPC | 783927001533 |
| Finish Options | |



ALSO IN THIS FAMILY

55105SN



55107BK

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 7.00" 5.06 LBS 2.50" 11.25" 24.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 60.00 3 60.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.87 LBS |
| FIXTURE ATTRIBUTES | |



FIXTURE ATTRIBUTES

Black

| Housing Diffuser Description Primary Material | Clear STEEL |
|---|----------------|
| Product/Ordering Information | |
| SKU | 55102BK |
| Finish | Black |
| Style | Industrial |
| UPC | 783927001403 |
| Finish Options | |





SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension | 7.00" |
| Weight | 1.63 LBS |
| Height from center of Wall opening (Spec Sheet) | 2.50" |
| Height | 11.25" |
| Width | 5.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source | Incandescent |
| Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 1 60.00 |
| Max Wattage/Range Socket Type | Medium |
| Socket Type Socket Wire | 150" |
| | 100 |
| Mounting/Installation | |
| Install Glass Up or Down | Yes |
| Interior/Exterior | Interior |
| Location Rating | Damp Wall Mount |
| Mounting Style Mounting Weight | 0.90 LBS |
| woulding weight | 0.30 LD3 |
| ENGLINE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Black

| FIXTORE ATTRIBUTES | |
|--|----------------|
| Housing | |
| Diffuser Description Primary Material | Clear STEEL |
| Product/Ordering Information | |
| SKU | 55100BK |
| Finish | Black |
| Style | Industrial |
| UPC | 783927001410 |
| Finish Options | |
| _ | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension Weight | 7.00" 3.39 LBS |
| Height from center of Wall opening (Spec Sheet) | 2.50" |
| Height | 11.25" |
| Width | 15.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 60.00 |
| # of Bulbs/LED Modules | 2 |
| Max Wattage/Range | 60 00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.93 LBS |
| | |



FIXTURE ATTRIBUTES

Black

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55101BK |
| Finish | Black |
| Style | Industrial |
| UPC | 783927001526 |
| Finish Options | |
| | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.50 DIA 4.75" 3.30 LBS 2.25" 4.50" 20.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included G9 HAL 50.00 2 50.00 G9 200" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight Mount Vertical Or Horizontal | Interior Damp Wall Mount 2.20 LBS Yes |
| FIXTURE ATTRIBUTES | |



| Housing | |
|------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55074PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927801157 |



Back to Category List



Finish Options


Polished Nickel

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| or mediano, quantidations | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.50 DIA 4.75" 2.10 LBS 10.25" 12.50" 4.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Included G9 HAL 50.00 1 50.00 G9 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight Mount Vertical Or Horizontal | Yes Interior Damp Wall Mount 1.50 LBS Yes |

FIXTURE ATTRIBUTES

| Housing | |
|--|----------------------------------|
| Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information | |
| SKU | 55073PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927801133 |
| | |





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.50 DIA 4.75" 4.30 LBS 2.25" 4.50" 25.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Included G9 HAL 50.00 2 50.00 G9 200" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight Mount Vertical Or Horizontal | Interior Damp Wall Mount 2.20 LBS Yes |
| FIXTURE ATTRIBUTES | |



Polished Nickel

| Housing Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
|---|----------------------------------|
| Product/Ordering Information | |
| SKU | 55075PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927801171 |
| Finish Options | |



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 5.00 DIA |
| Extension Weight Height from center of Wall opening | 5.75" 2.68 LBS 7.00" |
| (Spec Sheet) Height Width | 9.50" 14.50" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.18 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|--|---|
| Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information | |
| SKU Finish Style UPC | 55116BNB Brushed Natural Brass Contemporary 783927001182 |
| Finish Options | |
| Brushed Natural Brass | |

Classic Pewter



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension | 5.00 DIA 5.75" |
| Weight Height from center of Wall opening (Spec Sheet) | 2.68 LBS 7.00" |
| Height Width | 9.50" 14.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.18 LBS |
| FIXTURE ATTRIBUTES | |

| FIXTURE ATTRIBUTES | |
|---|--|
| Housing Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| Product/Ordering Information SKU Finish Style UPC | 55116CLP Classic Pewter Contemporary 783927001236 |
| Finish Options | 763927001230 |



Brushed Natural Brass



Classic Pewter



ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 5.75" 4.00 LBS 7.00" 9.50" 24.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range | Not Included A19 Incandescent 75.00 3 75.00 |
| Socket Type Socket Wire | Medium 150" |

Yes

Interior Damp Wall Mount

1.75 LBS

Mounting Style Mounting Weight

Mounting/Installation Install Glass Up or Down

Interior/Exterior

Location Rating

| FIXTURE ATTRIBUTES | |
|-------------------------------------|-------------------------|
| Housing Diffuser Description | Satin Etched Cased Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55117BNB |
| Finish | Brushed Natural Brass |
| Style | Contemporary |
| UPC | 783927001113 |
| Finish Ontions | |



Brushed Natural Brass



Classic Pewter



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension | 5.75" |
| Weight | 4.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 7.00" |
| Height | 9.50" |
| Width | 24.50" |
| Light Source | |
| | |

Lamp Included
Lamp Type
Light Source
Max or Nominal Watt
of Bulbs/LED Modules
Max Wattage/Range

Not Included
A19
Incandescent
75.00

Range Type
A19
Incandescent
75.00

75.00

of Builds/LED Modules 5
Max Wattage/Range 75.00
Socket Type Medium
Socket Wire 150"

 Mounting/Installation

 Install Glass Up or Down
 Yes

 Interior/Exterior
 Interior

 Location Rating
 Damp

 Mounting Style
 Wall Mount

 Mounting Weight
 1.76 LBS

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
|---|----------------------------------|
| Product/Ordering Information | |
| SKU | 55117CLP |
| Finish | Classic Pewter |
| Style | Contemporary |
| UPC | 783927001120 |
| Finish Options | |
| | |



Brushed Natural Brass



Classic Pewter



ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | www.kichler.com/warranty |
|---|--|
| Dimensions | , |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 5.75" 1.72 LBS 7.00" 9.50" 5.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Damp Wall Mount 0.97 LBS |
| EIVTLIDE ATTDIDLITES | |

FIXTURE ATTRIBUTES

Classic Pewter

| FIXTURE ATTRIBUTES | |
|---------------------------------------|----------------------------------|
| Housing | |
| Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
| , | OTELL |
| Product/Ordering Information | |
| SKU | 55115BNB |
| Finish | Brushed Natural Brass |
| Style | Contemporary |
| UPC | 783927001137 |
| Finish Options | |
| Brushed Natural Brass | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| OI LOII IOAI IONO | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 5.75" 1.72 LBS 7.00" 9.50" 5.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Damp Wall Mount 0.97 LBS |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched Cased Opal STEEL |
|---|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 55115CLP Classic Pewter Contemporary 783927001144 |

Finish Options



Brushed Natural Brass



Classic Pewter



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 4.75 6.50" 5.94 LBS 3.00" 10.25" 15.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 3.78 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|---------------------------------------|---------------------------------|
| Diffuser Description Primary Material | Satin Etched Case Opal STEEL |
| Filliary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55091BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927001342 |
| Finish Options | |
| Plack | |

Black








Polished Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 6.25 X 4.75 |
| Extension Weight Height from center of Wall opening | 6.50" 5.94 LBS 3.00" |
| (Spec Sheet) Height Width | 10.25" 15.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 3.78 LBS |
| | |



FIXTURE ATTRIBUTES

Polished Nickel

| Housing | |
|---------------------------------------|---------------------------------|
| Diffuser Description Primary Material | Satin Etched Case Opal STEEL |
| Trimary Waterial | OTELL |
| Product/Ordering Information | |
| SKU | 55091PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927001335 |
| Finish Options | |
| Black | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 4.75 6.50" 7.80 LBS 3.00" 10.25" 24.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 4.56 LBS |



FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|------------------------|
| Diffuser Description | Satin Etched Case Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55092BK |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927001298 |
| Finish Options | |



Black



Polished Nickel

ALSO IN THIS FAMILY



SPECIFICATIONS

Polished Nickel

| Certifications/Qualifications | |
|---|--|
| Certifications/Qualifications | www.kichler.com/warranty |
| Dimensions | • |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 4.75 6.50" 7.80 LBS 3.00" 10.25" 24.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Yes Interior Damp Wall Mount 4.56 LBS |
| TIXTORE ATTRIBUTES | |



| · Date of the Francisco | |
|---|---------------------------------|
| Housing Diffuser Description Primary Material | Satin Etched Case Opal STEEL |
| Product/Ordering Information | |
| SKU | 55092PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927001281 |
| Finish Options | |
| Black | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 X 6.25 |
| Extension | 6.50" |
| Weight | 2.99 LBS 3.25" |
| Height from center of Wall opening (Spec Sheet) | 5.25 |
| Height | 10.50" |
| Width | 6.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source | Incandescent |
| Max or Nominal Watt | 75.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 75.00 Medium |
| Socket Type Socket Wire | 200" |
| | 200 |
| Mounting/Installation | |
| Interior/Exterior | Interior |
| Location Rating Mounting Style | Damp Wall Mount |
| Mounting Style Mounting Weight | 1.91 LBS |
| | |

Polished Nickel

| FIXTURE ATTRIBUTES | |
|------------------------------|------------------------------|
| Housing | |
| Diffuser Description | Satin Etched Case Opal |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55090BK |
| Finish | Black |
| Style UPC | Contemporary 783927001519 |
| 5. 5 | 700027001010 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY



SPECIFICATIONS


| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight | 4.75 X 6.25 6.50" 2.99 LBS |
| Height from center of Wall opening (Spec Sheet) Height Width | 3.25" 10.50" 6.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 200" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.91 LBS |

Polished Nickel

| FIXTURE ATTRIBUTES | |
|---|---------------------------------|
| Housing Diffuser Description Primary Material | Satin Etched Case Opal STEEL |
| Product/Ordering Information | |
| SKU | 55090PN |
| Finish | Polished Nickel |
| Style | Contemporary |
| UPC | 783927001304 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 8.00" 3.50 LBS 3.50" 9.25" 16.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.40 LBS |
| FIXTURE ATTRIBUTES | |



| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55078PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927801546 |
| | |

Finish Options



Polished Nickel

ALSO IN THIS FAMILY





| SPECIFICATIONS | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 8.00" 6.40 LBS 3.50" 9.25" 34.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 4 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES Housing | Yes Interior Damp Wall Mount 4.10 LBS |



| Housing Diffuser Description Primary Material | Clear STEEL |
|--|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 55080PN Polished Nickel Industrial 783927801560 |
| Finish Ontions | |

Finish Options



Polished Nickel



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 8.00" 4.60 LBS 3.50" 9.25" 24.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior | Yes Interior |

Interior Damp Wall Mount 2.90 LBS

FIXTURE ATTRIBUTES

Polished Nickel

Location Rating Mounting Style Mounting Weight

| Housing Diffuser Description Primary Material | Clear STEEL |
|---|--|
| Product/Ordering Information | SIEEL |
| SKU Finish Style UPC | 55079PN Polished Nickel Industrial 783927801553 |
| Finish Options | |



SPECIFICATIONS

| www.kichler.com/warranty |
|-------------------------------------|
| |
| 5.00 DIA 8.00" |
| 1.70 LBS |
| 3.35" |
| 9.25" |
| 6.50" |
| |
| Not Included |
| A19 Incandescent |
| 75.00 |
| 1 |
| 75.00 |
| Medium 150" |
| |
| Yes Interior Damp 1.20 LBS |
| |

FIXTURE ATTRIBUTES

| TIXTORE ALTRIBUTED | |
|------------------------------|-----------------|
| Housing | |
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55077PN |
| Finish | Polished Nickel |
| Style | Industrial |
| UPC | 783927801539 |
| Finish Options | |
| Polished Nickel | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 DIA 6.55" 1.75 LBS 5.83" 9.75" 4.75" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55085NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927808590 |
| Finish Ontions | |





ALSO IN THIS FAMILY

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 DIA |
| Extension Weight | 6.55" 1.75 LBS |
| Height from center of Wall opening (Spec Sheet) | 5.83" |
| Height | 9.75" |
| Width | 4.75" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Exterior Damp Wall Mount 1.00 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched STEEL |
|---|---|
| Product/Ordering Information | |
| SKU Finish Style UPC | 55085OZ Olde Bronze Traditional 783927808637 |
| | |

Finish Options



Brushed Nickel



Olde Bronze



ALSO IN THIS FAMILY 52384NI 52385NI 52385OZ

Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 DIA 6.75" 3.35 LBS 5.83" 9.75" 13.25" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.80 LBS |
| FIXTURE ATTRIBUTES | |



| Housing | |
|------------------------------|----------------|
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55086NI |
| Finish | Brushed Nickel |
| Style | Traditional |
| UPC | 783927808606 |
| Finish Options | |
| | |







SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 DIA 6.75" 3.35 LBS 5.83" 9.75" 13.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 1.80 LBS |



| Housing | |
|------------------------------|--------------|
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55086OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| LIPC | 783927808644 |

Finish Options



Brushed Nickel



Olde Bronze



ALSO IN THIS FAMILY 52384NI 52385NI 52385OZ 52386NI 52386OZ 52383NI

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 DIA 6.75" 4.70 LBS 5.83" 9.75" 22.75" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.60 LBS |



FIXTURE ATTRIBUTES

Olde Bronze

| FIXTURE ATTRIBUTES | |
|------------------------------|-----------------------------|
| Housing | |
| Diffuser Description | Satin Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55087NI |
| Finish | Brushed Nickel |
| Style UPC | Traditional 783927808613 |
| | 703327000013 |
| Finish Options | |
| Brushed Nickel | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 DIA 6.75" 4.70 LBS 5.83" 9.75" 22.75" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 3 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.60 LBS |



FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched STEEL |
|---|-----------------------|
| Product/Ordering Information | |
| SKU | 55087OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927808651 |
| Finish Ontions | |

Finish Options



Brushed Nickel



Olde Bronze



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 DIA |
| Extension Weight | 6.75" 6.35 LBS |
| Height from center of Wall opening (Spec Sheet) | 5.83" |
| Height | 9.75" |
| Width | 32.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A19 Incandescent |
| Max or Nominal Watt | 75.00 |
| # of Bulbs/LED Modules | 4 |
| Max Wattage/Range | 75.00 Medium |
| Socket Type Socket Wire | 150" |
| Mounting/Installation | |
| Install Glass Up or Down | Yes |
| Interior/Exterior | Interior |
| Location Rating | Damp |
| Mounting Style Mounting Weight | Wall Mount 3.30 LBS |
| wounting weight | 3.30 LB3 |



| FIXTURE ATTRIBUTES | |
|---|--|
| Housing Diffuser Description Primary Material | Satin Etched STEEL |
| Product/Ordering Information | |
| SKU Finish Style UPC | 55088NI Brushed Nickel Traditional 783927808620 |
| Finish Options | |
| Brushed Nickel | |
| Olde Bronze | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 DIA 6.75" 6.35 LBS 5.83" 9.75" 32.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 4 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 3.30 LBS |



FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Satin Etched STEEL |
|---|-----------------------|
| Product/Ordering Information | |
| SKU | 55088OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927808668 |
| Finish Ontions | |

Finish Options



Brushed Nickel



Olde Bronze



SPECIFICATIONS

Certifications/Qualifications www.kichler.com/warranty Dimensions Base Backplate 5.00 X 7.25 Extension 7.25" Weight 7.40 LBS Height from center of Wall opening 3.50" (Spec Sheet) Height 7.25" Width 22.75" **Light Source**

Lamp Included Not Included Lamp Type A19 Light Source Incandescent Max or Nominal Watt 75.00 # of Bulbs/LED Modules 3 75.00 Max Wattage/Range Socket Type Medium Socket Wire 150" Mounting/Installation

Install Glass Up or Down Yes Interior/Exterior Interior Location Rating Damp Wall Mount Mounting Style Mounting Weight 6.00 LBS

FIXTURE ATTRIBUTES

| TIXTORE ALTRIBOTES | |
|------------------------------|-----------------|
| Housing | |
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55065BK |
| Finish | Black |
| Style | Lodge / Country |
| UPC | 783927800938 |
| Finish Options | |



Black



Distressed Antique White



ALSO IN THIS FAMILY







44084BK

44084DAW

55063BK







55065DAW

55063DAW

Back to Category List

SPECIFICATIONS

Certifications/Qualifications www.kichler.com/warranty **Dimensions** Base Backplate 5.00 X 7.25 Extension 7.25" Weight 7.40 LBS Height from center of Wall opening 3.50" (Spec Sheet) Height 7.25" Width 22.75"

Light Source Lamp Included Not Included Lamp Type A19 Light Source Incandescent Max or Nominal Watt 75.00 # of Bulbs/LED Modules 3 75.00 Max Wattage/Range Socket Type Medium Socket Wire 150"

 Mounting/Installation

 Install Glass Up or Down
 Yes

 Interior/Exterior
 Interior

 Location Rating
 Damp

 Mounting Style
 Wall Mount

 Mounting Weight
 6.00 LBS


FIXTURE ATTRIBUTES

Distressed Antique White

| Housing | |
|------------------------------|--------------------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55065DAW |
| Finish | Distressed Antique White |
| Style | Lodge / Country |
| UPC | 783927800945 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 X 7.25 |
| Extension | 7.25" 3.80 LBS |
| Veight Height from center of Wall opening Spec Sheet) | 3.50" |
| Height | 7.25" |
| Vidth | 6.50" |
| ight Source | |
| _amp Included | Not Included |
| amp Type | A19 |
| ight Source Nax or Nominal Watt | Incandescent |
| lax or Nominai vvatt of Bulbs/LED Modules | 75.00 1 |
| Aax Wattage/Range | 75.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| nstall Glass Up or Down | Yes |
| nterior/Exterior | Interior |
| ocation Rating | Damp |
| Mounting Style | Wall Mount |
| Mounting Weight | 3.30 LBS |

FIXTURE ATTRIBUTES

| TIXTORE ALTRIBUTES | |
|--|-----------------|
| Housing | |
| Diffuser Description Primary Material | Clear STEEL |
| Product/Ordering Information | |
| SKU | 55063BK |
| Finish | Black |
| Style | Lodge / Country |
| UPC | 783927800914 |
| Finish Options | |
| _ | |




Black



Distressed Antique White



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 X 7.25 7.25" 3.80 LBS 3.50" 7.25" 6.50" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 3.30 LBS |

FIXTURE ATTRIBUTES

Distressed Antique White

| Housing | |
|------------------------------|--------------------------|
| Diffuser Description | Clear |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 55063DAW |
| Finish | Distressed Antique White |
| Style | Lodge / Country |
| UPC | 783927800921 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 8.00 X 4.50 |
| Extension Weight Height from center of Wall opening (Spec Sheet) | 6.75" 3.00 LBS 8.00" |
| Height Width | 10.25" 14.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 2 75.00 Medium 150" |
| Mounting/Installation Install Glass Up or Down | Yes |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Interior Damp Wall Mount 1.50 LBS |

FIXTURE ATTRIBUTES

Black

Brushed Nickel

| FIXTURE ATTRIBUTES | |
|--|-----------------------|
| Housing | |
| Diffuser Description Primary Material | Clear Seeded STEEL |
| Product/Ordering Information | |
| SKU | 45128BKCS |
| Finish | Black |
| Style | Traditional |
| UPC | 783927801874 |
| Finish Options | |
| | |





SPECIFICATIONS

| Certifications/Qualifications | |
|---|-------------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 8.00 X 4.50 |
| Extension | 6.75" |
| Weight Height from center of Wall opening (Spec Sheet) | 3.00 LBS 8.00" |
| Height | 10.25" |
| Width | 14.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 75.00 |
| # of Bulbs/LED Modules | 75.00 |
| Max Wattage/Range | 75.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Weight | Yes Interior Damp 1.50 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Seeded STEEL |
|---|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 45128NICS Brushed Nickel Traditional 783927801881 |

Finish Options



Black



Brushed Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 8.00 X 4.50 6.75" 4.00 LBS 8.00" 10.00" 24.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A19 Incandescent |
| Max or Nominal Watt | 75.00 |
| # of Bulbs/LED Modules | 3 |
| Max Wattage/Range | 75.00 Medium |
| Socket Type Socket Wire | 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Weight | Yes Interior Damp 2.00 LBS |



| FIXTURE ATTRIBUTES | |
|--|---|
| Housing | |
| Diffuser Description Primary Material | Clear Seeded STEEL |
| Product/Ordering Information | |
| SKU Finish Style UPC | 45129BKCS Black Traditional 783927801942 |
| Finish Options | |
| Black | |
| Brushed Nickel | |



SPECIFICATIONS

Brushed Nickel

| Certifications/Qualifications | |
|--|-------------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 8.00 X 4.50 |
| Extension Weight | 6.75" 4.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 8.00" |
| Height | 10.00" |
| Width | 24.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 75.00 |
| # of Bulbs/LED Modules | 3 |
| Max Wattage/Range | 75.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Weight | Yes Interior Damp 2.00 LBS |
| 3 4 5 4 | |



| FIXTURE ATTRIBUTES | |
|--|--|
| Housing | |
| Diffuser Description Primary Material | Clear Seeded STEEL |
| Product/Ordering Information | |
| SKU Finish Style UPC | 45129NICS Brushed Nickel Traditional 783927801904 |
| Finish Options | |
| Rlack | |



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 8.00 X 4.50 6.75" 5.40 LBS 8.25" 10.25" 33.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source | Incandescent |

75.00

75.00

150"

Medium

Mounting/Installation

Max or Nominal Watt

Max Wattage/Range Socket Type

Socket Wire

of Bulbs/LED Modules

Install Glass Up or Down Yes Interior/Exterior Interior Location Rating Damp Mounting Style Wall Mount Mounting Weight 2.60 LBS



| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | STEEL |
| | |
| Product/Ordering Information | |

SKU 45130BKCS Finish Black Style UPC Traditional 783927801911

Finish Options



Black



Brushed Nickel



ALSO IN THIS FAMILY











45130NICS



SPECIFICATIONS


| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 8.00 X 4.50 6.75" 5.40 LBS 8.25" 10.25" 33.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 4 75.00 Medium 150" |
| Mounting/Installation | |
| Install Glass Up or Down Interior/Exterior Location Rating Mounting Style Mounting Weight | Yes Interior Damp Wall Mount 2.60 LBS |
| FIXTURE ATTRIBUTES | |



Brushed Nickel

| FIXTURE ATTRIBUTES | |
|---|-----------------------------|
| Housing Diffuser Description Primary Material | Clear Seeded STEEL |
| Product/Ordering Information | |
| SKU Finish | 45130NICS Brushed Nickel |
| Style UPC | Traditional 783927801928 |
| Finish Options | |
| Black | |







Chennai™ 30" LED Vanity Mirror (Champagne Gold)



(Satin Nickel)







Tyan™ 30" LED Vanity Mirror with Etched Glass (White)

| Certifications/Qualifications | |
|--|--------------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Height Width | 3.25" 30.00" |
| Electrical | |
| Input Voltage | Single(120)V |
| Light Source | |
| Delivered Lumens Dimmable | 800 Yes |
| Mounting/Installation | |
| Connector Interior/Exterior Location Rating Wire Connectors | Yes Interior Damp Wire Nuts |
| Photometrics | |
| Kelvin Temperature | 3000K |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Etched STEEL |
|---|---|
| Product/Ordering Information | |
| SKU Finish Style UPC | 86004CG Champagne Gold Contemporary 887913602121 |

Finish Options







ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|--------------------------------------|---------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Extension Height Width | 3.25" 34.00" 30.00" |
| Light Source | |
| Delivered Lumens | 800 |
| Mounting/Installation | |
| Interior/Exterior Location Rating | Interior Damp |
| Photometrics | |
| Kelvin Temperature | 3000K |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | 30" Mirror STEEL |
|---|---|
| Product/Ordering Information | |
| SKU Finish Style UPC | 86004SN Satin Nickel Contemporary 887913602138 |

Finish Options



Champagne Gold



Satin Nickel



ALSO IN THIS FAMILY



SPECIFICATIONS

Mirror

| Certifications/Qualifications | |
|--|--------------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Height Length Width | 40.00" 1.50" 24.00" |
| Electrical | |
| Input Voltage | Single(120)V |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) | 1750 Yes 40000 |
| Mounting/Installation | |
| Connector Interior/Exterior Location Rating Wire Connectors | Yes Interior Damp Wire Nuts |
| Photometrics | |
| Color Rendering Index Color Temperature Range Kelvin Temperature | 90 3000-5000 3000K |
| FIXTURE ATTRIBUTES | |

| Housing Diffuser Description Primary Material | Etched STEEL |
|---|-----------------|
| Product/Ordering Information | |
| SKU | 86008 |
| Finish | Mirror |
| Style | Contemporary |
| UPC | 887913000095 |
| Finish Options | |



| Certifications/Qualifications | |
|--|--------------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Height Length Width | 60.00" 2.00" 30.00" |
| Electrical | |
| Input Voltage | Single(120)V |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) | 2550 Yes 40000 |
| Mounting/Installation | |
| Connector Interior/Exterior Location Rating Wire Connectors | Yes Interior Damp Wire Nuts |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| CIVILIDE ATTRIBUTES | |

| FIXTURE ATTRIBUTES | |
|---------------------------------------|-----------------------------|
| Housing | |
| Diffuser Description Primary Material | Screen White Glass STEEL |
| Product/Ordering Information | |
| SKU | 86010 |
| Finish | Mirror |
| Style | Contemporary |
| UPC | 887913000101 |
| Finish Options | |



Mirror



SPECIFICATIONS

| Certifications/Qualifications | |
|---------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Height Length | 30.00" 1.50" |
| Width | 24.00" |
| Electrical | |
| Input Voltage | Single(120)V |
| Light Source | |
| Delivered Lumens Dimmable | 1550 Yes |
| Expected Life Span (Hours) | 40000 |
| Mounting/Installation | |
| Connector | Yes |
| Interior/Exterior | Interior |
| Location Rating Wire Connectors | Damp Wire Nuts |
| Photometrics | |
| Color Rendering Index | 90 |
| Color Temperature Range | 3000-5000 |
| Kelvin Temperature | 3000K |
| FIXTURE ATTRIBUTES | |
| Housing | |

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Etched |
| Primary Material | STEEL |
| Product/Ordering Information | |
| SKU | 86006WH |
| Finish | White |
| Style | Contemporary |
| UPC | 887913000088 |
| Finish Options | |

White



OUTDOOR WALL LIGHTS





Camillo™ 15" 1 Light Wall Light with Clear Seeded Glass (Textured Black)

NEW



Camillo™ 15" 1 Light Wall Light with Clear Seeded Glass (Natural Brass)

NEW



Camillo™ 11" 1 Light Wall Light with Clear Seeded Glass (Textured Black)

NEW

59079NBR

Camillo™ 11" 1 Light Wall Light with Clear Seeded Glass (Natural Brass)

NEW



Camillo™ 18" 1 Light Wall Light with Clear Seeded Glass (Textured Black)

NEW



Camillo™ 18" 1 Light Wall Light with Clear Seeded Glass (Natural Brass)

NEW



Goson™ 16" 1 Light Wall Light with Clear Glass (Black)

NEW

59085BK



Goson™ 12" 1 Light Wall Light with Clear Glass (Black)

NEW



Goson™ 20" 1 Light Wall Light with Clear Glass (Black)

NEW



Timmin[™] 14" 1 Light Wall Light Clear Seeded Glass (Distressed Black)

NEW



Timmin[™] 10" 1 Light Wall Light with Clear Seeded Glass (Distressed Black)

NEW



Timmin™ 18" 1 Light Wall Light with Clear Seeded Glass (Distressed Black)

59050BK

59087BK



Tollis™ 18.5" 1 Light Wall Light with Clear Ribbed Glass (Black)

59050WH



Tollis™ 18.5" 1 Light Wall Light with Clear Ribbed Glass (White)

59051BK



Tollis™ 22.25" 1 Light Wall Light with Clear Ribbed Glass (Black)

59051WH



Tollis ™ 22.25" 1 Light Wall Light with Clear Ribbed Glass (White)



Tollis™ 15.25" 1 Light Wall Light with Clear Ribbed Glass (Black)



Tollis™ 15.25" 1 Light Wall Light with Clear Ribbed Glass (White)



Mercer 16" 1 Light Wall Light with Clear Seeded Glass (Black with Silver Highlights)



Mercer 16" 1 Light Wall Light with Clear Seeded Glass (Olde Bronze)



Mercer 12" 1 Light Wall Light with Clear Seeded Glass (Black with Silver Highlights)



Mercer 12" 1 Light Wall Light with Clear Seeded Glass (Olde Bronze)



Mercer 20" 1 Light Wall Light with Clear Seeded Glass (Black with Silver Highlights)



Mercer 20" 1 Light Wall Light with Clear Seeded Glass (Olde Bronze)

NEW



Drega 11" 1 LED Wall Light with Satin Etched Glass (Black)



Drega 14" 1 LED Wall Light with Satin Etched Glass (Black)



Drega 18.5" 1 LED Wall Light with Satin Etched Glass (Black)



Harmont™ 12" 1 Light Wall Light with Clear Seeded Glass (Olde Bronze)



Harmont™ 19" 1 Light Wall Light with Clear Seeded Glass (Olde Bronze)



Harmont™ 16" 1 Light Wall Light with Clear Seeded Glass (Olde Bronze)



Grand Bank™ 10" 1 Light Wall Light with Clear Seeded Glass (Auburn Stained)



Grand Bank™ 10" 1 Light Wall Light with Clear Seeded Glass (Distressed Antique Gray)



Grand Bank™ 13" 1 Light
Outdoor Wall Light with Clear
Seeded Glass (Auburn Stained)



Grand Bank™ 13" 1 Light Outdoor Wall Light with Clear Seeded Glass (Distressed Antique Gray)



Grand Bank™ 15" 1 Light
Outdoor Wall Light with Clear
Seeded Glass (Auburn Stained)



Grand Bank™ 15" 1 Light Outdoor Wall Light with Clear Seeded Glass (Distressed Antique Gray)



Fairfield 11" 1 Light Wall Light (Olde Bronze)



Fairfield 11" 1 Light Wall Light (Black)



Fairfield 14.5" 1 Light Wall Light (Olde Bronze)



Fairfield 14.5" 1 Light Wall Light (Black)



Fairfield 17.25" 1 Light Wall Light (Olde Bronze)



Fairfield 17.25" 1 Light Wall Light (Black)



Hampshire 15.25" 1 Light Wall Light (Textured Black)



Hampshire 19.75" 1 Light Wall Light (Textured Black)

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 X 6.25 7.50" 4.60 LBS 3.25" 14.75" 6.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 3.00 LBS |
| FIXTURE ATTRIBUTES | |

| FIXTURE ATTRIBUTES | |
|---|--|
| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59080BKT Textured Black Industrial 783927002257 |
| Finish Options | |
| Natural Brass | |
| Textured Black | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 X 6.25 |
| Extension | 7.50" |
| Weight Height from center of Wall opening | 4.60 LBS 3.25" |
| (Spec Sheet) | 0.20 |
| Height | 14.75" |
| Width | 6.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 100.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Wall Mount |
| Mounting Weight | 2.90 LBS |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
|---|---|
| Product/Ordering Information | |
| SKU Finish Style UPC | 59080NBR Natural Brass Industrial 783927002165 |
| Finish Ontions | |

Finish Options



Natural Brass



Textured Black



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height | 4.75 X 6.25 7.50" 4.00 LBS 3.25" |
| Width | 6.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation | |

Exterior

2.80 LBS

Wet Wall Mount

FIXTURE ATTRIBUTES

Textured Black

Interior/Exterior

Location Rating Mounting Style

Mounting Weight

| TIXTORE ALTRIBUTES | |
|------------------------------|----------------|
| Housing | |
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59079BKT |
| Finish | Textured Black |
| Style | Industrial |
| UPC | 783927002264 |
| Finish Options | |
| Natural Brass | |



ALSO IN THIS FAMILY



SPECIFICATIONS

Textured Black

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 X 6.25 |
| Extension | 7.50" |
| Weight Height from center of Wall opening | 4.00 LBS 3.25" |
| (Spec Sheet) Height | 11.00" |
| Width | 6.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 100.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style Mounting Weight | Wall Mount 2.80 LBS |
| Woulding Weight | 2.00 LB3 |

| FIXTURE ATTRIBUTES | |
|---------------------------------------|---|
| Housing Diffuser Description | Clear Seeded |
| Diffuser Description Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59079NBR Natural Brass Industrial 783927002189 |
| Finish Options | |
| Natural Brass | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 X 7.50 10.00" 6.10 LBS 3.50" 18.00" 8.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior | Exterior |
| Location Rating Mounting Style Mounting Weight | Wet Wall Mount 4.00 LBS |
| | |

FIXTURE ATTRIBUTES

Textured Black

| FIXTURE ALTRIBUTES | |
|------------------------------|------------------------------|
| Housing | |
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59081BKT |
| Finish | Textured Black |
| Style UPC | Transitional 783927002271 |
| | 163921002211 |
| Finish Options | |
| Natural Brass | |



ALSO IN THIS FAMILY



Back to Category List

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 5.25 X 7.50 10.00" |
| Weight Height from center of Wall opening (Spec Sheet) | 6.10 LBS 3.50" |
| Height Width | 18.00" 8.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 4.00 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|---------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59081NBR |
| Finish | Natural Brass |
| Style | Industrial |
| UPC | 783927002219 |
| Finish Ontions | |

Finish Options



Natural Brass



Textured Black



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.00 X 10.75 7.00" 4.80 LBS 8.25" 16.00" 8.00" |
| Light Source Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 100.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range Socket Type | 100.00 Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior Wet |
| Location Rating Mounting Style | wei Wall Mount |
| Mounting Weight | 3.20 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59086BK |
| Finish | Black |
| Style | Transitional |
| UPC | 783927002073 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY







SPECIFICATIONS

| Certifications/Qualifications | |
|---|----------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight | 5.00 X 8.75 6.00" 3.50 LBS |
| Height from center of Wall opening (Spec Sheet) | 6.25" |
| Height Width | 11.75" 7.00" |
| Light Source | |
| Lamp Included Lamp Type | Not Included A19 |
| Light Source | Incandescent |
| Max or Nominal Watt | 100.00 |
| # of Bulbs/LED Modules | 1 100 00 |
| Max Wattage/Range Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating | Exterior Wet |
| Mounting Style Mounting Weight | Wall Mount 2.50 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59085BK |
| Finish | Black |
| Style | Transitional |
| UPC | 783927002127 |
| Finish Options | |





ALSO IN THIS FAMILY







SPECIFICATIONS

Black

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 6.00 X 15.00 |
| Weight | 7.00" 6.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 10.25" |
| Height | 20.25" |
| Width | 8.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 3.70 LBS |
| FIXTURE ATTRIBUTES | |

| Housing Diffuser Description Primary Material | Clear ALUMINUM |
|---|-------------------|
| Product/Ordering Information | |
| SKU | 59087BK |
| Finish | Black |
| Style | Transitional |
| UPC | 783927002134 |
| Finish Options | |
| _ | |



ALSO IN THIS FAMILY








SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 X 14.00 4.75" 3.60 LBS 7.00" 14.25" 7.25" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 2 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 1.60 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|------------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59091DBK |
| Finish | Distressed Black |
| Style | Transitional |
| UPC | 783927002370 |
| | |





ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 X 10.00 4.75" 2.80 LBS 5.25" 10.25" 7.25" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 2 60.00 CAND 105" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 1.30 LBS |

FIXTURE ATTRIBUTES

Distressed Black

| Housing | |
|------------------------------|------------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59090DBK |
| Finish | Distressed Black |
| Style | Transitional |
| UPC | 783927002387 |
| Finish Options | |



ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 6.50 X 18.00 |
| Extension Weight | 6.00" 5.60 LBS |
| Height from center of Wall opening (Spec Sheet) | 9.25" |
| Height | 18.25" |
| Width | 8.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | B Incandescent |
| Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 2 |
| Max Wattage/Range | 60.00 |
| Socket Type | CAND |
| Socket Wire | 105" |
| Mounting/Installation | |
| Interior/Exterior | Exterior Wet |
| Location Rating Mounting Style | Wall Mount |
| Mounting Weight | 2.10 LBS |
| | |



| Housing | |
|------------------------------|------------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59092DBK |
| Finish | Distressed Black |
| Style | Transitional |
| UPC | 783927002400 |
| Finish Options | |





ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 12.25" 3.92 LBS 9.00" 18.00" 10.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 2.75 LBS |
| FIXTURE ATTRIBUTES | |

White

| FIXTURE ATTRIBUTES | |
|---|---|
| Housing Diffuser Description Primary Material | Clear Ribbed ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59050BK Black Coastal 783927801027 |
| Finish Options | |
| Black | |



| Certifications/Qualifications | |
|------------------------------------|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension | 12.25" |
| Weight | 3.92 LBS |
| Height from center of Wall opening | 9.00" |
| (Spec Sheet) Height | 18.00" |
| Width | 10.00" |
| | 10.00 |
| Light Source | |
| Lamp Included | Not Included A19 |
| Lamp Type Light Source | Incandescent |
| Max or Nominal Watt | 100.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 100.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Wall Mount |
| Mounting Weight | 2.75 LBS |
| | |

FIXTURE ATTRIBUTES

| TOTAL TATALOG TEC | |
|------------------------------|--------------|
| Housing Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59050WH |
| Finish | White |
| Style | Coastal |
| UPC | 783927801010 |
| Finish Options | |



Black





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 6.00 DIA |
| Extension | 14.25" |
| Weight | 5.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 10.75" |
| Height | 21.25" |
| Width | 12.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A21 |
| Light Source | Incandescent |
| Max or Nominal Watt | 150.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 150.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style Mounting Weight | Wall Mount 3.20 LBS |
| Woulding Weight | 3.20 LB3 |
| FIVELINE ATTRIBUTES | |

FIXTURE ATTRIBUTES

White

| FIXTURE ALTRIBUTES | |
|--|---|
| Housing Diffuser Description Primary Material | Clear Ribbed ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59051BK Black Coastal 783927801041 |
| Finish Options | |
| Black | |



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 6.00 DIA |
| Extension | 14.25" |
| Weight Height from center of Wall opening | 5.00 LBS 10.75" |
| (Spec Sheet) | 10.75 |
| Height | 21.25" |
| Width | 12.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A21 |
| Light Source | Incandescent |
| Max or Nominal Watt | 150.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 150.00 Medium |
| Socket Type Socket Wire | 150" |
| | 100 |
| Mounting/Installation | E |
| Interior/Exterior Location Rating | Exterior Wet |
| Mounting Style | Wall Mount |
| Mounting Weight | 3.20 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Ribbed |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59051WH |
| Finish | White |
| Style | Coastal |
| UPC | 783927801034 |
| | |

Finish Options



Black





ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 DIA 11.00" 2.70 LBS 7.00" 15.25" 8.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall 1.80 LBS |
| EIYTLIDE ATTDIDLITES | |

| FIXTURE ATTRIBUTES | |
|---|---|
| Housing Diffuser Description Primary Material | Clear Ribbed ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59049BK Black Coastal 783927801003 |
| Finish Options | |
| Black | |
| White | |



ALSO IN THIS FAMILY 59053BK 59052BK 59052WH 59050BK

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 5.00 DIA |
| Extension | 11.00" |
| Weight | 2.70 LBS 7.00" |
| Height from center of Wall opening (Spec Sheet) | 7.00 |
| Height | 15.25" |
| Width | 8.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent |
| # of Bulbs/LED Modules | 75.00 1 |
| Max Wattage/Range | 75.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Weight | 1.80 LBS |
| | |

FIXTURE ATTRIBUTES

| Clear Ribbed ALUMINUM |
|--------------------------|
| |
| 59049WH |
| White |
| Coastal |
| 783927800990 |
| |



Black

White





SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 X 16.00 8.50" 7.00 LBS 2.40" 16.00" 6.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 5.33 LBS |

FIXTURE ATTRIBUTES

Olde Bronze

| TIXTORE ALTRIBUTED | |
|------------------------------|------------------------------|
| Housing | |
| Diffuser Description | Clear Seeded |
| Primary Material | EPM |
| Product/Ordering Information | |
| SKU | 59061BSL |
| Finish | Black with Silver Highlights |
| Finish Code | BSL |
| Style | Transitional |
| UPC | 783927801379 |
| Finish Options | |
| Black with Silver Highlights | |



ALSO IN THIS FAMILY 59060OZ 59064BSL 59060BSL 59061OZ

SPECIFICATIONS

| OI LOII IOAI IONO | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension | 4.75 × 16.00 8.50" |
| Weight Height from center of Wall opening (Spec Sheet) | 7.00 LBS 2.40" |
| Height Width | 16.00" 6.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 5.33 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Olde Bronze

| Housing | |
|---------------------------------------|---------------------|
| Diffuser Description Primary Material | Clear Seeded EPM |
| Filliary Material | LLINI |
| Product/Ordering Information | |
| SKU | 59061OZ |
| Finish | Olde Bronze |
| Style | Transitional |
| UPC | 783927801386 |
| Finish Options | |
| Black with Silver Highlights | |



| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 X 12.00 |
| Extension | 8.50" |
| Weight | 5.73 LBS |
| Height from center of Wall opening (Spec Sheet) | 2.40" |
| Height | 12.25" |
| Width | 7.00" |
| Light Source | |
| Lauren bealenda d | Mad be about all |

Lamp Included Not Included Lamp Type A19 Light Source Incandescent Max or Nominal Watt 75.00 # of Bulbs/LED Modules Max Wattage/Range 75.00 Socket Type Medium Socket Wire 150"

Mounting/Installation

Interior/Exterior Exterior Location Rating Wet Mounting Style Wall Mount Mounting Weight 3.92 LBS

FIXTURE ATTRIBUTES

| Housing | |
|----------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | EPM |

Product/Ordering Information

SKU 59060BSL

Finish Black with Silver Highlights

Finish Code **BSL** Style Transitional UPC 783927801355

Finish Options

Black with Silver Highlights



Olde Bronze



ALSO IN THIS FAMILY



Olde Bronze

| SPECIFICATIONS | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 X 12.00 8.50" 5.73 LBS 2.40" 12.25" 7.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Exterior Wet Wall Mount 3.92 LBS |
| Housing | |

| TIXTORE ALTRIBUTES | |
|------------------------------|--------------|
| Housing | |
| Diffuser Description | Clear Seeded |
| Primary Material | EPM |
| Product/Ordering Information | |
| SKU | 59060OZ |
| Finish | Olde Bronze |
| Style | Transitional |
| UPC | 783927801362 |
| Finish Options | |
| Black with Silver Highlights | |



ALSO IN THIS FAMILY 59064BSL 59061BSL

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.50 X 18.75 10.50" 11.06 LBS 2.40" 18.75" 9.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 150" |

Exterior

Wall Mount

8.73 LBS

Wet

Mounting Style Mounting Weight **FIXTURE ATTRIBUTES**

Mounting/Installation Interior/Exterior

Location Rating

| Housing Diffuser Description Primary Material | Clear Seeded EPM |
|---|------------------------------|
| Product/Ordering Information | |
| SKU | 59062BSL |
| Finish | Black with Silver Highlights |
| Finish Code | BSL |
| Style | Transitional |
| UPC | 783927801393 |
| Finish Options | |



Black with Silver Highlights



Olde Bronze



ALSO IN THIS FAMILY



| SPECIFICATIONS | |
|--|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height | 5.50 X 18.75 10.50" 11.06 LBS 2.40" |
| Width | 9.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 8.73 LBS |
| CIVILIDE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Olde Bronze

| FIXTURE ATTRIBUTES | |
|-------------------------------------|-----------------------------|
| Housing Diffuser Description | Clear Seeded |
| Primary Material | EPM |
| Product/Ordering Information | |
| SKU | 59062OZ |
| Finish Style | Olde Bronze Transitional |
| UPC | 783927801409 |
| Finish Options | |
| Black with Silver Highlights | |



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 X 10.00 10.00" 3.75 LBS 5.00" 19.00" 7.00" |
| Light Source Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 550 Yes 40000 Integrated LED 1 105" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 3.00 LBS |
| Photometrics Color Rendering Index Kelvin Temperature FIXTURE ATTRIBUTES | 90 3000K |

| Housing | |
|--|---|
| Diffuser Description Primary Material | Seco ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59070BKLED Black Contemporary 783927602150 |
| Finish Options | |





ALSO IN THIS FAMILY







Back to Category List

SPECIFICATIONS

| SPECIFICATIONS | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 4.75 X 7.50 8.00" 6.00 LBS 3.75" 14.00" 5.25" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 550 Yes 40000 Integrated LED 1 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 4.50 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| FIXTURE ATTRIBUTES | |
| Housing Diffuser Description | Satin Etched Cased Opal |

| Housing | |
|------------------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59071BKLED |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927602143 |
| Finish Ontions | |





ALSO IN THIS FAMILY







SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 12.00 12.00" 7.50 LBS 6.00" 22.50" 8.50" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 850 Yes 40000 Integrated LED 1 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 5.25 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| FIXTURE ATTRIBUTES | |

Black

| FIXTURE ATTRIBUTES | |
|--|------------------|
| Housing | |
| Diffuser Description Primary Material | Seco ALUMINUM |
| Product/Ordering Information | |
| SKU | 59072BKLED |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927602167 |
| Finish Options | |
| | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 4.75 X 6.25 |
| Extension Weight | 8.00" 3.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 3.25" |
| Height | 13.50" |
| Width | 6.50" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 100.00 |
| # of Bulbs/LED Modules | 2 |
| Max Wattage/Range | 100.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Wall Mount 1.50 LBS |
| Mounting Weight | 1.00 LD3 |

FIXTURE ATTRIBUTES

Olde Bronze

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59093OZ |
| Finish | Olde Bronze |
| Style | Industrial |
| UPC | 783927002011 |
| Finish Options | |





ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.50 X 9.00 12.00" 8.00 LBS 4.50" 19.00" 10.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 3 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 4.00 LBS |

FIXTURE ATTRIBUTES

Olde Bronze

| Housing | | |
|-------------------------------------|--------------|--|
| Diffuser Description | Clear Seeded | |
| Primary Material | ALUMINUM | |
| Product/Ordering Information | | |
| SKU | 59095OZ | |
| Finish | Olde Bronze | |
| Style | Industrial | |
| UPC | 783927002028 | |
| Finish Options | | |



ALSO IN THIS FAMILY





Back to Category List

Kichler.com 225

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 5.50 X 9.00 10.00" 5.00 LBS |
| Weight Height from center of Wall opening (Spec Sheet) | 4.50" |
| Height Width | 16.00" 8.25" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included B Incandescent 60.00 2 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 2.50 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59094OZ |
| Finish | Olde Bronze |
| Style | Industrial |
| UPC | 783927002004 |
| Finish Ontions | |





ALSO IN THIS FAMILY





SPECIFICATIONS

Auburn Stained

Distressed Antique Gray

| SPECIFICATIONS | |
|---|---|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 DIA 9.50" 2.30 LBS 7.50" 10.25" 8.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 1 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Exterior Wet Wall 1.90 LBS |
| | |
| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59065AUB Auburn Stained Lodge / Country 783927801195 |
| Finish Options | |



59066DAG

59066AUB

Back to Category List

59067AUB

| Certifications/Qualifications | www.kichler.com/warranty |
|---|---|
| Dimensions | , |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.25 DIA 9.50" 2.30 LBS 7.50" 10.25" 8.00" |
| Light Source | |
| Bulb Product ID Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | 4064CLR Not Included B Incandescent 60.00 1 60.00 CAND 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 1.90 LBS |
| FIXTURE ATTRIBUTES | |

Distressed Antique Gray

| FIXTURE ATTRIBUTES | |
|------------------------------|-------------------------|
| Housing | |
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59065DAG |
| Finish | Distressed Antique Gray |
| Style | Lodge / Country |
| UPC | 783927801201 |
| Finish Options | |
| Auburn Stained | |



ALSO IN THIS FAMILY 59069DAG 59069AUB 59065AUB 59066DAG 59067AUB

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height | 6.00 DIA 11.50" 3.65 LBS 9.75" |
| Width | 10.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 105" |
| Mounting/Installation | |

Exterior

3.10 LBS

Wet Wall Mount

FIXTURE ATTRIBUTES

Distressed Antique Gray

Interior/Exterior

Location Rating Mounting Style

Mounting Weight

| FIXTORE ATTRIBUTES | |
|---|---|
| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59066AUB Auburn Stained Lodge / Country 783927801218 |
| Finish Options | |
| Auburn Stained | |





| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 6.00 DIA |
| Extension | 11.50" |
| Weight | 3.65 LBS 9.75" |
| Height from center of Wall opening (Spec Sheet) | 9.73 |
| Height | 12.75" |
| Width | 10.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source | Incandescent |
| Max or Nominal Watt | 75.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range Socket Type | 75.00 Medium |
| Socket Wire | 105" |
| Manutinallation | |
| Mounting/Installation Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Wall Mount |
| Mounting Weight | 3.10 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
|---|--|
| Product/Ordering Information | |
| SKU Finish Style UPC | 59066DAG Distressed Antique Gray Lodge / Country 783927801225 |

Finish Options




Auburn Stained



Distressed Antique Gray



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 7.00 DIA 13.50" |
| Weight | 5.10 LBS |
| Height from center of Wall opening (Spec Sheet) | 11.75" |
| Height | 15.25" |
| Width | 12.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A19 Incandescent |
| Max or Nominal Watt | 100.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 100.00 |
| Socket Type Socket Wire | Medium 105" |
| | 100 |
| Mounting/Installation | Estavian |
| Interior/Exterior | Exterior |

Mounting Weight **FIXTURE ATTRIBUTES**

Location Rating

Mounting Style

| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
|---|---|
| Product/Ordering Information SKU Finish Style UPC | 59067AUB Auburn Stained Lodge / Country 783927801232 |

Wet

Wall Mount 4.30 LBS

Finish Options




Auburn Stained



Distressed Antique Gray



ALSO IN THIS FAMILY



| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 7.00 DIA |
| Extension | 13.50" 5.10 LBS |
| Weight Height from center of Wall opening (Spec Sheet) | 11.75" |
| Height | 15.25" |
| Width | 12.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 4.30 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------------------|
| Diffuser Description | Clear Seeded ALUMINUM |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59067DAG |
| Finish | Distressed Antique Gray |
| Style | Lodge / Country |
| UPC | 783927801249 |

Finish Options



Auburn Stained



Distressed Antique Gray



ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 5.00 X 7.00 7.00" 2.50 LBS 3.50" 11.00" 6.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | Not Included A19 Incandescent 60W 1 Medium 150" |
| Mounting/Installation | Exterior |
| Location Rating Mounting Weight | Wet 1.50 LBS |
| FIXTURE ATTRIBUTES | |

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 49892OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927540315 |
| Finish Options | |







ALSO IN THIS FAMILY



Fairfield 11" 1 Light Wall Light Black

© 2021 Kichler Lighting LLC. All Rights Reserved.

SPECIFICATIONS

| 01 2011 107 11 10110 | |
|---|--------------------------|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 5.00 X 7.00 7.00" |
| Weight | 2.50 LBS |
| Height from center of Wall opening (Spec Sheet) | 3.50" |
| Height | 11.00" |
| Width | 6.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A19 Incandescent |
| Max or Nominal Watt | 60.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 60.00 |
| Socket Type Socket Wire | Medium 150" |
| 000.001.11.10 | 130 |
| Mounting/Installation Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Wall Mount |
| Mounting Weight | 1.50 LBS |
| | |

FIXTURE ATTRIBUTES

Black

Olde Bronze

| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
|---|--------------------------|
| Product/Ordering Information | |
| SKU | 49892BK |
| Finish | Black |
| Style | Traditional |
| UPC | 783927801270 |
| Finish Options | |
| | |



SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 8.75 8.75" 3.70 LBS 4.50" 14.50" 7.50" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | Not Included A19 Incandescent 75W 1 Medium 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |

| Interior/Exterior | Exterior |
|-------------------|----------|
| Location Rating | Wet |
| Mounting Weight | 2.40 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 49893OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927540322 |
| Einich Ontions | |

Finish Options





ALSO IN THIS FAMILY



Back to Category List

SPECIFICATIONS

| SPECIFICATIONS | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 8.75 8.75" 3.70 LBS 4.50" 14.50" 7.50" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 75.00 1 75.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 2.40 LBS |
| CIVILIDE ATTDIDLITES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 49893BK |
| Finish | Black |
| Style | Traditional |
| UPC | 783927801287 |
| Finish Options | |
| | |



Black



Olde Bronze



49893OZ



49894OZ

Back to Category List

49895OZ

SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 6.25 X 8.75 10.25" 5.70 LBS 4.50" 17.25" 9.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | Not Included A19 Incandescent 100W 1 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Weight | Exterior Wet 3.60 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 49894OZ |
| Finish | Olde Bronze |
| Style | Traditional |
| UPC | 783927540339 |
| | |

Finish Options



Olde Bronze



ALSO IN THIS FAMILY



| 01 2011 107 tt 10110 | |
|---|--------------------------|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension | 6.25 X 8.75 10.25" |
| Weight | 5.70 LBS |
| Height from center of Wall opening (Spec Sheet) | 4.50" |
| Height | 17.25" |
| Width | 9.00" |
| Light Source | |
| Lamp Included | Not Included A19 |
| Lamp Type Light Source | Incandescent |
| Max or Nominal Watt | 100.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range Socket Type | 100.00 Medium |
| Socket Type Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Wall Mount |
| Mounting Weight | 3.60 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 49894BK |
| Finish | Black |
| Style | Traditional |
| UPC | 783927801973 |
| Finish Options | |
| | |

Black





Olde Bronze





Back to Category List

SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Extension Weight Height from center of Wall opening (Spec Sheet) Height Width | 7.00 DIA 12.75" 2.50 LBS 9.75" 15.25" 12.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Wall Mount 2.50 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Primary Material | EPMM |
| Product/Ordering Information | |
| SKU | 59055BKT |
| Finish | Textured Black |
| Style | Coastal |
| UPC | 783927801317 |
| Finish Ontions | |







| Certifications/Qualifications | |
|---|--------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate | 8.00 DIA |
| Extension Weight | 16.75" 2.77 LBS |
| Height from center of Wall opening (Spec Sheet) | 11.75" |
| Height | 19.75" |
| Width | 16.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type Light Source | A21 Incandescent |
| Max or Nominal Watt | 150 00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 150.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior Wet |
| Location Rating Mounting Style | Wall Mount |
| Mounting Weight | 2.77 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Primary Material | EPM |
| Product/Ordering Information | |
| SKU | 59056BKT |
| Finish | Textured Black |
| Style | Coastal |
| UPC | 783927801324 |
| Finish Ontions | |





ALSO IN THIS FAMILY



OUTDOOR POST LIGHTS





Drega 24" 1 LED Post Light with Satin Etched Glass (Black)

NEW



59088BK

Goson™ 20" 1 Light Post Light with Clear Glass (Black)



59052BK

Tollis™ 18" 1 Light Post Light with Clear Ribbed Glass (Black)



Tollis™ 18" 1 Light Post Light with Clear Ribbed Glass (White)



Fairfield 1 Light Post Light (Olde Bronze)



Fairfield 1 Light Post Light (Black)

SPECIFICATIONS

| Certifications/Qualifications | |
|--|-------------------------------------|
| | www.kichler.com/warranty |
| Dimensions | |
| Weight Height Width | 6.00 LBS 24.25" 8.50" |
| Light Source | |
| Delivered Lumens Dimmable Expected Life Span (Hours) Lamp Included Light Source # of Bulbs/LED Modules Socket Wire | 850 Yes 40000 Integrated LED 1 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Post 3.75 LBS |
| Photometrics | |
| Color Rendering Index Kelvin Temperature | 90 3000K |
| FIXTURE ATTRIBUTES | |

| Housing | |
|--|--------------------------------------|
| Diffuser Description Primary Material | Satin Etched Cased Opal. ALUMINUM |
| Product/Ordering Information | |
| SKU | 59073BKLED |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927602174 |





ALSO IN THIS FAMILY







SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Weight Height Width | 6.00 LBS 21.00" 8.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Post 3.70 LBS |
| FIXTURE ATTRIBUTES | |

FIXTURE ATTRIBUTES

Black

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59088BK |
| Finish | Black |
| Style | Transitional |
| UPC | 783927002158 |
| Finish Options | |
| | |



ALSO IN THIS FAMILY





SPECIFICATIONS

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Weight Height Width | 3.79 LBS 18.25" 10.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Post 2.47 LBS |
| CIVILIDE ATTRIBUTEO | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Ribbed |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59052BK |
| Finish | Black |
| Style | Coastal |
| UPC | 783927801089 |
| Finish Ontions | |

Finish Options



Black



White



ALSO IN THIS FAMILY





59052WH





Back to Category List

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Weight Height Width | 3.79 LBS 18.25" 10.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style Mounting Weight | Post 2.47 LBS |
| EIVTLIDE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing Diffuser Description Primary Material | Clear Ribbed ALUMINUM |
|---|--------------------------|
| Product/Ordering Information | |
| SKU | 59052WH |
| Finish Style | White Coastal |
| UPC | 783927801072 |

Finish Options



Black





ALSO IN THIS FAMILY



SPECIFICATIONS

| SFECIFICATIONS | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions | 5 00 1 00 |
| Weight Height Width | 5.30 LBS 19.25" 9.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Socket Type Socket Wire | Not Included A19 Incandescent 100W 1 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Weight | Exterior Wet 3.20 LBS |
| FIXTURE ATTRIBUTES | |
| Housing | |
| Diffuser Description | Clear Seeded |

Primary Material ALUMINUM **Product/Ordering Information** SKU 49895OZ Finish Olde Bronze Style UPC Traditional 783927540346

Finish Options







ALSO IN THIS FAMILY



SPECIFICATIONS

| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Weight Height Width | 5.30 LBS 19.25" 9.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Wet Post Mount 3.20 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 49895BK |
| Finish | Black |
| Style | Traditional |
| UPC | 783927801300 |

Finish Options



Black




Olde Bronze



ALSO IN THIS FAMILY



Back to Category List



SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 6.60 LBS 17.50" 47.00" 8.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Exterior Wet Stem Hung 4.40 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|----------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59082BKT |
| Finish | Textured Black |
| Style | Transitional |
| UPC | 783927002288 |

Finish Options



Natural Brass



Textured Black



ALSO IN THIS FAMILY



Back to Category List

00002.45.

© 2021 Kichler Lighting LLC. All Rights Reserved.

SPECIFICATIONS

| Certifications/Qualifications | |
|-------------------------------------|--------------------------|
| Certifications/Qualifications | www.kichler.com/warranty |
| | www.kichier.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length | 5.00 DIA 36" |
| Weight | 6.60 LBS |
| Height | 17.50" |
| Overall Height | 47.00" |
| Width | 8.00" |
| Light Source | |
| Lamp Included | Not Included |
| Lamp Type | A19 |
| Light Source Max or Nominal Watt | Incandescent 100.00 |
| # of Bulbs/LED Modules | 1 |
| Max Wattage/Range | 100.00 |
| Socket Type | Medium |
| Socket Wire | 150" |
| Mounting/Installation | |
| Interior/Exterior | Exterior |
| Location Rating | Wet |
| Mounting Style | Stem Hung |
| Mounting Weight | 4.40 LBS |
| FIXTURE ATTRIBUTES | |
| Housing | |

| Housing | |
|--|--------------------------|
| Diffuser Description Primary Material | Clear Seeded ALUMINUM |
| Product/Ordering Information | |
| SKU | 59082NBR |
| Finish | Natural Brass |
| Style | Transitional |
| UPC | 783927002226 |





Natural Brass





ALSO IN THIS FAMILY



© 2021 Kichler Lighting LLC. All Rights Reserved.

SPECIFICATIONS

| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 5.20 LBS 15.00" 89.00" 12.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Exterior Damp Ceiling Mount 4.40 LBS |

| Housing | |
|------------------------------|-----------------|
| Diffuser Description | Clear Seeded |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59069AUB |
| Finish | Auburn Stained |
| Style | Lodge / Country |
| UPC | 783927801256 |

Finish Options



Auburn Stained



Distressed Antique Gray



ALSO IN THIS FAMILY











© 2021 Kichler Lighting LLC. All Rights Reserved.

| SPECIFICATIONS | |
|--|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 5.20 LBS 15.00" 89.00" 12.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Damp Ceiling Mount 4.40 LBS |
| FIXTURE ATTRIBUTES | |
| Housing Diffuser Description Primary Material | Clear Seeded ALUMINUM |
| Product/Ordering Information | |
| SKU Finish Style UPC | 59069DAG Distressed Antique Gray Lodge / Country 783927801263 |
| Finish Options | |



Back to Category List

Auburn Stained

Distressed Antique Gray

© 2021 Kichler Lighting LLC. All Rights Reserved.

SPECIFICATIONS

| Certifications/Qualifications | |
|--|--|
| | www.kichler.com/warranty |
| Dimensions Base Backplate | 5.00 DIA |
| Chain/Stem Length Weight Height Overall Height Width | 36" 5.54 LBS 18.00" 56.00" 12.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 105" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Damp Stem Hung 3.67 LBS |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Ribbed |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59053BK |
| Finish | Black |
| Style | Coastal |
| UPC | 783927801065 |

Finish Options









ALSO IN THIS FAMILY













Back to Category List

| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 36" 5.54 LBS 18.00" 56.00" 12.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Damp Stem Hung 3.67 LBS |
| | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Ribbed |
| Primary Material | ALUMINUM |
| Product/Ordering Information | |
| SKU | 59053WH |
| Finish | White |
| Style | Coastal |
| UPC | 783927801058 |





White



ALSO IN THIS FAMILY











| Certifications/Qualifications | |
|--|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height Width | 7.00 DIA 2.95 LBS 13.25" 51.76" 12.00" |
| Light Source Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A19 Incandescent 100.00 1 100.00 Medium 150" |
| Mounting/Installation Interior/Exterior Location Rating Mounting Style Mounting Weight FIXTURE ATTRIBUTES | Exterior Damp Stem Hung 2.95 LBS |

| Housing Primary Material | EPM |
|---------------------------------|----------------------------|
| Product/Ordering Information | |
| SKU Finish | 59057BKT Textured Black |
| Style UPC | Coastal 783927801331 |
| | |







59058BKT

59055BKT

Back to Category List

59056BKT

| 0. 20. 10 | |
|---|--|
| Certifications/Qualifications | |
| | www.kichler.com/warranty |
| Dimensions Base Backplate Weight Height Overall Height Width | 8.00 DIA 4.16 LBS 16.75" 55.82" 16.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Damp Stem Hung 4.16 LBS |
| FIXTURE ATTRIBUTES | |

| Housing Primary Material | EPM |
|------------------------------------|----------------|
| Product/Ordering Information | |
| SKU | 59058BKT |
| Finish | Textured Black |
| Style | Coastal |
| UPC | 783927801348 |

Finish Options



Textured Black









| Certifications/Qualifications | |
|---|---|
| | www.kichler.com/warranty |
| Dimensions Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 11.90 LBS 21.00" 95.75" 9.00" |
| Light Source | 3.00 |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Damp Chain Hung 8.06 LBS |
| FIXTURE ATTRIBUTES | |

| Han | <u> </u> | |
|-----|----------|----|
| Hou | SII | ng |

Clear Seeded Diffuser Description EPM Primary Material

Product/Ordering Information

SKU 59064BSL

Black with Silver Highlights Finish

Finish Code BSL

Transitional Style UPC 783927801416

Finish Options

Black with Silver Highlights



Olde Bronze



ALSO IN THIS FAMILY















| Certifications/Qualifications | |
|---|--|
| | www.kichler.com/warranty |
| Dimensions | |
| Base Backplate Chain/Stem Length Weight Height Overall Height Width | 5.00 DIA 72" 11.90 LBS 21.00" 96.75" 9.00" |
| Light Source | |
| Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Max Wattage/Range Socket Type Socket Wire | Not Included A21 Incandescent 150.00 1 150.00 Medium 105" |
| Mounting/Installation | |
| Interior/Exterior Location Rating Mounting Style Mounting Weight | Exterior Damp Chain Hung 8.06 LBS |
| CIVILIDE ATTRIBUTES | |

FIXTURE ATTRIBUTES

| Housing | |
|------------------------------|--------------|
| Diffuser Description | Clear Seeded |
| Primary Material | EPM |
| Product/Ordering Information | |
| SKU | 59064OZ |
| Finish | Olde Bronze |
| Style | Transitional |
| UPC | 783927801423 |

Finish Options



Black with Silver Highlights



Olde Bronze




ALSO IN THIS FAMILY







Back to Category List



Indoor Accessories

INDOOR CHAIN

Chain can be ordered in 3' lengths to supplement existing supplied chain with Kichler $^\circ$ fixtures. To order more, look for the recommendations for fixtures requiring chain.

| Chain Finishes | Standard Gauge | Heavy Gauge | Extra Heavy Gauge | Decorative |
|--|----------------|-------------|-------------------|------------------|
| AB Antique Brass | 2996 AB | - | - | - |
| AP Antique Pewter | - | 4901 AP | 4908 AP, 4909 AP | - |
| AVI Anvil Iron | 2996 AVI | 4901 AVI | - | - |
| BK Black | - | 4901 BK | 4908 BK | - |
| BPT Brushed Pewter | 2996 BPT | 4901 BPT | - | - |
| BST Brown Stone | 2996 BST | - | - | - |
| CH Chrome | 2996 CH | 4901 CH | - | - |
| CLP Classic Pewter | 2996 CLP | - | 4908 CLP | - |
| DAW Distressed Antique White | 2996 DAW | 4901 DAW | - | - |
| DBK Distressed Black | 2996 DBK | - | 4908 DBK | - |
| FXG Fox Gold | 2996 FXG | 4901 FXG | | |
| ESP Espresso | - | - | 4909 ESP | - |
| MIZ Mission Bronze [™] | - | 4901 MIZ | - | - |
| NBR Natural Brass | 2996 NBR | 4901 NBR | - | - |
| NI Brushed Nickel | - | 4901 NI | 4908 NI | - |
| OZ Olde Bronze [®] | 2996 OZ | 4901 OZ | 4908 OZ, 4909 OZ | - |
| PB Polished Bronze | 2979 PB | | | |
| PN Polished Nickel | 2996 PN | 4901 PN | - | - |
| RVN Ravenna [™] | - | - | 4930 RVN | 4912 RVN |
| SRM Sunrise Mist [™] | 2996 SRM | - | 4908 SRM | - |
| SN Satin Nickel | 2996 SN | 4901 SN | | |
| TRZ Terrene Bronze [™] | - | 4901 TRZ | 4908 TRZ | - |
| TZ Tannery Bronze [™] | - | - | - | 4905 TZ, 4917 TZ |
| WZC Weathered Zinc | 2996 WZC | 4901 WZC | - | - |
| | | | | |

STEM SEGMENTS

Increase the overall length of a fixture by connecting up to a maximum of 5-stem segments.

| Stem Finishes | 6" L x .5" W | 12" L x .5" W | 6" L x .625" W | 12" L x .625" W | 24" L x .5" W | 36" L x .5" W | 48" L x .5" W |
|-------------------------------------|--------------|------------------|----------------|-----------------|---------------|---------------|---------------|
| AP Antique Pewter | 2998 AP | 2995 AP, 2999 AP | - | - | - | - | - |
| AVI Anvil Iron | - | - | - | 4935 AVI | - | _ | - |
| BK Black | - | 2995 BK, 2999 BK | - | - | - | _ | - |
| BPT Brushed Pewter | - | - | - | 4935 BPT | - | - | - |
| CH Chrome | 2998 CH | 2995 CH, 2999 CH | - | 4935 CH | - | _ | - |
| CLP Classic Pewter | - | 2999 CLP | - | 4935 CLP | - | - | - |
| DAW Distressed Antique White | - | _ | - | 4935 DAW | - | - | - |
| DBK Distressed Black | - | 2999 DBK | 4934 DBK | - | - | _ | - |
| FXG Fox Gold | - | 2999 FXG | - | 4935 FXG | - | _ | - |
| NBR Natural Brass | - | 2999 NBR | - | - | - | _ | - |
| NI Brushed Nickel | 2998 NI | _ | 4934 NI | 4935 NI | - | 3036 NI | 3048 NI |
| OZ Olde Bronze [®] | 2998 OZ | 2995 OZ, 2999 OZ | - | 4935 OZ | - | - | - |
| PN Polished Nickel | - | 2999 PN | - | 4935 PN | - | - | - |
| WZC Weathered Zinc | - | 2999 WZC | - | - | - | - | - |

Outdoor Accessories

ADDRESS LIGHT Finish: Textured Black



Address Light LED 43800BKTLED 12.25"W x 7"H



Address Light Xenon 43800BKT 12.25"W x 7"H

Number 1 Panel 4301 2.25"W x 5"H

Number 2 Panel 4302 2.25"W x 5"H



Number 3 Panel 4303 2.25"W x 5"H



Number 4 Panel 4304 2.25"W x 5"H



Number 5 Panel 4305 2.25"W x 5"H



Number 6 Panel 4306 2.25"W x 5"H



Number 7 Panel 4307 2.25"W x 5"H



Number 8 Panel 4308 2.25"W x 5"H



Number 9 Panel 4309 2.25"W x 5"H



Number 0 Panel 4300 2.25"W x 5"H



Full Size Blank Panel 4310 2.25"W x 5"H



Set of 2 Half Size Blank Panel 4311 1.125"W x 5"H



Xenon Address **Light Transformer** 4381 2.75"W x 2.5"H

© DARK SKY ACCESSORIES



Alameda[™] Dark Sky 4820WH




Alameda[™] Dark Sky 4812WH





Dark Sky Adapter 4822OZ 4"W x 5.5"H





Alameda[™] Dark Sky 4813WH



Alameda[™] Dark Sky 4814WH





Dark Sky Adapter 4822BK 4"W x 5.5"H



LAMP POSTS



Cast Aluminum Pedestal Mount 9523BKT 12.75"W x 96"H



72" Cast Aluminum Post 9510 BK, LD, **OZ** 12.75"W x 72"H



96" Cast Aluminum Post 9542 BK, **OZ** 12.75"W x 96"H



84" Direct Burial **Aluminum Post** 9506 AZ, **BK**, OZ, TZ 3"W x 84"H



84" Direct Burial Fluted **Aluminum Post** 9595 BK, BST, **OZ** 3"W x 84"H

PEDESTAL MOUNTS



Cast Aluminum Pedestal Mount 9531 BK 8"W x 9"H



Cast Aluminum Pedestal Mount 9540 **BKT**, LD 10"W x 4.75"H



Cast Aluminum Pedestal Mount 9530 **BK**, OZ, PB, WZC 7"W x 3.5"H




Cast Aluminum Pedestal Mount 9549 **BKT**, LD 10"W x 5.75"H



Cast Aluminum Pedestal Mount 9592 **AZ**, BK, RZ 5.75"W x 3.5"H


MISCELLANEOUS




Direct Burial Aluminum Post with Ladder Rest 9501 BK. WH 3"W x 84"H



Direct Burial Aluminum Post with Ladder Rest and Internal Photocell 9502 BK, 3"W x 84"H



Direct Burial Aluminum Post with Ladder Rest 9505AZ 3"W x 84"H




Direct Burial Aluminum Post with Ladder Rest and External Photocell 49904 AZ, BK, 3"W x 84"H



Direct Burial Aluminum Post with Ladder Rest, External Photocell and GCO 49907 AZ, BK,WH, 3"W x 84"H



Direct Burial Aluminum Post 144" 49914 AZ, BK 3"W x 144"H



External Photocell Replacement 49951BK 2.25"W x 1.75"H



Grounded Convenience Outlet (GCO) 49952BK 3"W x 2"H



Ladder Rest Replacement 49953 AZ, BK, WH 1.5"H x 15.75"L

CHAIN AND STEM

Outdoor Brass Chain 36" 4927 AZ, BK, BKT, CV, DCO, OZ, PR, RZ, WZC 0.25"W x 36"L

Chain Ex Heavy Gauge 36" 4930 BK, LD 1.5"W x 36"L

Chain Ex Heavy Gauge 36" 4908 BK, AP, CLP, DBK, NI, OZ, TRZ, TZ 1"W x 36" L

Outdoor Stem 12" 2999 AP, BK, CH, CLP, DBK, FXG, NBR, NI, OZ, PN 0.5"W x 12"L

CONSUMER NOTICE

- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended; however, you may use lower wattage lamps to suit your lighting needs. Some recommended lamps are not in the maximum allowable wattage.
- All electrical products are rated as 120-volt, AC unless otherwise noted.
- · All electrical products are certified and listed to UL/CSA/ETL Standards for use in U.S.A. and Canada except where noted.







- All chain drop products equipped with at least 72" of chain unless otherwise noted.
- All products featured in the outdoor section

- are certified and listed to UL/CSA/ETL standards for wet location except where
- Many long-life tungsten halogen capsule lamps are now available as alternates to conventional incandescent light bulbs. The halogen capsule lamps may be used to replace any lamp of a higher wattage, but not to exceed the existing specified maximum wattage, i.e., 72W may replace a
- On some products, in order to accommodate higher-than-normal ceiling height, extra lead wire is supplied and specified. With additional sections of chain or stems (not included), this allows an added measure of design flexibility.
- Finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, airborne pollutants, and other forms of weathering.

 To serve you better, Kichler Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.



Kichler Lighting is a member of the American Lighting Association (ALA), a trade

association representing the residential lighting and ceiling fan industries in the United States and Canada. Its membership includes leading lighting and fan manufacturers, showrooms (retailers), manufacturers representatives and designers. ALA members are dedicated to providing the public with the proper application of quality residential lighting.

Federal Communications Commission devices designated with this logo comply with part 15 of the FCC Rules.

CONSUMER NOTICE

Federal Legislation to phase out 100 watt Incandescent Bulbs started January 2012

The federal government enacted the Energy Independence and Security Act of 2007 in December 2007, requiring all general-purpose light bulbs that produce 310-2600 lumens of light be 30% more energy efficient (similar to current halogen lamps) than current incandescent bulbs by 2014. The efficiency standards started with 100 watt bulbs in January 2012 and will end with 40 watt bulbs in January 2014.

Light bulbs outside of this range are exempt from the restrictions (historically, less than 40 watts or more than 150 watts). Also exempt are several classes of specialty lights, including appliance lamps, rough service bulbs, 3-way, colored lamps and plant lights.

By 2020, a second tier of restrictions will become effective; which requires all generalpurpose bulbs to produce at least 45 lumens per watt (similar to current CFLs). Exempt from the Act are reflector flood, 3-way, candelabra, colored and other specialty bulbs.

Many governments worldwide have passed measures to prohibit the sale of incandescent light bulbs for general lighting. The aim is to encourage use of more energy-efficient lighting alternatives, such as compact fluorescent lamps (CFLs) and LED lamps.

References: www.energy.senate.gov

We go to great lengths to assure the metal and glass finishes shown in the catalog match the actual products, but printing variations and variations in chemical finishes and the nature of hand-applied finishing will cause some differences between the printed images and actual product, and from one product to another.

We use only non-ferrous materials on the exterior parts of our outdoor lantern products, and use the best available weather-resistant finishes. However, due to some extreme environmental conditions such as acid rain, salt air and ultraviolet exposure, we cannot guarantee our exterior finishes, with the exception of our LifeBrite® lanterns.

Due to environmental conditions such as soil acidity, concrete alkalinity and other corrosive soil and air conditions, we cannot guarantee our direct burial posts.

Abbreviation Key

PRODUCT SPEC INFO

| CAND | . Candelabra Socket Type |
|------------|--|
| CLR | . Clear |
| CRI | . Color Rendering Index |
| Chain/Stem | . Length of chain/stem supplied with fixture |
| DIA | . Diameter |
| H | . Height |
| HAL | . Halogen light source |
| Κ | . Kelvin temperature |
| L | . Length |
| LBS | .Pounds |
| LED | . Light Emitting Diode |
| LPW | . Lumens per Watt |

| SECO | . Satin Etched Cased Opal glass |
|------|---|
| SQ | . Square |
| v | . Voltage |
| W | . Width, when paired with L and/or H |

Overall Ht.....Overall Height

W...... Watts, when directly next to a number

FINISHES

| AB Antique Brass |
|--------------------------|
| ACO Antique Copper |
| AGZ Aged Bronze |
| ANS Antique Satin Silver |

| 711 mmmm 7 ti resquio i ottreoi |
|--|
| AUB Auburn Stained Finish |
| AVI Anvil Iron |
| AW Aged White |
| AZ Architectural Bronze™ |
| AZT Textured Architectural Bronz |
| BA Brushed Aluminum |
| BAB Burnished Antique Brass |
| BBR Bronzed Brass |
| BK Black |
| BKG Black with Gold Highlights |
| BKTTextured Black |
| BKZ Berkshire Bronze $^{\text{\tiny{M}}}$ |
| BNB Brushed Natural Brass |

ze"

AP..... Antique Pewter

Abbreviation Key cont.

| BPTBrushed Pewter |
|---|
| BSL Black with Silver Highlights |
| BSS Brushed Stainless Steel |
| BST Brown Stone |
| BWF Bamboo Faux Wood |
| BZ Bronze |
| CBL Catalina Blue |
| CBR Centennial Brass |
| CG Champagne Gold |
| CHChrome |
| CLG Classic Gold |
| CLP Classic Pewter |
| CLZClassic Bronze |
| csClear Seeded glass; paired |
| with finish tailcode |
| CV Canyon View™ |
| CW Crimson Wood |
| DAG Distressed Antique Gray |
| DAW Distressed Antique White |
| DBK Distressed Black |
| DCO Distressed Copper |
| DOZ Distressed Bronze |
| DWG Driftwood Gray |
| ESP Espresso |
| FXGFox Gold |
| GG Gloss Gray |
| GRY Gray |
| GST Galvanized Steel |
| LBLLight Blue |
| LD Londonderry [™] |
| MBK Matte Black |
| MCH Midnight Chrome |
| $\mathbf{MDW}\mathbf{Mediterranean\ Walnut}^{\scriptscriptstyle{\mathrm{M}}}$ |
| MIZ Mission Bronze™ |
| MST Textured Midnight Spruce |
| MWH Matte White |
| NBR Natural Brass |
| NI Brushed Nickel |
| OBOlde Brick® |
| oz Olde Bronze® |
| PALPalm |
| PB Polished Brass |
| |
| PL Platinum |

PN..... Polished Nickel

PR..... Prairie Rock™

| PSS Polished Stainless Steel |
|---|
| PZ Patina Bronze |
| RBGRubbed Gray |
| RS Raw Steel |
| RSTRustic |
| RZ Rubbed Bronze [™] |
| SB Satin Brass |
| SBK Satin Black |
| sc Stucco White |
| SD Sand |
| SGD Sterling Gold |
| SN Satin Nickel |
| SNB Satin Natural Bronze |
| SNW Satin Natural White |
| ss Stainless Steel |
| \textbf{SWZ} Shadow Bronze $^{\text{\tiny{M}}}$ |
| TRZ Terrene Bronze [™] |
| TZ Tannery Bronze™ |
| TZT Textured Tannery Bronze |
| VTG Vintage Gray Wood |
| WBR Weathered Brass |
| WCP Weathered Copper |
| WH White |
| WHR Weathered White |
| WHT Textured White |
| WMZ Warm Bronze [™] |
| wnw Walnut Faux Wood |
| www Whitewashed Faux Wood |
| wzc Weathered Zinc |
| |

CONNECT WITH US



Follow us: instagram.com/KichlerLighting

Like us: facebook.com/Kichler.Lighting Follow us: twitter.com/KichlerLight Join us: houzz.com/pro/KichlerLighting/Kichler Find us: pinterest.com/KichlerStyle Watch us: youtube.com/KichlerLighting Find us: linkedin.com/company/KichlerLighting

To find an Authorized Dealer, visit Kichler.com/Where-to-buy

Kichler Lighting 7711 E. Pleasant Valley Rd Cleveland, Ohio 44131

Our Vision

At Kichler Lighting, everything we do, every single day, is with the intention of creating and delivering products that allow people to see what matters most to them. We will do that by relentlessly pursuing quality, ensuring continued innovation, always going one step further in our commitment to exceptional customer service and education, as well as creating on-trend designs that are both stylish and "life-stylish," promising to deliver project success for you.

Get inspired at Kichler.com

