



**CANNUN 6K™**



**iTOOLCO**

**PRODUCT NUMBER: C6K**

**FASTER**

Two pullers in one 3K / 6K with  
a 6,000 lb. pulling capacity

**SAFER**

No anchoring required.


**SMARTER**

Fully collapsible for easy  
storage and mobility.



## FASTEST WIRE PULLER AVAILABLE

Pulls 8' & 28' per minute on low speed  
and 20' & 70' on high speed.





## **SPEEDY RECONFIGURATION**

Quickly change from side pull to overhead, underground or truck hitch.

Pivoting arm for easy rope access on overhead applications.

Interchangeable components for adaptability on the job site.



**Pivoting Arm** is also telescoping for complete flexibility on the job.



**Dual Capstans** allow the operator to choose speed or torque.




**Ergonomic cart** transports the Cannon 6K easily and keeps all components close-at-hand.

**Open Front Conduit Adapters** allow for easy removal at the end of the pull.



**Sturdy Steel Base** can be removed to allow anchoring into a truck hitch.





## SPECIFICATIONS

**Model:** C6K

**Description:** Cannon 6K Wire Puller

**Includes:**

- Cannon 6k™ Wire Puller
- Super duty cart with adapters
- 2 speed, 13 amp motor
- Universal adapter – for loads under 5,000 lb.
- 5 Conduit adapters sizes 2" through 4" (5" & 6" also available separately)
- Protective foot switch

---

Length: 9'3" (fully extended)

Width: 31-1/2"

Weight: 115 lbs (total weight 163 lbs. with cart)



**IToolCo**

**CONTACT YOUR ITOOLCO REP FOR PRICING**

**CANNON 6K™**