

#### **CONNECT AND PROTECT**



**Connection:** Infeed, 2-pole. Through wiring, 2-pole **Follow-up time of the motion detector:** 3 min.

**Light colour:** 5300 K (neutral white)

**Dimensions:**  $396 \times 33 \times 40 \text{ mm} (15.6 \times 1.3 \times 1.6)$ 

Lamp type: LED

Power consumption: 5.1 W max.

Luminosity: 550 lm

Operating temperature:  $-20 \dots +55 \, ^{\circ}\text{C} \, (-4 \dots 131 \, ^{\circ}\text{F})$ 

Protection degree: IP20

**Operating voltage:** 24 - 240 V (AC/DC) (+/- 10%)

**Description:** A compact LED light specially designed for nVent HOFFMAN enclosures. Designed to fit 25mm mounting profile and accessory channel. May be fitted horizontally or vertically. The light allows up to 4 lights to be connected to each other in a daisy chain. Model ending with "M" includes motion sensor. Magnetic attachment as

accessory. Lights and cables sold separately.

Protection: || / |||

Operating voltage	Width	Item no.
24-240V (AC/DC) (+/- 10%)	396 mm (15.6)	CEL550
24-240V (AC/DC) (+/- 10%)	396 mm (15.6)	CEL550M

# Compact LED Light Connection Cable, CELC Compact LED Light Through Wire, CELC



**CONNECT AND PROTECT** 



Colour: Black, Orange

**Design:** Infeed, with through wiring 2-pole cables

**Description:** To save time and easily mount the compact

LED lights, use these pre-fabricated cables.

Connection	on Type	Length	Colour	Pack quantity	Item no.	Region
Infeed	Connection cable for compact LED enclosure lights	3000 mm (118)	Black	1	CELC3001PBUL	NA
Infeed	Connection cable for compact LED enclosure lights	3000 mm (118)	Black	1	CELC3001PB	EU
Infeed	Connection cable for compact LED enclosure lights	3000 mm (118)	Orange	1	CELC3001P0	EU
Through- wiring	Through wiring cab for LED enclosure lights	le 1000 mm (39)	Black	1	CELC1001TBUL	NA
Through- wiring	Through wiring cab for LED enclosure lights	le 1000 mm (39)	Black	1	CELC1001TB	EU
Through- wiring	Through wiring cab for LED enclosure lights	le 1000 mm ( <b>39</b> )	Orange	1	CELC1001TO	EU

## **Compact LED Light Connector, CELCN**



### **CONNECT AND PROTECT**



Pack quantity: Includes 1 input connector and 1 output connector

**Description:** Connectors enable different cables to be used to connect lights or to make connections between lights.

Pack quantity	Item no.	Region
2	CELCN1	EU and NA

## **Compact LED Light Mounting Magnet, CELA**



### **CONNECT AND PROTECT**



Pack quantity: 2 pcs.

**Design:** Rectangular magnets slide into the magnet holder on the compact LED light.

**Description:** Optional magnetic accessory kit for compact LED light.

Pack quantity	Item no.	Region	
2	CELA02MF	EU and NA	